





REDUCTION

OF THE

METEOROLOGICAL OBSERVATIONS

MADE AT THE

ROYAL HORTICULTURAL GARDENS

CHISWICK

IN

THE YEARS 1826_1869


By JAMES GLAISHER, F.R.S. &c.

A SUPPLEMENT TO VOL. II. OF THE JOURNAL OF THE
ROYAL HORTICULTURAL SOCIETY OF LONDON, NEW SERIES

Frinted by

SPOTTISWOODE & CO., NEW-STREET SQUARE, LONDON

1871



CONTENTS.

]	PAGE
TEMPERATUR	E.					
Date of Commencement of Regular Observation	s		,			3
Observations: by whom made						3
Subjects of Observation: Times of Record						3
Definite Times to which the Observations has	ave .	been	refer	red i	n the	
Reduction	,		,			3
Importance of determining the Average Tempera	ature	of ev	ery I)a y		4
						4
Examination of Discordant Records						4
Process of Reduction						4, 5
0 II 0 TH 1 TH						5
Daily Corrections for Application to the Means of				d Mir	imum	
Temperatures			,			6
Further Examination of Discordances						7
Formation of the Probable Mean Daily Tempera	ture					7
Arrangement of Tables of Mean Daily Temperat	ure					7
Total Number of Observations treated						7
Tables I. to XII. Mean Temperature of every I)a v . a	nd E	etren	ies of	Mean	
Temperature for every Day in each Month du						
J J	C					
Large Differences between Values on Consecutive	e Da	ys .				9
Method of Deducing the most Probable Temper	ratur	e of e	very	Day	in the	
Year						9
Law of Change of Temperature during the Year				• "		9
Table XIII. Adopted Mean Temperature of ever						, 11
Table XIV. Mean Temperature of every Mont	h an	d Ye	ar in	$_{ m the}$	Years	
1826–1869				•		, 13
Number of Times for Occurrence of Coldest and I	Hotte	est Mo	nthl	y Ten	ipera-	
tures in Different Months				•		14
Monthly Mean Temperatures						14

77 1000 1000	GE
	14
Mean Temperature of the Year; and instances of Highest and Lowest	
Mean Yearly Temperatures	15
	10
EXCESS OR DEFICIENCY ABOVE OR BELOW THE AVERAGE)F
THE MEAN TEMPERATURE OF EVERY DAY, MONTH, A	D
YEAR.	
Tables XVI. to XXVII. Excess or Defect of Temperature on every Day	,
in each Month during the Years 1826-1869.	-
Method of forming the Tables of Excess or Deficiency of Temperature of	ř i
every Day	. 19
Great Differences shown from Day to Day	9
Instances of Months in which the Daily Temperatures have been always, or	
	. 9
Table XXVIII. Greatest Daily Excess or Deficiency in each Month of the	
	0 1
Extreme Departures of Temperature from the Average in each Month in	
forty-four Years	. 2
Effect of Extremes of Temperature upon Vegetation	. 2
	. 3
List of lengthened Periods of Excess and Deficiency of Temperature in the	
• -	, 23-7
	8
Largest Periods of Excess and Deficiency of Temperature in each Month	
Table XXIX. Departure above or below the Temperature of each Month	
in each Year	8,)
Indication in the Table of somewhat Warmer Winter Months, and some-	
what Colder Summer Months than formerly	,)
Warmest and Coldest Months	.)
	0,
Citoups of Warm and Cold Teats	0,
	-1
	-1
DAILY RANGES OF TEMPERATURE ON EVERY DAY	4
OF THE YEAR.	
	3
Tables XXX. to XLI. Ranges of Temperature on every Day in each	
Month during the Years 1826–1869.	
Conditions under which Animal Life is best Preserved	
Injurious Effect upon Plants of great Alternations of Temperature .	
Long Series of Observations required for the determination of the Average	3
Daily Range of Temperature in every Season	

Citinuous Record of Maximum and Minimum Temperatures at Chiswick	'Α	GЕ
since 1826		35
Viation in the Amount of the Diurnal Range of Temperature at different		
Seasons		36
Fnarkable Instances of Large and Small Ranges in different Years		36
Tular Statement of the Amount of Variation of the Mean Monthly Diurnal Range of Temperature		37
Anual Law of Daily Range of Temperature		37
Viation of the Mean Daily Range of Temperature in each Month		37
The XLII. Greatest and Least Ranges of Temperature in every Month		0,
	3.	39
The XLIII. Mean Range of Temperature of every Month during the	,	
),	41
1	2,	43
	•	
THE FALL OF RAIN.		
Iscription of the Rain-gauge	,	48
(aduation of the Measuring Glass	_	48
Ist Step in the Investigation		48
Obles I. to XII., containing Daily Falls of Rain in each Month during the Years 1826-1869.		
lriods of long-continued Absence of Rain		49
umeration of the longest Intervals without Rain		4 9
Istances of long-continued Rain		50
tances of a Rain-fall of an Inch in a Day in the forty-four Years . 50 eatest and Least Monthly Falls for each Month, January-December,	',	91
during the period		51
ble XIII. Monthly Fall of Rain in forty-four Years (1826–1869)		OI
	,	53
ble XIV. Sums of every Fall of Rain in every Day of the Year in	,	
4 . 4 . 77 . (7000 4000 1 1 1 1	,	55
mparison of the Monthly Averages of the Rain-fall at Chiswick and		
Greenwich		56
mparison of the Yearly Rain-falls at Chiswick with those at Greenwich in the Years 1826–1869	, ,	57
uriation in the Daily Sums of the Rain-fall in each Month as shown in		
Table XIV.		58 50
eaviest and Lightest Falls of Rain as referred to Months and Days.	i	58

Formation of Five-day Periods of Rain-fall; their V	⁷ ariation	in ea	ch
Month			5 59
Table XV. Sum of Rain-fall in Five-day Periods .			. 60
Table XVI. Sum of Rain-fall in Ten-day Periods .			. 61
Remarks upon Differences between Sums of Rain-	fall in	Ten-d	ay
Periods		•	6.62
Coincidence in Date of the Driest and Wettest Decades		se fou	nd
by Greenwich Observations			. 62
Table XVII. Sum of Rain-fall in Fifteen-day Periods			. 3:
Large Differences occasionally found between the Number	rs in the	Fiftee	n-
day Periods			. 32
Sums of the Rain-fall in Periods of Thirty, Sixty,	Ninety,	and O	ne
Hundred and Twenty Days successively			. 35
Collection of the several Periods of Least and Heaviest F	alls .		. 4
Average Daily Rain-fall in each Month			64.5
Average Falls of Rain by Periods			. 8
Annual March of the Fall of Rain as Deduced from the	Mean C	urve:	its
Correspondence with the Result as found at Greenwin	ich .		. 6
			-

ON THE

DAY, MONTH, AND YEAR

FROM ALL

HERMOMETRICAL OBSERVATIONS


TAKEN AT THE

HORTICULTURAL GARDENS

AT

CHISWICK

ROM THE BEGINNING OF 1826 TO THE END OF 1869



TEMPERATURE.

by t 28th of February in the year 1825, the Garden Committee of he lyal Horticultural Society resolved that it was expedient that a feteological Journal should be kept at Chiswick in the gardens of he tricty; and observations were commenced on the 1st of May, but som he difficulties experienced in obtaining efficient instruments and the incumstances the observations to the end of the year were not ensired to be sufficiently perfect for publication.

Fri the 1st day of January 1826 to the 31st day of December 1869, ower, the observations were made upon one uniform plan throughut; Il June 1830 by Mr. William Beattie Booth, A.L.S., and from lat ite, with but few exceptions which are not specified, by Mr. lobe Thompson, under-gardener in the fruit department.

The observations during the whole of this period of 44 years have een ade at three different times in the day, designated in the journals smaing, noon, and night; and included the readings of the barometer, empature of the air and either a Daniell's hygrometer or a wettenedulb termometer as well as maximum and minimum temperatures with plar and terrestrial readings, fall of rain, direction and strength fth wind by estimation, and brief notes.

Thmorning observations are stated to have been made at 6 o'clock at the summer months, and at daybreak in the winter months; the summer months, and at daybreak in the winter months; the servation was made between noon and 1 P.M., and the night best ation between the hours of 9 P.M. and 10 P.M.

In he reduction of the observations I have considered the morning benation to have been made at 6 o'clock A.M. in the months of April Agust; at 6.30 A.M. in the months of March, September and betor; at 7 A.M. in the months of February and November; and at A.M. in the months of January and December; that the noon observations are been made midway between noon and 1 P.M., and the night been at 9.30 P.M. throughout the year.

Coolidering that temperature is the most important meteorological tem t bearing upon all animal and vegetable life, and also considering that the science of open-air horticulture needs a full knowledge of the

extremes and means of climatic temperature; the horticultust had to contend with so great a difference in the distribution of toperate at the same season in different years, that it is of the first is ported to determine accurately the average of temperature of every ay in year, with the extremes to which it is liable. It is known the the substitution of the animal economy takes place when the mon test rature of the air is that of the average of the season, and the greatest, either above or below that average; and there into determine the same general law affects all vegetation in a similar and that the effect follows the cause after an interval of time these considerations which induced me to confine my first reaction this long series of observations to temperature alone.

The instruments used were:-

A Daniell's hygrometer, and maximum and minimum thenom of Rutherford's construction made by Newman. (These thenom were placed in an open spot in the Arboretum, screened from the of the sun and sheltered from radiation by a kind of umbrell of cloth; they were attached to the northern side of the post vich ported the umbrella, and are four feet above the ground.—See age Vol. vii. Trans. Hort. Soc.)

There is no record of change of instruments. The scale sed that of Fahrenheit, except in the years 1835, 1836, and 1837, her centigrade scale was used.

Till the year 1844 there are no MSS. observations, but the bee tions are published in extenso in the Transactions of to R Horticultural Society. From the year 1845 the observation are MSS.

The first process in the reduction of the observations wa day day, to see that the several thermometrical observations in he were less than the maximum and greater than the minimum and note all discordant readings.

The second step was to examine these discordant readings for purpose all the observations made at the Royal Observatory, Graw on that day were consulted, for readings taken at about the saistir and to determine the general course of increasing and decease readings, and amount of change. A great many errors we to found, principally in the readings of the minimum thermometer.

The third process was to take the daily sums and means of eth observations of morning, noon, and night temperatures, for a proximation of mean daily temperature.

The fourth was to take the daily sums and means of the nxim and minimum temperatures, for a second approximation t midaily temperature.

The h was to take the daily differences between the maximum and temperatures, for daily range. Next to deduce from each of rect is as calculated from my Tables of Diurnal Range.

The rections to be applied to the mean of the three daily observans v e as follows (dependent on the time of the year, the times of serva m, and the daily range of temperature):—

,							0		0	
(n	Jary	when	the	daily	range	was		the correction $$		subtractive
,.			,,		,,		30	,,	0.7	49
- "	Felary		,,		,,		7	,,	0.1	additive
9.5	1		,,		,,		36	,,	0.4	,,
52	Mh		,,		,,		1	,,	0.1	,,
11			,,		,,		10	,,	0.7	٠,
33	1		22		,,		20	,,	1.4	٠,
33			,,		,,		30	19	2.0	,,
. 33	A .		,,		, ,		1	,,	0.1	,,
. ,,			, ,		12		10	,,	0.7	,,
-			,,		,,		20	,,	1:3	,,
25			,,		,,		30	,,	1.9	,,
25			19		,,		40	,,	2.5	,,
23	M		,,		,,		2	,,	0.1	* 9
10			,,		,,		20	,,	0.6	**
В			,,		٠,		30	**	0.8	,,
33	J		,,		,,		10	,,	0.1	,,
33			,,		,,		40	,,	0.4	,,
31	J		,,		,,		6	- ,,	0.1	,,
33	1		,,		,,		4()	,,	0.6	, , , ,
33	Aust		,,		,,		1	,,	0.1	11
23			,,		,,		10	,,	0.4	**
13			,,		,,		20	,,	0.7	,,
33			,,		,,		30	,,	1.1	**
33	1.		,,		,,		40	,,	1.2	,,
23	ember		,,		,,		2	٠,	0.1	,,
. 53	,,		,,*		,,		10	,,	0.9	,,
33	,,		,,		,,		20	**	1.1	,,
79	,,		,,		,,		30	,,	1.7	,,
33	,,		,,		,,		40	,,	2.2	,,
33	ober		,,		,,		1	,,	0.1	,,
99	,		,,		,,		40	,,	0.6	,,
19	and D	ec.	,,		,,		1	,,		subtractive
79	,	,	,,		,,		30	,,	0.4	,,

tions to determine the true mean daily temperature throughout to be times, excepting the three years when the centigrade scale of the whole degree only, and thus the error of reading was thy as large as 1° Fah. A mean correction belonging to each

the d

ides I.
ders in
g forty
in the
watur

and

month was thought sufficient during these three years. The name process was to apply a correction daily to the mean of the name and minimum temperatures, dependent upon the time of rear deduce from these a second approximation to the true men defendence and which corrections are as follows:—

							_	
From	January	1	to	January	7	the correction	was 0·1	subtraive
,,	,,	8	,,	,,	22	,,	0.2	,
,,	,,	23	,,	February	5	,,	0.3	,
"	February	6	,,	,,	18	,,	0.4	,
,,	,,	19	,,	,,	25	"	0.5	,
,,	,,	26	25	March	1	"	0.6	,
,,	March	2	,,	,,	4	*,,	0.7	91
,,	,,	5	,,	,,	8	",	0.8	
,,	,,	9	,,	,,	13	"	0.9	,
,,	,,	14		,,	16	,,	1.0	,
11	,,	17	11	11	22	,,	1.1	,
,,	,,	23	,,	,,	29	,,	1.2	
,,	**	30	,,	April	5	,,	1.3	21
,,	April	6	,,	,,	12	,,	1.4	21
,,	,,	13	,,	**	19	11	1.5	,,
,,	,,	20	,,	May	1	,,	1.6	,
,,	May	2	,,	,,	30	,,	1.7	,,
,,	,,	31	,,	June	30	,,	1.8	,,
9 9	July	1	,,	July	25	,,	1.9	,,
,,	,,	26	,,	August	8	,,	1.8	91.
,,	August	9	,,	"	21	,,	1.7	12
,,	,,	22	,,	"	29	,,	1.6	,
2.7	,,	30	,,	September	5	,,	1.5	,,
,,	${\bf September}$	6	,,	,,,	11	"	1.4	,,
,,	,,	12	,,	,,	19	,,	1.3	,,
,,	,,	20	,,	. ,,	28	,,	1.2	,,
,,	,,	29	,,	October	10	,,	1.1	**
,,	October	11	"	"	20	,,	1.0	99
,,	,,	21	,,	"	26	,,	0.9	,,
,,	,,	27	,,	"	31	,,	0.8	,,
,,	November	1	,,	November	3	,,	0.7	,,
,,	,,	4	,,	,,	8	,,	0.6	"
,,	,,	9	,,	,,	13	,,	0.5	"
,,	,,	14	,,	"	17	"	0.4	"
,,	,,	18	,,	,,	23	**	0.3	"
,,	-,,	24	,,	December	1	,,	0.5	,,
,,	December	2	,,	"	11	,,	0.1	22
,,,	"	12	99	,,	24	,,	0.0	"
,,	,,	25	,,	,,	31	29	0.1	"

By the application of these numbers a second mean daily temeratu was formed.

The next process was to compare the daily results deduced for the three observations with that found from the maximum and minu

te eratures—the two results should be alike, or nearly so; and when the was not the case, to note all instances of discordance.

len to examine a second time all Greenwich records on those days, to ace the source of discordance; the errors thus found were mostly he aging to the morning or noon observations.

he last step was to combine the results found by the two methods ther, for the determination of the most probable mean temperature of very day, as found from all the observations taken that day, and in the way Tables I. to XII. were formed.

he numbers in the first column are the days of the month, those in the following forty-four are the mean temperatures of the same day of the month in the successive years; the forty-sixth column contains the non-temperature of every day, as deduced from the forty-four years or rvations, and each value, therefore, is based upon about 220 observons, spread equally over the period. The remaining columns contain thighest and lowest mean daily temperatures within the periods, a the last column the difference between them.

he numbers in the bottom line are the means of all the numbers in t columns above them, and therefore are the mean temperatures of en month; each result is based upon 150 observations nearly; the tole number of observations treated of in this paper exceed 80,000.



TABLE I. Mean Temperature of every day in the month of January, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

						_											•	-		_				J	A N	Ů A	RY	7.						·		_								OP 44	Lo Mean	OWEST AND DAILY T IN 44 Y	EMPERAT	T AND THE T DAY
rs 18	26 18:	27 1 S	828 1	1829	1830	1831	1832	1833	183.	183	5 18	36 1	837 1	838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858 1	359 18	360 186	51 186	2 1863	1 864	1865	1866 18	367 18	68 1 869	MEANS	Lowest	Year	Highest	Aear Dierer Goldks
4	0 41	6 4	3.5	43.1	32.3	36·6	26.9	3Ĝ·9	40.0	0 43.3	3 25	§.3 S	26.2	45.1	43·9	50°·0	40.6	34.6	33.8	33.2	39.2	36.6	32-2	35.5	80.2	27.8	52.4	30.2	50.0	25.6	49.3	41.8	47.1	36.4 4	1.7	9.8 35	9 34.	2 48.4	28.4	28.8	38.6 2	5.9 29	37.9	37.5	25.3	1836	52.4	1851 27.1
	l l	.		- Ł		'			1	1	- 1		- 1		- 1	l 1	1	1 1	1		1 1	1		_ '		83.3				1	47.8		· 1	1	4.2 4	8.3 27	2 37.	2 43.5	25.9	27.9	43.5	9.9 30	0.0 43.1		li .	1867		1851 29.6
						1					- 1		- 1		- 1		ł	30.0			1 i		. 1	1	ľ	37.5				!			44.5		4.5 4	9.7 23	0 35.	3 40.9	24.9	33.4	44.3 2	1.9 29	9.0 46.1	36.5		1867	•	1860 27.8
3	50 24	9 3	16.3	40.2	35.5	36.8	29.5	35.1			- 1		- 1		- 1	-						1	1 1	1 '	1 ·						1		· 1	31.5	8.6 4 9.0 3	·	- I	7 42·9 2 44·4	-	· · · ·	· 1	1	9·2 43·7 2·6 44·7	37.0	10.9	1867	47·5 49·9	1866 36·6 1844 27·8
3	70 28 75 80	12 3	22-1	20.2	31.2	33.3	32.2	30.5	1	- 1	ı		- 1	1			1	!	l	E .						32.2	- 1			1					1		1						1.4 42.2	1 .	16.8	1864	·	1834 31.4
		- 1	- 1	- 1		1 1		1				- 1]	ì			1	,				1	1					- 1	1	- 1	1								41-2 4		- 1	35.9	ll .			
				- 1		28.5	[1		- 1	- 1			. 1	ì	1	1	1	1	1 1						1	1 !					- 1		l i			1	1 1		43.1			36.1	14.0	1841	50.3	1869 36.3
2	1-0 45	8 2	29-6	34.7	34.5	37.5	44.1	31.3	413	3 41.	7 31	1.8	45.7	23.0	28.9	32.7	22.3	28.7	38.7	35.9	32.3	43.0	31.6	32.1	42.0	31.5	35.8	34.0	42.0	37.5	42.8	36.6	44.2	42.1	32.3 3	33.7 19	48	7 37.1	31.3	43.3	37.8 4	1.8 2	9·9 46·1	36.0	19.4	1861	48.7	1862 29.3
2	7.5 46	3-0	31.7	34.8	35.2	37·S	47.3	28.7	43:	3 42.6	6 32	2.0	43.7	23.1	35.3	30.7	35.2	28.9	39.0	39.8	40.1	38.8	20.9	31.5	44.7	31.5	43.9	32.4	47.5	37.6	34.0	33.3	45.4	46.1	37.0 3	35·5 15	6 45	3 38.3	36.8	47.0	38.0 4	0.1 3	1.2 40.9	36.9	11	1861		1853 31.9
	1					i	l		l.			- 1		- 1		l .	1	1	1	1	1	t	1	i .]			1							1	1 1				1.9 39.0		20.4	1838	- 1	1835 29.2
				1	-	36.3	l	1	1		- 1	- 1	- 1		l i	ì	1	1	1	1	i	i .	1	I		30.0		ì		1	· 1					8.1 35		1 '	l I				0.1 40.4	1	17.6	1838	- 1	1853 31·8 1849 30·6
	_	-	1				l .	1	1	- 1	- 1	- 1			! ;	1	ſ	1	1	1	1	l .	i	1				i e					1		- (37.9 30	- 1			' '	40.7 2	- 1	5·0 37·9 5·4 33·6	37.1	20·2 19·4	1838	** 1	1866 29.9
		- 1	- 1				l	l .			- 1	- 1					1	1	1	1	1			1				I							1	$\begin{vmatrix} 1.5 & 28 \\ 4.4 & 26 \end{vmatrix}$			4 1		i	- 1		36.1	15.0	1838		1852 35.9
										- (- 1	1	l .)	1	1		1	1		1	1	1	1					- 1						1	,	1 1				6.6 43.8	-	19-1	1826	48.9	1834 29.8
	_							1	!	- 7	- 1		1			1	1	33.6		1	1		1	1	1				J					34.1			.)	1 37.5	1 1		r		8.2 45.8		22.5	1830	48.5	1841 26.0
				1					1	1	-1	- 1				1	1	1	1	1	1		1	1 - 1		ſ		i	4	- 1	- 1			35.6			3 26.	1 37.8	40.8	35.4	47.5 2	7.6 4	5.2 35.9	37.1	22.7	1830 1838	51.5	1828 28.8
3	-4 30	2 5	3.5	27.7	22.3	45.3	32.8	36.0	41.0	6 32	7 32	2.3	35.4	17:1	40.0	47.8	33.2	30.8	38.6	42.9	38.7	48.2	30.6	33.0	48.6	38.6	42.2	38.0	44.9	37.8	22.3	47.1	40.3	40.8	10.7 3	88.6 35	0 25	7 46.2	46.3	33.1	48.0	26.3 4	2•9 36·3	37.2	17.4	1838	· ·	1828 36-1
											- 1						1	32.2		1			30.4			29.1		1								39·0 40		- 1				1	6·5 33·4	1	7.7	1838		1828 43.0
																																				1.5 37							6.3 33.3	_	23.2	1855		1866 26.9
3	2 24	5 4	9-2	26.9	34.3	47.8	42.0	30.6	48.	4 35	4 40	6-8	48.0	38.2	34.4	45.1	37.5	34.3	40.2	37.3	38.6	49.1	34.0	31.0	44.4	33.2	38.5	39.9	39.0	39.6	27.7	39.1	37.2	33.7	11.2 3	39·7 35	7 41	4 43.8	48.7	28.6	48.4	26.6 3	6.1 32.8	38.3	II	[I	1	1828 24·7
3	28	2 4	7'8	22.9	33.1	42.9	36.5	27.3	54.0	6 39	0 49	9.6	48.7	31.6	36.3	51.6	37.1	32.3	44.6	39.9	12.9	47.0	38.6	32.0	47.5	36.2	35.0	37.3	40.3	40.9	29.4	40.2	37.8	31.8	38.7 4	10.8 34	9 38	0 44.8	37.7	34.0	37.5	2.9 3	7.0 00.5 9.0 58.1	38.3	24.5	1829	52.5	1834 31·7 1834 28·0
	1-0 00	-2 4	9-2	24.5	36.6	32.2	42.3	30.7	52.	5 43	5 44	4.2	48.9	25.1	40.6	46.6	33.1	29.9	44.7	35.6	39.4	46.0	42.4	33.3	48.4	34.0	30.6	42.1	30.6	42.8	32.2	16.9	37.6	27.7	10.3 3	19'0 39	.2 20.	5 1.1.6	37.9	39.3	38.3	14.1 41	0·3 33·8	38.8	25.1	1829	53.3	1834 28·0 1846 28·2
1 3	1-2 20	-1 4	1010 1011	30-1	35.6	29.9	39.8	32.4	46%	3 45	A 39	9.9	40.1	27.1	24.0	43.2	34.3	35'7	15.7	39.9	40.0	48.6	11.1	29.9	40.0	43'3	30.4	41'3	37.1	37.1	33.6	42.6	33.1	20.5	11.9 3	5.2 46	9 32	0 42.7	42.8	33.9	40.4 4	4.1 3	6.2 40.4	38.8	24.4	1848	51.4	1834 27.0
3	F6 26	4 4	6-1	39.7	35.9	33.6	32.8	37.7	49-9	2 42	6 42	3-1	36-9	29.2	31.4	39.2	43.0	38.9	51.7	44.2	38.9	46.9	44.0	24.4	30.6	31.7	37.A	41.8	36.1	43.9	25.5	36.3	29.1	32.3	5.1 4	2.0 46	.7 39	2 42.1	45.7	33.0	40.9	32.1 3	7.9 35.6	38.7	25.5	1855	52.1	1867 26.6
3	3.5 35	3 4	2.7	36.0	34.9	33.0	34.5	40.5	47:	7 39-9	9 44	4.6	34.0	32.1	32.2	47.1	37:3	34.4	51.0	44.7	34.3	47.0	38.7	22.9	39.1	41.7	41.6	36.3	39.9	45.6	31.4	32.9	27.8	34.1	11-1 3	32·6 3 9	9 421	3 40.9	42.7	28.1	45.2 4	8.4 4	1.6 48.5	38.6	22.9			1843 28.1
1 2	3.4 40	r8 4	1:7	33.7	33.2	29.5	41.3	39.6	32.	5 454	0 38	8-1	33.4	40.3	32.9	41.7	38.6	36.6	51.7	45.8	31.3	47.1	33.5	36.7	35.0	42.6	48.1	36.2	39.6	50.5	30.0	28.9	23.4	40.8	4.1 3	6.9 36	4 48	9 45.7	27.2	28.2	43.2 4	7.1 3	8.7 44.9	38.8	23.4	1857	-51.7	1843 28.3
	3.4 33	8 4	11:2	37:1	31.0	26.4	40.8	34.3	41.0	0 43.	3 37	7.8	39.4	35.3	26.1	35.3	38.6	37.1	48.3	42.5	30.4	46.8	36.8	43.1	38.4	34.1	40.9	41.2	40.0	49.2	28.7	29.8	27.1	47:1	39-1 3	8.8 41	1 48	7 47.1	31.3	36.6	42.4 4	3.5 4:	2.1 46.9	38.9	26.1	1839	49.2	1994 29.1
4	£'4 4]	8 4	l5·1	36.2	23-2	30.2	40.2	34.4	42.	7 41.	5 41	1.7	42.8	33.3	30.1	44.3	35.7	41.3	47.2	34.3	31.4	50.0	33.2	37.1	35.8	41.2	38•9	41.9	35.0	48.2	27.7	28.7	28.0	37.1	36·6 3	4.6 42	6 52	2 44.7	35.2	38.3	48.1	8.2 4	3.4 53.2	39.0	23.2	1830	53.2	1869 30.0
7	2-5 25	7 4	11.7	32.2	32.3	35.6	36.9	34.9	45.0	6 38-	8 38	8.0	38.2	28.5	37.6	39.6	34.6	33.4	40.1	38.7	38-9	43.2	34.8	34.4	39.9	33.4	42.1	40.4	42.2	38.7	34.2	38.8	35.9	36·1	39.8	9.0 32	6 38	5 41.5	34.7	36.1	42.7	3.2 3	7.5 40.6	37.4				

Mean Temperature of the coldest day in January in the years 1826 to 1869 was 7°.7, and it took place on the 20th day in the year 1838.

Mean Temperature of the hottest day in January in the years 1826 to 1869 was 54°.6, and it took place on the 23rd day in the year 1834.

Mean Temperature of the hottest day in January in the years 1826 to 1869 was 54°.6, and it took place on the 23rd day in the year 1834.

Mean Temperature of the coldest day in January in the years 1826 to 1869 was 54°.6, and it took place on the 23rd day in the year 1834.

Mean Temperature of the coldest day in January in the years 1826 to 1869 was 54°.6, and it took place on the 23rd day in the year 1834.

Mean Temperature of the coldest day in January in the years 1826 to 1869 was 54°.6, and it took place on the 23rd day in the year 1838.

Mean Temperature of the hottest day in January in the years 1826 to 1869 was 54°.6, and it took place on the 23rd day in the year 1834.

Mean Temperature of the hottest day in January in the years 1826 to 1869 was 54°.6, and it took place on the 23rd day in the year 1834.

Mean Temperature of the hottest day in January in the years 1826 to 1869 was 54°.6, and it took place on the 23rd day in the year 1834.

Mean Temperature of the hottest day in January in the years 1826 to 1869 was 54°.6, and it took place on the 23rd day in the year 1834.

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 20th; in the year 1838 its Mean Temperature was 7°.7; and in the year 1828 it was 50°.7; the difference between these numbers is 43°.0.

The day of the month whose Mean Temperature has been subjected to the least difference was the 30th; in the year 1839 its Mean Temperature was 26°.1; and in the year 1854 it was 49°.2; the difference between these numbers is 23°.1.

TABLE II. Mean Temperature of every day in the month of February, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

DAY OF																				F	E	BRU	J A :	RY.	•							•										s of 44	MRAN	OWEST A DAILY (ND HIGHEST FEMPERATURE FEARS	ir i
MONTH	1826	1827	1828	182	9 1830	1831	1832	1833	1834	1835	1830	5 1837	1838	1839	1840	1841	1842	1843	1844	845	846	847	848	1849	1850 1	8511	852 1	853 18	354 18	355 185	6 185	7 1858	1859	1860	861 18	62 186	3 1864	1865	1866	1867 1	868 18	MEAN VEA	Lowes	Year	Highest Ye	ear
1	43°S	40.2	45.2	27	7 23.5	35.7	41.0	35.0	37.8	48.7	39.6	42.1	31.8	29.3	43.3	27.7	39.4	48-4	29.3	32°.3	44.8	35.0	33.2	35.8	51.6	36.8 4	19°3 3	30.9 4	$\begin{vmatrix} \circ & \circ \\ 5 & 3 \end{vmatrix}$ 2	6.5 33	2 26	2 31.1	41.7	31.3	15.8 50)·6 43·7	41.7	44.5	51.2	46.8	8.2 48	0 0	23.2	1830	51.6 18	350
. 2	48.5	34.0	43.3	26:	2 20.6	32.3	41.5	47.2	42.9	48.7	37.0	42.3	28.1	31.8	44.6	25.5	44.8	42.3	32.6	30.6	41.8	33.7	38.4	45.8	50.4	36.7	50-1	33.9 3	7.1 2	8.7 32	9 31.	3 31.3	40.7	33.8	37.4 4	3.7 48.0	47.2	44.8	45.6	42.0 4	6.1 39	2 38.9	20.6	1830	50.4 18	50:
3	49.2	33.2	41.8	280	5 22.3	35.6	40.6	45.8	42.8	46.9	37.0	39.9	30.0	36.3	44.8	21.5	41.7	35.2	32.2	38.3	45.8	34.0	39.7	46.8	44.9	35.1	12.7	36.6 2	7.9 3	1.1 33	8 29.	5 40.5	32.7	33.3	10.2 49	0.6 43.3	45.5	42.5	41.5	39.0 4	0.5 49	9 38.4	21.5	1841	49.9 18	69:
-4	46.2	34.0	46.3	36	3 27-1	37.5	46.2	49.5	43.2	44.6	37.2	36.0	28.5	41.8	44.1	26.3	38.3	35.0	33.4	35.1	42.8	32.2	44.9	46.7	40.4	35·1 4	17.4	36.5 3	6.2 3	5.2 35.	6 26	5 44.2	41.3	38.5	13·9 5	3.2 41.7	36.1	35.3	44.8	41.7 4	1.4 50	7 39.5	26.3	1841	53.2 18	62
5	46.7	32.0	48.7	40	8 19-9	35.4	50.7	48.4	43.6	44.2	36.1	33.6	30.2	41.1	41.8	26.5	34.9	33.5	29.6	39.0	40.8	36.4	50.8	45.7	44.8	43.6	19.5	36.8 4	5.0 3	5.8 42.	5 31.2	2 42.0	44.4	43.1	15.3 48	3.3 46.4	32.1	36·1	45.9	43.2 4	4.2 49	1.2 40.2	19.9	1830	50.8 18	148
6	48:3	34.7	48.4	40.	7 19.7	34.6	45.4	49.2	39.6	41.2	42.2	33.4	31.6	44.3	41.6	26.4	32.7	34.6	34.0	31.4	42.0	41.6	51.3	44.1	40.4	36.8	2.6	38.7 5	2.5 3	2.8 46.	8 42.3	38.0	38.1	36.9	45·5 4 3	3.6 48.0	32.0	39.7	51.4	42.3 4	0.3 46	6'6 40'2	19.7	1830	52.5 18	ō ‡ °,
7	41.7	1	1	1		1	1	1	1	1	1	1	ļ .	! I	- 1	l i	1	- 1	- 1	- 1		1	- 1	1	•	- 1	- 1		- 1	- 1	1	I	1 1		- 1	•	1	, ,			- 1	9 40.6	- 11	1841	51.2 18	56
8	37.0	32.3	1	1		1	1	1	1	1	1		1		Į.							- 1			- 1			- 1	•	,		1 >				1	1	1 1			1	4 39.9	- 11	1862	54.4 18	31
9	35.8	31.3	1	i .	1	1	1	i .	1	1	1	1	1	 	- 1	l l	- 1					- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1	i i	- 1	I			- 1	1	1	1 1			i	·4 39·2	<u> </u>	1847	56.1 18	31
10	35.5	1	1	1	1	1	1	•		1	1	1	1	i I	- 1	I	- 1	- }		- 1	- 1	- 1	- 1	- 1	1	•	- 1		- 1	ŀ	- 1	I	l !	i	- 1	1	1			- 1	1	7 38.4	11		51.6 18	-
11	37.4	1 '	- 1		1	1	1	1	1	1	ł ·	Į.	1	, i			- 1			1	- 1	1	- 1	- 1	- 1	- 1	- 1	- 1	1	ŀ	•	I	1 1	i i	· 1	ı	1] [- 1	l l	1 38.1	il .	1	51.3 18	_
12	43.0	1				1	1	1	1	!	1	1	1		- 1	I		- 1		- 1		- 1		i	1	1	- 1	!	1	,	ł	I	l i	- 1	1	1	1	1 1			· 1	38.1	 	1	49.8 18	
13	44.9	1		1	1	1	1	1		ţ	ł	1	1		- 1	l 1	- 1			- 1				- 1	1	ĺ	- 1		í	- 1	- 1	1	1	i i	- 1		1	I 1			1	2 37.6	11	1	48.8 18	18
14	46.0	1	1	1	- 1	1	1	1	1	1	ł	1	1	1 1	- 1	l l	- 1				- 1		- 1			1	1		- 1		- 1	1	i +		- 1	ŀ	1	1 1		- 1	·	.3 38.8	II.	1838	1 1	18
15	47.8	1	1)		1		1	1		•	1	1		I		l l						1			- 1	- 1	i	- 1		4		l t		1		1	• •	- 1		I	39.5	11			50
16	47.7	1			i i	1	1		1	ŀ		1	1				1	- 1		- 1			- 1	1		i		- 1	1	- 1	- 1	i	!!				1				- 1	39.5	i II		51.0 18	
17		i	1	\$	1	1	1	1	1	1	ļ	1	1	1 1	l	l I	1	- 1	- 1		- 1		}	l l	- 1	- 1	1	- 1			- 1		1	- 1		- 1	1	F 1		1	- 1	39.0	[]	j.	51.6 18	52
18	41.7	1		i	- 1	1	1]	1	1	1	1	1	1 1	- 1	1 I	ı i	- 1		- 1	1		- 1	- 1	- 1	- 1	- 1	- 1		1	- 1		1 1			1	1	1 1	- 1	· 1		6 38.7	11	1	50.5	51
19	45.3		1	f		1	1	1	1	ĺ	1	1	1	1 I		1 !	1	- 1	- 1	- 1		1	- 1	l	- i	- 1	- 1	- 1	1	i	- 1	· l	1 1				1			i	1	2.2 38.5	11			62
20				1	1	l l	•	1	1	1	ſ	1	1			! I			- 1	- 1	1	- 1	- 1			- 1	- 1			- 1	- 1	1	l I				1	1	1			38.4	· II		f L	02
21				l		1	1	1	1	ì		1	1	1 1		1 1	1				- 1		- 1	1	- 1	- 1		- 1	- 1	1	1	1	1 1		- 1	1	1	1 1		I .		9 39.5	11	1	48.6 18	_
22			1	,								1	1									1		,				ŧ			•	,			1	1		1 1					III .		48.6 18	_
23	i .	1	1	1			1	1	1	1		l .	1			!		I				- 1				- 1	ŧ	- 1		- 1			1 1	1	1	- 1	1		- 1			39.8	FI		53.3 18	
24								1	1		1	1				I I				1		- 1		- 1		ŀ			i	- 1	_ I	- 1	. !	- 1			1	۱ I		- 1	- 1)·2 40·2	- 1)		53.6 18	1000
25				1		- 1	1	1	1	1	1	1	1	1 '						- 1			- 1				- 1		1	- 1	1	i	I 1			1	1	1 I	1			2.7 40.6	· i	-1	52.0 18	
26			1	1		1	1	1	1	1		1	1	•				- 1	- 1	- 1		1	- 1	- 1	- 1		- 1		1	1		_ I						1 1		- 1		3.6 40.8	11	1	53.1 18	100
27			- 1			- 1				1	1	i i	1	1		1 1			- 1		1			1	- 1	4	- 1		1				I I				1	1 1				41'3	' {	1	54.7 18	
28	49-2	1		1	- 1	- 1	1	ŀ		1	1	1	45.4			1 1				- 1	- 1				1	j	1	- 1		- 1		1	1 1			- 1	1	, ,	l l		j).6 41.1	11	1853	52.9 18	10
29			47.1		•		37.2		•••	•••	36.	9			35.9			•••	42.3				42.8	•••	,	•••	36.3	•••	··· _	40				35.4			38.9				15.3					_
Means	43.5	33.	9 42.2	39	9 36-	9 42	9 38.2	43.8	41.2	43.0	37.	9 41.1	33.7	40.3	39·1	37·1	41.2	36.5	36.1	33.0	43.2	35.8	43.8	41.9	43.0	39.8	40.0	33.1	9.1 2	8.8 41	8 37	8 34.9	41.9	35.3	41.6 4	1.5 42.	35.8	36.7	40.6	45.0	13.5 4	5.2 39.4	1			

The Mean Temperature of the coldest day in February in the years 1826 to 1869 was 15°8, and it took place on the 12th day in the year 1845. The Mean Temperature of the hottest day in February in the years 1826 to 1869 was 56°1, and it took place on the 9th day in the year 1831. The difference between these numbers is 40°3, and it represents the extreme difference between the Mean Temperature of two days in the month of February

in 44 years. T

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 9th; in the year 1847 its Mean Temperature 21°·1, and in the year 1831 it was 56°·1; the difference between these numbers is 35°·0.

The day of the month whose Mean Temperature has been subjected to the least difference was the 25th; in the year 1858 its Mean Temperature was 31° and in the year 1830 it was 52°·0; the difference between these numbers is 20°·7.

TABLE III. Mean Temperature of every day in the month of March, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years. 1826-1869; and extremes of Mean Temperature for every day within the same period.

A																								I	M A	RC	н.																		0 OF 44	MEAN	OWEST AN DAILY T 44 X	EMPERAT	urr in	RENCE SN THE ST AND
1826	1827	182	S 1 S 2	29 18	30 183	31 18	32 18	331	834	1835	1836	6 183	37 18	38 1	859	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	2 1853	1854	4 1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	865 1	866 186	57 18	68 1 869	MEANS	Lowest	Year	Highest	Year	DIFFE RETWE COUDE
48.8	48-4	25·5	9 32	·7 50	2 41	1 39)·5 4:	2.2	50°-6	35.2	0 44·1	34	·5 44	° 4 3 .	44.6	33.7	36.4	43.2	33.2	45.9	35.4	51.6	35.7	39.6	43.5	46.3	37.8	41.8	32.3	37.5	15.7	41.6	43.5	31.7	45.7	30.0	° 44·4	36.9	42.0	30.8	45.0	31°7 38	3 43	9 43.6	0 41.1	31.7	1858 1866	51.6	1846	19°.9
50.3	÷5·2	±6·4	0 34	.2 15	0 51	$5 \mid 42$	2.5 43	3-8	51.2	39.6	46.2	37	0 41	1.2	48-1	36.3	41.6	47:1	34.3	44.2	37.5	51.0	41.1	41.5	43.5	49.0	36.7	37.6	37.3	37:6	3 47:1	42.2	45.6	31.4	47.7	41.0	45.7	29.7	48.6	39.3	43.3	32.3 31	8 49	0 42.2	42.3	29.7	1862	51.5	1831	21.8
±6-9	44·S	45.	7 37	5 46	5-5 50	3 41	1:0 48	s·s 4	49.5	41.7	42.2	38	·5 41	1.0	44.3	39.0	41.6	52.1	33.8	43.6	34.5	52.8	36.7	40.0	47.4	45.3	87.9	33.4	83.7	37.2	40.2	10.0	41.1	31.0	51.2	42.3	45.2	32.3	52.5	38.3	37.8	34.0 36	8 50	7 36.7	41.8	31.0	1858	52.8		21.8
48.8	43.5	±6·	0 38	.3 41	.0 51	S 44	F8 48	S-2	51.4	41.2	45.9	39	9 42	$2\cdot 1$	40.3	35.6	39.2	43.7	33.1	36.2	27.7	47.7	37.4	39.2	48.2	36.1	42.7	32.0	38.2	38.0	39.4	38.2	43.0	33.2	55.5	42.7	40.1	29.6	46.8	48.9	38.8	35.4 40	6 51	8 34.6	41.3	27.7	1845	51.8	1 1000	
11.1	±1.7	37.5	9 40	1 42	2 49	7 41	l·5 4 :	2.5	53-1	41.9	43.5	41	0 49	2.6	**		43.4			32.9	26.9	45.9	39-4					i	44.5	'	1	39.5	_	34.0	51.3	39.4	44.5	35.7	49.7		- 1	32.2 38		1	41.0	26.9	1845		1834	
40-5	±2.0	344	0 41	7 43	10 49	5 41	1.6 40	0.3	47.7	45.0	42.1	39	9 42	2.8	30.0	36.5		i	37.2	36.3	27.0	46.5	37.4	39.9					49.3	34.0		i	46.5			41.2	47.1	51.8	47.2	47.0	34.2	35·4 35	2 44	·5 41·5	41.2	27.0	1 1		1862	
52-0	±6·2	384	6 43°	0 38), 1 11	4 38	3 1 3	7.5	50.6	41.7	40.3	38	$5 \mid 42$	_ , ,	30.3			49.0	33.9	36.4	33.3	42.7	39.7	40.1	46.7	1	1		45.7	,,,,	1	33.5		••	~ =	34.7	"		42.7	47.1	35.2	36.0 33	$\begin{vmatrix} 5 & 45 \end{vmatrix}$	34.3	41.5	30.3	1839	53·5 52·7		23.2
52.7	2579	52	5 43	12 12	8 47	0 33	5. <u>7</u> 33	3'8 8	51.7	41.9	38.3	40	6 42	$\begin{bmatrix} 2\cdot 3 \\ \vdots \end{bmatrix}$	29.8	36.7			36.6	39.4	34.3	41.4	1		1	1	1			1		1	37.8	1		33.7	48.2	50.2	41.7	41'5	37.7		-	0·4 33·1 0·0 38·5	40.6	29·8 29·9			1826 1826	
50.0	20.1	50-	9 40	1 40 6 50	0.0 23	0 37	2 3	6.2 C	01.9	41.4	39.9	1 43	.0 38	8.3	29'9	39·0 45·7		42.1	33.8	46.7	37.8	41'2	35.1		34.7		1		1 1		32.6	1		34.5		32.9	42'3	48'4	37'1	33'1	39'1	38'3 39 20:5 20	1 43	0.1 25.1	40'7	29.9	1855	53.6	1826	
33.0	51:6	50-	\$ 36	9 59) 1 ±5 3·2 45·	0 36	2.4 3:	5:3	18:3	421	46.6	1 42		1	- 1	41.3		43·1 45·1		38·0 45·7		13.6	32·0 26·5		35·4 40·3	1)	1	15.0	1	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			31.4	' -	31.0	19-1	47.7	36:6	46.1	36.6	36.6 39 36.6 39	$\begin{bmatrix} 1 & 42 \\ 9 & 45 \end{bmatrix}$	6·5 35·6		1	'	53.2	1830	
13.1	49-6	49-	0 38	1 51	.3 46	8 70) 5 3'	2.4	18-2	45.0	45:9	38	1 30	0.8	41.3	41.9	47.7	37.7	46.9	٠. ا		39.9) ·-		`	39.9		1		30.0			37.8	53.3	38.6	11.2	18:1	***	42.4	37.8	39·6 33	6 47	35.7	41'7	32.1	1845	53.3	1859	1 '
41.1	50-1	54	6 38	3 46	3.0 46	0 42	2:0 3:	$2\cdot3$	42.3	43.0	46.2	2 39	2 4.	4.8	45.8	45.2	46.3	47.1	45:1	38:6	20:3	44.8	39.3		49.4						39.8			42.9	51.7	39.2	37.3	47.3		, i	39.6	38.5 31	3 50	0.7 35.2	42.6	20.3	1845	54.6	1828	
45-0	45.7	52	6 35	2 46	6.7 42	5 44	1·4 3	5.2	44.7	50.0	45.1	39	6 52	2.5	48.9	42.9	44.3	46.6	50.3	43.0	25.8	51:0	39.5	39.1	46.0	42.2	1	1	1	1	39.3			44.7	$\begin{vmatrix} 50.2 \end{vmatrix}$	39.5	11.6	43.0	40.6	49.5	36.9	33.6 31	6 48	35.6	43.0	25.8	1845	52.6	1828	26.8
±5-7	41.7	53.	9 33	·7 48	3.5 49	0 38	3.7 3	7.0 .	41.6	43.9	43.5	38	5 43	3.2	47.3	42.7	47.5	50.6	50.7	42.5	30.2	51.4	42.6	43.1	49.8	1			1				43.3	45.3	45.5	38.4	45.3	43.5	41.0	46.4	35.3	39.7 33	8 43	36.0	42.2	30.2	1845	53.9	1828	23.7
35-0	43.0	55-	9 34	3 46	5-2 55	2 42	2-6 4	3.2	43.7	45.5	41.4	37	9 42	2.0	46.6	39.0	49.5	50.8	49.2	45.4	27:3	45.8	50.0	40.3	48.7	36.0	12.9	44.5	37.0	48.7	43.8	44.3	44.3	51.6	48.0	44.2	39.3	42.3	41.0	40.3	35.3	47.2 31	3 46	35.0	43'3	27.3	1845	55.9	1828	28.6
35.7	42·8	534	± ∤ 3S	3 49)·7 53·	0 46	3·9 3·	7.7	40-9	46.2	49.8	37	.4 39	9.8	38.7	41.6	48.9	50.1	47.2	38.1	28.9	37.5	46.8	30.2	44.1	32.4	40.2	41.0	30.2	39.6	6 41.9	41.0	44.3	49-1	48.7	49.9	38.4	43.0	38.5	34.4	38.8	44.4 31	8 40	37.0	41.9	28.9	1845	53.4	1828	24.5
38.9	35.4	52	3 45	8 51	1-9 44	9 44	1.9 3	8.8	36.4	41.2	52.3	36	9 40	0.4	33.3	42.3	49.0	46.4	50.2	39.4	34.4	35.9	44.8	42.3	42.9	35.2	44.1	38-2	27.9	43.0	42.1	45.5	51:7	48.5	12.2	47.6	41.1	42.4	39.2	38.9	36.8	43.9 32	·S 42	40.3	41.9	27.9	4 1	52.3		
42-9	#1-2	2 47-	2 49	· 4 50)-3 45	9 46	6.6 3	6-3	36-6	40.6	52.0	36	7 42	2.9	37.8	39.3	46.3	43.1	47:1	43.7	35.2	35.7	48-1	42-1	43.7	42:	7 47:8	3 41.0	31.2	39.3	3 45.4	46.3	51.7	51.9	41.0	46.0	43.0	43.1	40.5	43.7	35.0	43.5 34	·5 42	.4 43.4	42.8	31.2			1836	
41.8	49.5	5 47	0 51	6 48	3.2 50	0 43	1 -7 3	9-6	37.5	46.8	54.9	9 32	2.0 4.	4.2	42.5	41.1	44.1	43.3	52 ·5	39.0	30.1	33.9	19.5	42.5	39.3	3 40.7	40.7	7 41.7	34.9	38.8	3 44.8	46.5	44.8	51.8	46.8	47:1	41.2	35.8	50.1	39.4	29.8	39.6 35	1 46	38.6	43'0	29.8	1865	-	1836	
		1			3.0 50		- 1						i		- 1			1 1					1	į.	1		1	1		1	2 39.2		34.4		1 1		I	- 1		43.4				9.8 39.7	42.7	31.5	1837		1830	1
																																												3.8 40.4		1	1		1	1
			7				- 1					1	- 1									1	1				,		1	1		1		i I								- 1	Г	36.1		ll	1837 1853	51.7	1848	20.2
10.				1	1	- 1						- 1		- 1		1			i 1	I		1	1						1	1	1	1	1 1		I I					ı	- 1	- 1		39.4		II .	1853			1
				4	- 1				1										1 1				1	I			1		1	1	1	1	1 1	i .	I I					l l		- 1	- 1	10.8		II	1853			1
100			L.		1	1						ľ	1						1 1			1	1					- 1		1									1					·3 41·3		ll .	1850		1	1
		,	-	1	- 1		1		- 1			- 1											1		1		1		1	1	4	1										- 1		1 35·6 36·7		[{	1850		l	1
							L L		- 1		-		- 1		- 1					- 1			ľ		1	1		1				r						- 1						7 36.4		<u> </u>	l t		1	1
							- 1						- 1						1				1		1		1		1			ı												4 37.4		il	1859		1848	
				3									- 1											1		- 1					1	1			1 1		1	1	- 1					2 40.8		34.7	{ 1847 1859	55.9	1848	21.2
£ 42:1	454	4 45	4 40)-9 4	8.5 46	8 4	- - 2·7 3	39.0	45:4	42.8	44.8	8 37	7.6 4:	2.3	41.6	39.4	16.9	45.9	43.8	42.5	36.9	44.1	41.4	43.8	43.1	39.7	43.1	41.0	38.6	44.0	38.4	39:5	42.5	12:3	46.5	11.8	43.7	439	44.7	41.3	36.8	41.1 38	6 45	·4 38·1	42'4					4

The Mean Temperature of the coldest day in March in the years 1826 to 1869 was 20°3, and it took place on the 13th day in the year 1845.

The Mean Temperature of the hottest day in March in the years 1826 to 1869 was 56°3, and it took place on the 29th day in the year 1866.

The difference between these numbers is 36°0, and it represents the extreme difference between the Mean Temperature of two days in the month of March in 44 years.

T

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 13th; in the year 1845 its Mean Temperature was 20°·3; and in the year 1828 it was 54°·6; the difference between these numbers is 34°·3.

The day of the month whose Mean Temperature has been subjected to the least difference was the 30th; in the year 1859 its Mean Temperature was 36°·2; and in the year 1848 it was 52°·5; the difference between these numbers is 16°·3.

TABLE IV. Mean Temperature of every day in the month of April, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

DAYO					_																	.	. P I	RII	£ •										,		·			-1/2/		. ,		3 OF 44 tars	Lov Mean I	VEST AND DAILY TE 44 YE	Highest Mperature d Ars
MONTE	18:	26 18	27 182	8 18:	29 18	30 183	1 1832	183	3 183	34 18	35 18	836 1	837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	854 1	855 1	856 18	857 185	8 185	9 1 860	1861	1862	363 18	64 186	55 186	6 1867	1868	1869	MEAN	Lowest	Year I	lighest Year
ī	43	8.0 4	5.2 46	·1 39	5 3	2 42	8 46.7	49.1	1 46.	$3 \mid 5$	4·3 3	8.8	39.0	35.0	41.3	44·6	46.8	42.8	53.7	48.1	43.3	53.2	35.9	56.1	47.5	53.1	48.1	42.5	40.0	51.9	38.4	51.8 4	$\begin{vmatrix} \mathring{9} \cdot 3 \end{vmatrix} \begin{vmatrix} \mathring{3} \mathring{9} \cdot \end{vmatrix}$	3 37.	7 45.8	43.2	52.7	4.1 4	4·7 45	·9 42·	7 52.8	48.2	40 5	° 45.4	35.0	1838	56·1 184
2	49	9.3 5	2.7 42	·1 3±	.7 36	6.7 42.	8 48.3	50.7	19.	0 59	9.7 4	10:1	41.4	38.4	38.6	47.1	43.0	40.0	53.5	52.1	46.4	50.7	35.2	57.9	46.4	52.9	47.6	40.3	47.4	49.8	35·6 4	53.5	60.0 43	3 48	2 40.1	44.0	52.6	5.1 4	3.2 44	·7 43·	l 54·5	47.9	44.2	46°0	34.7	1829	59.7 183
3	54	F1 5	1.2 39	5 40	0 34	1.6 46.	5 52.9	51.5	5 45.	-6 58	5·9 3	39:7 3	39.2	41.9	33.2	40.7	43.0	40.4	53.9	54.6	49.4	46.0	38.1	59.0	45.3	52.8	48.6	39.9	48.9	48:9	44.4	49.6 4	9.6 52	4 54	0 44.6	45.7	50.1 4	7.2 4	6.0 45	9 43.4	£ 53·7	50.8	41.1	46.7	33.2	1839	59.0 184
+	54	1.3 5	1.4 39	5 48	0 35	5.0 43.	54.7	51.4	48	2 59	2·5 3	88.2	39.9	49.8	34.1	42.7	46.5	41.6	51.8	54.7	51.3	45.6	42.7	59:1	45.8	51.3	45.1	40.7	54.9	45.5	41.7	47.7 5	60·6 47·	6 56	5 44.1	45.8	49.5	7.8 5	5·6 44	2 42	7 50.7	48.7	40.0	47.1	34.1	1839	59.1 184
5	53	3.3 2	3.8 41	3 50	4 39	9.4 46	8 57.6	50.2	5 20.	0 48	8·9 4	15.0	38.8	51.3	35.7	47.7	45.9	41.2	47.5	48.8	14.7	46.9	47:4	52.7	46.4	48.0	40.5	45.3	52.8	50·8 4	43.4	48.4 5	7.1 42	8 56.	8 47.7	42.8	51.3	4.2 3	8-2 51	46	51.6	53.2	47.9	47.6	35.7	1839	57.6 183
6	55			i	ļ.	5.7 48.		1		i	- 1	.		- t	i i	-		1		1	- 1		` !	· I			1		- 1				3.8 41	i	-		·		-	- 1		Ì	l i	48.1	34.5	1839	60.5 185
7	55	$5\cdot 2 \mid 5$	1		ļ		- 1	i	- 1	•	ì	- 1	- 1	_		- 1			ì	·			- 1	I			- 1			- 1	- 1		$52.5 \mid 41.$							1		i i	1 1	48.1	38.7	1839	63.0 185
8	57	.3 5	l l		1		1		- 1	1	i	- 1									- 1		i	1	L		ı						19.9 46	- 1		1	1		1				1 I	47'I	37.0	1839	58.0 183
9	54	4.7 ± 5	1.7 48		1		-{								i		1		- 1		- 1			1	- 1						1		9.2 38		i					- 1	i	1	1 1	46.2	1!	1837	57.9 183
10	51	1 5	3 0 45		l l	$9.9 \mid 52.$		1	-	- 1	i			1	,			1		1	1	, i					•			1		1	51.6 41			ļ	}					1		46.6	33.6	1837	55.6 186
11	52	2.6 4	9.8 52	i	- 1	1		1		- 1	į		- 1	- 1	- 1					- 1	1	1				1				i			11.1 44		i	1		-		1	- 1	1	l .	46.7	35.6	1837	59.1 186
12	19	90 4	9.6 55			j				}	.	·		.	_				1			- 1	- 1	i 1	1		1	i	ļ.		ì	ļ	12.9 42		- 1							1	1	47'3	95.6	1862 1862	50:1 100
13	52	2'3 1	9.0 23			8.5 58.		'					36.9				· I	- 1	36.7					"	- 1	ł	- 1	- 1	- 1			ĺ	$ \begin{array}{c c c} $	- 1				- 1			í	1	1 1	40.5	36.6	1837	63.3 186
14	50	3.0 9				4·3 50· 6·5 53·	1	1		l	1		_	•		i		1		1								, i				- 1	39.9 55	1	ŀ	1	1 1			i			1	•		1862	59.0 185
16	52			1	ţ			1	i	1			-		- 1			- 4			1					- 1	- 1	L	- 1	[ł		10.7 60		1		1 1	ł	ĺ		1		1 1	•	i	1837	60.3
17	48	1	1	}		3.5 49			1									1	54.1	1		1	'	1 1		l l	l l					1	49.1 47	- 1	-1	1			ļ	1			1			1849	56.5 18
18	50	1	ľ	1	- 1	1		1	- 1	1		1				' '		ŀ		- 1		- 1						l	- 1	+			55.9 48		· •		1 1	- 1		1	Ī		1 1	•	38.4	1859	56.8 18
10	55			1.		6.6 40		1	1	_			14.6							ı				i		1		- 1		- 1	- 1	í	55·4 49				1 1		- 1			1	1 }		35.3	1849	60.9 18
20	51		1	- 1	l l		1	_	- 1	- E	- 1	· '		- ,		`	1 1			į.	· 1			ŀ				- 1		1		- 1	$52.8 \mid 52$	١.			i 1	1	- 1	1		- !	- I	-	36.6	1849	63.3 18
2.1	4			- 1	1		- 1	i		- 1	1					l	h	1		1	l		1	1		l 1								l l	Į.						- 1		1 1		l l	(1949)	59.6 18
22	59	9.8 4	1.7 45	i·9 44	9 ∙4 5	5.1 55	7 53.4	51%	3 47	•4 5	52·5 8	52.2	45.3	40.7	53.4	59.7	47.3	51.3	49.5	56.9	47.7	47.9	44.8	48.4	43.6	48.0	50.6	55.8	44.8	47.0	41.6	45.7	46.3 59	1 42	·7 38·3	3 47.1	52.9	53·3	52.5 6	0.4 47	9 52.0	0 54.9	51.0	49.7	38.3	1860	60.4 18
23	49	9.9 3	9.0 48	-2 50)· 4 5	3.4 54	0 56.4	53.	6 48	3.2 5	i1·3 4	49.5	44.8	46.6	47.7	56.5	43.0	56.7	48.8	55.2	53.8	47:4	45.7	51.1	44.4	44.4	52.2	55.5	43.6	41.1	43.0	48.2	39∙9 58	1 46	5.5 42.7	45.0	52.3	49·5 t	51.4 5	6.2 47	3 55%	5 53.8	54.8	49'5	39.0	1827	58.1 18
24	- 11	1							1	- 1	1			ľ	1		ı						1	1									41·8 55				1							1	l l	1	61.0 18
25	- 11:		- 1	1		- 1		1						l	1	1	1					4	1	1		, ,		1 I	I .			1	41.3 51						I		I		1		1	1	61.5 18
26	11				- 1									•	1	1	(1	1	1								40.2 48					,			1	- 1	1	1	1		60.7
27																																	40.8 48													L .	64.1 18
28																																														1826	61.6 18
29	11		1	r			r		1	1					1	1	1	4		ı			1			•	1	1 1				ı	$45.0 \mid 5$	- 1									,	1		1095	66.0 18
30	4	4.1	6.0 59	9.2 4	3.1 6	52.1 57	53.0	0 48	3 53	3.4 4	17.3	41.4	53.1	48.2	57.2	59.4	55.9	58.5	58.7	52.3	56.0	52.6	46.1	48.3	55.7	48.3	44.2	56.0	48.4	48.4	45.8	43.6	43.8 47	7.5 44	1.2 51.	5 49.9	58.6	42.4	19.9 4	1.4 41	4 52	4 57.2	50.8	21.0	41.4	1865	66.0 18
Mean	15 50	0.7	0.1 43	9·8 4·	6.0 5	51.1 51	6 49-0	0 47	2 47	7.6 4	19.0	45.6	42.1	44.3	44.7	50.8	48.2	47.6	49.2	52.6	48.2	47.8	45.3	48.3	44.9	49.7	46.5	46.8	47.1	40.8	47.0	47.7	46.8	3.5 47	7.6 43	3 44.8	49.4	50.3	19.5 5	2.8 49	5 51	5 49.7	51.4	48'2			

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 27th; in the year 1861 its Mean Temperature 32°4; and in the year 1866 it was 64°1; the difference between these numbers is 31°7.

The day of the month whose Mean Temperature has been subjected to the least difference was the 18th; in the year 1859 its Mean Temperature was 38° and in the year 1867 it was 56°8; the difference between these numbers is 18°4.

The Mean Temperature of the coldest day in April in the years 1826 to 1869 was 32°.1, and it took place on the 12th day in the year 1862.

The Mean Temperature of the hottest day in April in the years 1826 to 1869 was 66°.0, and it took place on the 29th day in the year 1828, also on the 30th

day in the year 1827.

The difference between these numbers is 330.9, and it represents the extreme difference between the Mean Temperature of two days in the month of April

TABLE V. Mean Temperature of every day in the month of May, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

a																													M	AY.																				OF 44	Lo [*] Mean	WEST AND DAILY IN 44	d Highe Tempera Years	ST Tur s	RENCH EN THE F AND
182	6 18	27 1	828	1829	183	0 183	1 18	32 1	833	185.	4 18	335 1	836	183	7 18	38 1	839	1840	184	1 184	2 18.	13 18	44 1	845	846	1847	1848	8 184	9 185	0 185	1 18	52 18	53 18	54 18	55 1	856 I	857 1	858 1	859 1	860	186 I	1862	1863	1864	1865	866 1	867 1	868 1	869	MEANY	Lowest	Year	Highest	Year	DIFFER BEINER COLDER
13-	63	\$·±	55.8	52·1	5 1 .	54	1 4	6.5	$5\overset{\circ}{1}.5$	5Î-9	9 4	ŝ.7	46.0	54.0	$0 \mid \stackrel{\circ}{55}$	5.7	5 ? -9	55.9	58	2 58	2 56	2 5	1:6 5	о 6 1	53·6	50°0	18.2	49.	8 42	0 46	9 46	1 53	6 5	ô-0 -1	3.2 ;	39.1	17·6 4	(5.9 1	ı6·4	63·5	51.6	62.9	42.9	56.7	51.8	37.4	52.5	58.2	13.9	21.0	37.4	1866	63.4	1827	26.0
49-	5 58	s-0 .	54-2-1	54.0	56.4	4 53°	4 5	3.9	551	56.6	6 4	7.8																																57.8							40.9	1856	61.3	1839	20.4
437	60)-7	54.7	53°1																																								53.7							4246	${1851 \atop 1866}$	62.3	1868	19.7
43%	3 55	5-4 1	54.3	52.1	53.5	$^{-23}$	9 4	÷3	65.0	68:0																			1		L					L							r	48.3						- 11	40.1	1855	68.0	1834	27.9
+5	54	F5 (52-2	551	61:	2 46	9 5	4.8	60.9	60:0				r					1	L.																								514							43.9	1856	65.1	1862	21.2
42-3	5 52	2.5	53.1	53-2	66.4	1 10.	$1 \mid 5$	9.0												T .							1					,												55:9			•			11	40.1	1831	66.4	1830	26.3
434	1 48	76	54-2	51.0										1			- 1										1				1				1		- 1		- 1			T	·	55.4			1		- 1	- 11	.	1853	64.8	1867	26.9
257	5 43	3-4	52.3	23.8																																								53.8						- 11	- 1	1861	67:0	1867	28.6
51.	+6	5-0	92.9	9 f. f				F				- 1				- 1			1																1									45:4						11		1837		1833	
537	49	4.0	55.3	9.19	Į.		- 1		- 1																				- 1		- 1		1	4				- 1	- 1	- 1				51.3			- 1		- I	* ' N	41.5		61.6	•	23.1
327	16 2	10 6	5572	95,1	51.5						- 1	- 1		1					[i i	- 1	- 1						1		- 1	1		- 1	- 1	- 1	- 1			- 1	1	19:3	- 1				- 1	۱۱ -	- 1	1849		1848	(
37	1 12	ereli omeli	55-2	2211	91.4		- 1	- 1			- 1	- 1		l .							- 1				- 1		1	1				ł	- 1			- 1	- 1	ł	- 1	L				48·8 56·8	- 1	1	- 1			- 11		1855	66.1	1833	
211	0 (99) 5 5.1	7014	: e.1	99.4	1	- 1		- 1			- 1			ı		L	- Ł		1	1					- 1		1				- 1	- 1	- 1		- 1	- 1	- 1	- 1	- 1				I	60.2				- 1	- 1	- 1		1866	62.1	1848	i
50-	0 55	5-0	01:1	60:6	55.6										- 1	- 1	- 1		í		- 1			- 1	ı			l			į.		- 1		- 1		- 1	- 1			1			61.3						11	41.2	1839 1839	65.4	1848	25.0
57-5	- 00 5 59	3-0	80-8 01-1	54.3	59:6		L	-			- 1			1	- 1				1													- 1			- 1			- 1						62.9				- 1		- 11	44.0	1839	71·0 67·8	1833 1833	23.8
Ei)-	5 61	1:0 .	61:5	56:1	63.1	1 59	3 4	1			į.	- 1		1			- 1				- 1				L					- 1			- 1		- 1			ľ	- 1				1	63.3	1				- 1	}	46.8	(1832	70.3	1833	1
60-	59	9.5	57-7	55.6	62.	60	8 4	- 1			1	- 1			- 1					- 1	- 1	- 1	- 1	- 1	1				- 1		- 1	1	- 1		- 1	- }	1	l	- 1					65.2		- 1		- 1	- 1	!!		1845	65.2	1864	
611	ŭ 62	2-1	55-21	57.6	61:1	59	1 5	4·6	59.6	53:	5 6	1.2	52:0	-	1				L	- 1	Į.	- 1		- 1	- 1			1		- 1	1	- 1	1	1			- 1		- 1			- 1		66.1		[- 1	- 1	i	, II	43.5	1837	71.9	1868	1
55"	9 60	0-2	55.7 !	59.8	59.6	62	0 5	5.8	59.6	55.6	6 5	5.2	58:3	Į.	- 1		- 1		1	- 1	- 1	- 1	- 1		- 1				- 1	- 1	1			- 1	- 1			1					1	64.6	- 1		- 1	- 1	1	~ II	44.6	1837	64.6	1864	
55-	ŭ 64	£15.	57:0 t	56:7	581	8 60	0 6	0-2	63:3	58-8	8 5	- 1							1	- 1		- 1			- 1		1		- 1	- 1	1			i l		1	.]	1	- 1		- 1	,		54:5		- 1	· 1		_	١	- [1837	69.1	1865	
					1		1	- 1				- 1							1	1	- 1	1		- 1			1		1			- 1	- 1		- 1	1		1	- 1			- 1	1				- 1			11	41.1	1867	63.3		!
			1				-					1							ì	1	- 1	- 1	- 1	- 1					1	- 1	- 1		- 1	- 1	- 1		1	- 1	- 1			- 1	i			1		- [- 1			1867	70.9	1847	31.1
3/5	5 33	3-8	60-0	5716	621	8 63	·4 6	0.8	64:1	60%	$2 \mid 6$	2:1	50:4	46-6	6 53	3.0	48.2	61:3	61	5 52.	8 56	2 5	1.3 5	3.2	614	58.8	59.7	62	0 58	16 58°	4 56	2 60	07 50	2.0 6	0.2 i	54.6	55.9	54:1 /	56-9	60:2	55:3	58.8	49.3	48.9	57:7	46.8	44.2	54.8	57:9	56.6	44.2	1867	64.5	1841	20:3
→ J	3 55	3-6	57:7	53:1	591	1 62	3 6	1:4	65.9	52.6	6 5	6.3	50-9	52%	5 54	4-2	46:0	55°5	61	0 55.	1 56	7 5	1-2 4	19-8	63:3	55.6	62:1	60-	8 56	5 59	4 55	61	6 5	1.4 6	2.7	54.9	61.0	194 <i>(</i>	60-9	59.6	56:0	54.3	48.5	54.8	56:3	52:1	46.8	58:1	60:1	56.3	46:0	1839	65.9	1833	19:9
35	5 54	5-8	61-1	56:4	561	7 60	6 6	1.1	55:1	52%	4 5	1.8	50.9	52:	7 51	1-2	53.3	52:3	68	7 56	0 54	6 4	3·4 4	15.8	57:5	57:1	65:3	60.	4 56	5 52	8 50	62	7 5	3.3 7	0 6	59:1	57:8	51:0 <i> 1</i>	59.7	54:1	56:3	59.6	49-9	46.3	62.9	57:4	554	58·6 8	58.3	56.3	45.8	1845	70.6	1855	24.8
iss	8 66	9-0	584	58:4	550	6 56	5 5	6:3	57:6	55.6	6 5	1.6	50-9	54%	ย 54	1.0	554	55.8	71	0 59	6 55	·5 4	8:3 3	8-66	58:4	67:5	54.6	63.	1 56	9 52	8 40	1.7 63	-1 4	9.3 6	3.3	58·8	59·7 <i>l</i>	5 6 94] (00.0	53.0	60.2	58:3	57:3	50.8	63.6	54.8	57:3	59:5	52.5	57.3	48.3	1814	71.0	1841	22.7
32	4 6	1-3	69.7	58-9	540	6 59	છે છે	1.0	59.8	51.5	5 5	0.2	5.5·8	584	6 53	3.2	53.1	62:1	66.	1 56	3 54	-3 5	2.6	8.4	56:0	74.4	584	55	3 51	7 58	9 52	0 55	50 B	1:0 5	14	55:3	62:7 1	54:3 (67:5	48.4	52.7	55:9	60)-5	54.9	59.3	56.2	60:4	63:4	13:3	56.8	43.3	1869	74.4	1847	31.1
511	9 53	3.3	59-5	56.0	561	$0 \mid 53$	6 5	7.8	ā ā tā	59%	5 4	9.5	53.4	59%	$5 \mid 58$	8:6	57:9	61.0	63.	4 63	1 46	4 4	9-1 3	51-1	57:8	62.8	65:5	60.	6 59	6 58	7 46	59 53	3.2 5	0.8 4	7:0	52.3	57:1 €	51.4	625)	51:1	58.7	6345	63:6	49.3	62.0	54.8	57·3 (65.7	14.4	56.2	44.4	1869	65:7	1868	21.3
1/2	3 60	2-9	63.6	51.0	541	8 56	8 5	9.8	53:9	581	1 5	0.2	56:7	511	7 61	1.3	60.3	60.9	62	3 60.	4 54	8 5	1.8	51.9	61.5	60:5	57%	65.	1 59	2 62	3 48	56 6	3 5	1.2 4	3:4	50:1	53·3 e	53.8	64.1	63·0	65.0	60:5	64:5	48.8	59.8	55.9	61.8	65:1 8	51:4	57.3	43.4	1855	65.1	{ 1849 1865	21.7
541	5 3/3 	3-2	59:3	59-9	56	1 56	5 5	3.2	59.6	571	1 5	40	59.0	58%	5 61	1.6	57.6	63.3	63.	2 61	4 60	7 6	0.2	56.2	65:7	64.7	57:3	63.	3 60	0 56	7 48	52	50 5	6.6 4	4.7	46.9	56.0	59·1 (62:4	51.1	61.7	69.4	56.8	52.9	60.2	59.2	61-2	59.6	183	57'6	44.7	1855	69.1	1858	24.4
to 53.	0 3/	5.3	57:3	55'8	571	0 54	6 5	3.2	61.0	57.	8 5	1:1	53:1	49%	5 53	3.3	53:2	56:6	58	9 55	0 53	1 5	3.7	50.2	56.7	57:3	59.0	55	7 51	9 52	5 52	52	5 5	1.8 4	9.9	50.6	54.9	53.1	53.8	51:3	52.0	56.8	52.9	54.9	56.7	51.1	54.7	58.5	51.5	54.4					

Kear Temperature of the coldest day in May in the years 1826 to 1869 was 37°4, and it took place on the 1st day in the year 1866.

**Mean Temperature of the hottest day in May in the years 1826 to 1869 was 74°4, and it took place on the 28th day in the year 1847.

**Efference between these numbers is 37°0, and it represents the extreme difference between the Mean Temperature of two days in the month of May

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 23rd; in the year 1867 its Mean Temperature was 39°8; and in the year 1847 it was 70°9; the difference between these numbers is 31°1.*

The day of the month whose Mean Temperature has been subjected to the least difference was the 11th; in the year 1849 its Mean Temperature was 44°2; and in the year 1848 it was 63°5, the difference between these numbers is 19°3.

* Also the 28th in the year 1869: Mean Temperature 43°3; and in the year 1847 74°4; the difference between these numbers is 31°1.

TABLE IV. Mean Temperature of every day in the month of April, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

DAY OF	APRIL.	A 10.5	Lowest ai Yean Daily T 44 T	ND HIGHEST CEMPERATUR YEARS	REIN
MONTH	826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Lo	west Year	Highest	Year
1	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	56·1 59·7	1848
3	54.1 51.2 39.5 40.0 34.6 46.5 52.9 51.5 45.6 55.9 39.7 39.2 41.9 33.2 40.7 43.0 40.4 53.9 54.6 49.4 46.0 38.1 59.0 45.3 52.8 48.6 39.9 48.9 44.4 49.6 40.6 52.4 54.0 44.6 45.7 50.1 47.2 46.0 45.9 43.4 53.7 60.8 41.1 4	6.7 3	33.2 1839	59.0	1848 25
5	$54 \cdot 3$ $51 \cdot 4$ $39 \cdot 5$ $48 \cdot 0$ $35 \cdot 0$ $43 \cdot 8$ $54 \cdot 7$ $51 \cdot 4$ $48 \cdot 2$ $52 \cdot 5$ $38 \cdot 5$ $39 \cdot 9$ $49 \cdot 8$ $34 \cdot 1$ $42 \cdot 7$ $46 \cdot 5$ $41 \cdot 6$ $51 \cdot 8$ $54 \cdot 7$ $51 \cdot 3$ $45 \cdot 6$ $42 \cdot 7$ $59 \cdot 1$ $45 \cdot 8$ $49 \cdot 5$ $47 \cdot 8$ $49 \cdot 5$ $48 \cdot 8$ $49 \cdot 5$ $47 \cdot 8$ $49 \cdot 5$ $49 \cdot 8$ $49 \cdot 5$ $49 \cdot 8$ $49 \cdot 5$ $49 \cdot 8$ 4	′′	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	59·1 67·6	
6	$55\cdot 3 58\cdot 7 46\cdot 2 49\cdot 1 45\cdot 7 48\cdot 8 49\cdot 3 47\cdot 4 47\cdot 2 50\cdot 5 45\cdot 7 39\cdot 0 54\cdot 3 34\cdot 5 44\cdot 7 44\cdot 4 45\cdot 2 52\cdot 0 49\cdot 7 42\cdot 8 43\cdot 9 48\cdot 7 43\cdot 8 45\cdot 4 50\cdot 6 88\cdot 7 48\cdot 0 58\cdot 9 49\cdot 1 52\cdot 6 43\cdot 9 53\cdot 8 41\cdot 5 60\cdot 5 45\cdot 4 43\cdot 4 51\cdot 7 51\cdot 1 44\cdot 1 54\cdot 3 48\cdot 1 53\cdot 9 65\cdot 0 44\cdot 6 45\cdot 1 45\cdot 2 52\cdot 0 49\cdot 7 42\cdot 8 43\cdot 9 43\cdot 6 49\cdot 6 42\cdot 8 44\cdot 7 55\cdot 1 40\cdot 2 44\cdot 8 50\cdot 6 53\cdot 0 49\cdot 5 46\cdot 8 52\cdot 5 41\cdot 5 63\cdot 0 50\cdot 1 43\cdot 5 48\cdot 4 46\cdot 6 45\cdot 9 55\cdot 3 44\cdot 1 50\cdot 9 54\cdot 9 53\cdot 7 43\cdot 8 43\cdot 9 43\cdot 6 49\cdot 6 42\cdot 8 44\cdot 7 55\cdot 1 40\cdot 2 44\cdot 8 50\cdot 6 53\cdot 0 49\cdot 5 46\cdot 8 52\cdot 5 41\cdot 5 63\cdot 0 50\cdot 1 43\cdot 5 48\cdot 4 46\cdot 6 45\cdot 9 55\cdot 3 44\cdot 1 50\cdot 9 54\cdot 9 53\cdot 7 43\cdot 8 43\cdot 9 43\cdot 6 49\cdot 6 42\cdot 8 44\cdot 7 55\cdot 1 40\cdot 2 44\cdot 8 50\cdot 6 53\cdot 0 49\cdot 5 46\cdot 8 52\cdot 5 41\cdot 5 63\cdot 0 50\cdot 1 43\cdot 5 48\cdot 4 46\cdot 6 45\cdot 9 55\cdot 3 44\cdot 1 50\cdot 9 54\cdot 9 53\cdot 7 43\cdot 8 43\cdot 9 43\cdot 6 49\cdot 6 43\cdot 9 43\cdot 6 49\cdot $	18.1 3 18.1 3	34·5 1839 38·7 1839	60.5	
8	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	''	37·0 1839	58·0 57·9	
10	51.1 53.0 45.1 45.2 49.9 52.8 45.8 48.6 40.8 51.1 47.8 33.6 54.0 40.7 43.9 45.1 42.3 38.2 50.3 40.4 49.2 45.8 41.9 43.5 49.5 42.6 44.0 47.3 44.2 46.7 51.5 51.6 41.3 49.1 39.5 40.7 46.1 55.1 54.1 55.6 47.3 47.9 40.2 54.6 4	16·6 3	33.6 1837	55.6	1865
11		46·7 3 47·3 3	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	68.4	
13		46·5 3	35·6 1862 38·8 1837	58·1 63·3	
15		48.6	33.5 1862	59.0	1826 2
17	48-2 49-7 50-8 50-3 53-5 49-6 48-4 40-8 49-0 37-4 44-4 42-1 39-6 46-4 47-7 49-0 45-5 54-1 55-3 49-8 50-6 38-3 49-9 36-4 50-3 52-9 44-1 52-4 48-0 53-8 44-8 49-1 47-7 38-0 45-6 49-3 48-6 55-8 49-7 56-5 51-0 54-8 53-9 47-3 48-6 55-8 49-7 56-5 51-0 54-8 53-9 48-8 50-6 53-8 49-7 56-5 51-0 54-8 53-9 48-8 50-6 53-8 49-7 56-5 51-0 54-8 53-9 48-8 50-6 53-8 49-7 56-5 51-0 54-8 53-9 48-8 50-6 53-8 49-7 56-5 51-0 54-8 53-9 48-8 50-6 53-8 49-7 56-5 51-0 54-8 53-9 48-8 50-6 53-8 54-8 53-9 56-8 53-9 56-8 53-9 56-8 53-9 56-8 53-9 56-8 56-8 56-8 56-8 56-8 56-8 56-8 56-8	48·3 3 48·2 3	1	56.5	1865: 20
18	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	48·7 3 48·6 3	38·4 1859 35·3 1849	1 1	
20	$51\cdot 2$ $47\cdot 5$ $48\cdot 9$ $45\cdot 4$ $51\cdot 4$ $49\cdot 6$ $47\cdot 0$ $45\cdot 1$ $50\cdot 2$ $52\cdot 2$ $50\cdot 2$ $43\cdot 9$ $38\cdot 3$ $43\cdot 7$ $54\cdot 3$ $46\cdot 7$ $49\cdot 9$ $58\cdot 5$ $57\cdot 5$ $52\cdot 4$ $43\cdot 0$ $46\cdot 3$ $51\cdot 8$ $36\cdot 6$ $48\cdot 6$ $55\cdot 4$ $45\cdot 1$ $46\cdot 1$ $63\cdot 3$ $48\cdot 4$ $44\cdot 6$ $52\cdot 8$ $52\cdot 0$ $42\cdot 8$ $41\cdot 3$ $42\cdot 8$ $55\cdot 7$ $53\cdot 3$ $56\cdot 9$ $51\cdot 4$ $48\cdot 0$ $51\cdot 4$ $48\cdot 0$ $51\cdot 4$ $49\cdot 8$ $55\cdot 7$ $53\cdot 3$ $56\cdot 9$ $51\cdot 4$ $48\cdot 0$ $51\cdot 4$ $51\cdot 9$ $49\cdot 8$ $45\cdot 2$ $45\cdot 6$ $52\cdot 2$ $45\cdot 6$ $52\cdot 2$ $45\cdot 6$ $52\cdot 5$ $51\cdot 3$ $40\cdot 6$ $39\cdot 8$ $49\cdot 2$ $53\cdot 8$ $46\cdot 0$ $50\cdot 8$ $54\cdot 8$ $57\cdot 5$ $52\cdot 1$ $43\cdot 5$ $49\cdot 9$ $49\cdot 5$ $38\cdot 4$ $49\cdot 0$ $54\cdot 5$ $49\cdot 4$ $46\cdot 7$ $59\cdot 6$ $42\cdot 0$ $45\cdot 5$ $51\cdot 7$ $56\cdot 7$ $43\cdot 0$ $38\cdot 4$ $40\cdot 4$ $48\cdot 9$ $51\cdot 3$ $58\cdot 1$ $58\cdot 7$ $53\cdot 7$ $46\cdot 4$ $54\cdot 6$ $54\cdot 6$ $54\cdot 6$ $54\cdot 6$ $54\cdot 6$ $52\cdot 7$ $53\cdot $	''	36·6 1849 38·4 1849 1860		1854 2 1854 2
22 23	59.8 41.7 45.9 44.4 55.1 55.7 53.4 51.3 47.4 52.5 52.2 45.3 40.7 53.4 59.7 47.3 51.3 49.5 56.9 47.7 47.9 44.8 48.4 43.6 48.0 50.6 55.8 44.8 47.0 41.6 45.7 46.3 59.1 42.7 38.3 47.1 52.9 53.3 52.5 60.4 47.9 52.0 54.9 51.0 49.9 51.0 49.9 59.0 48.2 50.4 53.4 54.0 56.4 53.6 48.2 51.3 49.5 44.8 46.6 47.7 56.5 43.0 56.7 48.8 55.2 53.8 47.4 45.7 51.1 44.4 44.4 52.2 55.5 43.6 41.1 43.0 48.2 39.9 58.1 46.5 42.7 45.0 52.3 49.5 51.4 56.2 47.3 55.5 53.8 54.8 47.4 47.8	49'7	38-3 1860		
24	45.6 39.9 52.6 46.5 52.2 54.2 46.2 50.2 44.7 52.9 44.4 46.4 44.9 42.5 59.9 50.4 61.0 46.7 52.8 55.5 46.5 46.0 44.7 48.3 45.9 51.6 44.2 42.3 40.5 53.9 46.8 41.8 55.2 48.2 37.9 50.3 56.9 49.1 49.2 54.6 50.4 64.2 52.4 55.4 50.4 64.2 52.4 55.4 50.4	49.0	37.9 1860	61.0	1842
25 26	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	49'9	40.2 1857	60.7	1840
27 28	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	(61·6	_
29 30	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	49'9	39·2 1836 41·4 1883	66.0	
	╼╎╼┞═╎═┞═┟═┟═┟═╎═╎═╎═╎═╎═╎═╎═╣╼╣╼╣┈╣═╎═╏═╏═╎═╎═╽═╣═╣═╎═┟═┟═┟═┟═┟═┟═┟═┟═┟═╽┈╽═╣═┧═┤═╎═	-	(1960		
Areans	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	48.2			1

The Mean Temperature of the coldest day in April in the years 1826 to 1869 was 32°·1, and it took place on the 12th day in the year 1862.

The Mean Temperature of the hottest day in April in the years 1826 to 1869 was 66°·0, and it took place on the 29th day in the year 1828, also on the 30th day in the year 1827.

The difference between these numbers is 330.9, and it represents the extreme difference between the Mean Temperature of two days in the month of April

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 27th; in the year 1861 its Mean Temperature was 32°·4; and in the year 1866 it was 64°·1; the difference between these numbers is 31°·7.

The day of the month whose Mean Temperature has been subjected to the least difference was the 18th; in the year 1869 its Mean Temperature was 38°·4; and in the year 1867 it was 56°·8; the difference between these numbers is 18°·4.

TABLE V. Mean Temperature of every day in the month of May, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

TOF																							I	/ A	Y.													1				OF 44	ARS	Mean	vest and Daily T in 44 Y	D HIGHES EMPERAT (EARS	URE SNE	EN TEE F AND T DAY
1826 I	827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857 18	358 18	18	186	1 862	1863	1864	865 1	866 18	367 1	868 x 8	69	YE	Lowest	Ÿear I	Highest	Year A	Berwer Colder Horres
43.2	63· 1	55.8	52·1	54.7	54·1	46.5	51.5	51.9	45.7	46.0	54.0	55.7	57.9	55.9	58.2	58.2	56·2	54.6	56·1	53·6	50°0	48.2	49.8	42.0	46.9	46.1	53.6	50.0	43.2	39.1	47.6 4	5.5 4	6.4 5	3.5 51.6	$6 \begin{vmatrix} 62.9 \end{vmatrix}$	42.9	56.7	51.8	37·4 5	52.5	58.2 4	3.9 5	0,1	37.4	1866	63.4	1827	26.0
2 49.5	58.0	54.2	54.0	56.4	53.4	53.9	55.1	56.6	47.8	48-4	54.3	00.6	61.3	57:3	60.3	53.5	55.5	56.9	51.2	58.2	47.0	49.0	55.4	41.0	46.3	42.4	54.8	51.0	47.3	40.9	47.1 4	7.5 4	6·6 5	4.2 52.1	8 54.4	48.7	57.8	54.3	41.3 5	3.6	57.4 48	3'9 5:	2'2	40.9	1856	61.3	1839	20.4
3 43.6	60.7	54.7	53.1	54.6	55.8	52.7	58.6	56.7	48.9	48.4	54.5	58.8	56.4	53.4	46.3	56.9	53.4	54.6	48.9	60.4	45.5	53.2	59.2	50.1	42.6	44.1	51.8	51.9	48.8	43.1	44.9 4	5.6 4	8.6 5	1.7 50-	8 48.0	55.0	53.7	60.1	42.6 5	,5•1 €	32·3 53	1'7 5:	2'2	42.6	$ \left\{ \begin{array}{c} 1851 \\ 1866 \end{array} \right] $	62.3	1868	19.7
4 43.9	58.4	54.3	52.1	53.9	53.9	44.3	65.0	68.0	49.6	48.7	48.7	58.3	60-2	56.3	53.5	53.2	55.5	52:7	49.0	57.6	47.8	56.2	62.9	47.5	41.0	45.8	49.2	51.5	40.1	41.8	43.7 4	7.3 4	9.0 4	7.7 42.	9 63.3	57.8	48 3	58.4	43.5 5	,7°6 €	53.3 49	2.2 5	1'8 _,		` .	68'0	1834	27.9
5 45.2	54.2	52.2	55.1	61.2	46.9	54.8	60-9	60.0	54.7	48.2	46.9	55.1	61.6	53.0	56.2	5±.7	54.2	57.1	46.5	56.4	48.3	57.9	59.4	49.0	45.3	47.7	51.1		44.1	43.9	44.5 4	8.3 4	8.7 4	7.0 450	6 65.1	56.9	51.4	62.0	49.6 5	59.3 4	18 9 48	3.9 5:	2.2	43.9	1856	65.1	1862	21.2
6 42.8	52.5	53.1	53.2	66.4	40.1	59.0	58.1	62.7	53.2	_	46.8		56.4	58.0	54.6	52.9	42.2	57.2	45.4	54.4	50.5	59.3	52.6	42.6	1	48'3	44.6		52.1		45.0 5	0.3 4	8.8 4	5.2 44.	1 63.1	"- '	55.9	56.0		35.7 4	· 1		2'9	40.1	1831	66-4	1830	26.3
7 41.9	43.6	54.2	51.0	63.4	43.9	62.1	55.9	61.6	51.1		50.2	{	01	59.3	30,		_	_	43.9		57.0		46.3	45.4	1			"	51.3	41.1	44.9 4	4.6 5	$7\cdot 2 \mid 5$	$2 \cdot 1 \mid 44 \cdot 6$		54.0		51.3		- 1	$51.0 \mid 58$	'	2 4	37-9	1853	64.8	1867	26.9
\$ 48.6	43.4	52.3	53.8	58.3	43.7	56.0	58.2	03.6	57.6		47.1]		60.5	,	52.3	44.8	57.2	42.8	55.8	54.1	57.7	46.7	44.5		59.2			43.5	44.3	47.4 4	7.5 5	4.4 5	5.3 38.4	4 54.7	49.1	53.8	57.0	55.3 6	37.0 5		, , , , , , , , , , , , , , , , , , ,		ļ	1861	67 0	1867	28.6
9 51.3	46.0	53.2	54.4	51.2	43.8	43.6	65.0	62.7	59.4	49.5	41.0	59.9	47.5	59.8	56.3	46.5	47.4	62.3	47.3	60.6		59.3	46.3	44.3		58.6					51.0 5	1.1 5	1.7 5	1.7 41.	4 52.6	52.6	45.4	56.6	54.9 6		I .		۱۱ ت		1837			24.0
53.8	49.6	55.3	57.5	49.3	47.1	42.8	59.6	58.8	55.4	48.9	41.5	45 6	47.1	60.3	57.8	49.3	49.6	54.1	47.1		61.9	57.9	46.1	51.0		54.7	- 1		• • •	-	51.8 5	_ _	7.4 5	6.7 45	3 54.3	47.3	1 1		56.0 6			' '	*		1837	_		23.1
52.2	51.0	58.2	56.7	47.6	49.0	43.3	61.1	63.1	57.0	54.9	47.3	47.0	47.1	Į –	•		-		- I		l i	- I							1	- 1	55.0 5		0.1 5	7.3 45.	9 50.8	54.2	49.3		$52.0 \mid 5$	1		- 1 1		1	1		1848	19.3
50.1	49.2	58.2	54.8	51.7	52.5	44.3	66.1	59.2	55.6	55.9	45.7	51.9	47.1		57.3	, ,	· · · · · · · · · · · · · · · · · · ·	1	•	-	55.8	-				53.5					58.8 4	7.7 5	2.3 5	8.7 49.	8 52.6	52.8	48.8	50.6	47.6 5	- 1		. "	~	40.8	1	06.1		25.3
47.5	50.6	57.4	55.4	47.6	24.0	44.7	60.1	56.6	94.9	57.4		46.0	49.7	.57.3		54.3		· ·	51.8		56.2	_				56.0				53.2	60.8 5	2.2 5	1.1 5	0.5 42.	0 21.1	53.1	96.8	52.8	40.8 4	·	56·9 5	1.6 5:	· ' !!		į.			21.3
4 48.6	51.8	98.1	98.4	53.6	1 3.9	47.4	63.3	53.6	48.6		50.2					55.8	1				55.8					54.2		•••	45·6 45·7		57.5 5	4.6 9	2.7 5	2.7 24.	4 50.1		60.2	49.1			62·0 5	"	-		1839			25.0
50.2	99.9	61.1	60.6	50.6	56.1	40.3	(1.0	61.0	50.0		49.5	1	41.2	54.2	08.1	56.4	55.0	50.8	55.8	50.8	58.0	I	58.5	41·8 47·4	48.6	60.8	i		`	*	$63.4 \mid 5$ $64.4 \mid 5$	5.0 E	3.7 5	2.5 69.	7 58.1			52.1		ł	61.0 5		' 1		1839 1839	71.0	-000	29.3
57.3	99.0	62.3	94.3	09'6	90.1	46.0	01.9	40.0	57.0	50.0	48.7	44.3	14.0	50.0	50.1	97.1	50.0	0±1	10.0	30°0	57.6		55·9			56.5	I	'	47.5				3.1 5	$3.1 \mid 48.$	* - · · -		63.3				58.1 5		J 0 15	44.0		67·8 70·3		23.8
60.5	50.5	61.9	90.1	60.1	60.0	40.5	63.2	51.0	61.0	50.0	46.6	40.0	56.8	54.3	56.6	54.2	10.5	42.0	40.8	49 O	58.1								- 1	_	61.3 5			3.6 46.		1		52.6			61.6 5	1 -				65.2		21.4
62.4	60.1	50.0	57.6	02 1	50.1	54.6	50.6	52.5	61.9	59:0	40.0	59.0	50.0	10.6	50.4	52.0	53.0	i	48.5	56·3		1	56.9		-				57.4	54.4	61.6 5	T-0 5	7.2 5	3.0 43	8 60.7	1	66.4	56-2	1		71.9 4	1 -	- II			71.9		28.4
55:0	60.9	55.7	50.2	50.6	69.0	75.Q	50.0	55.6	55.2	50.9	44.6	53.8	20.0	50.3	52.2	54.9	54.2		49.8	50·A	55.6			56.8			52.8	57.1	.,	55.1	00.7 5	66.8 5	9.8 5	8.3 60.	2 58.7	19.2	64.6	61.7	56.8	58-7		8·6 s	5 0	44·6	1837	GA-G		20.0
58:0	61.6	57.0	56.7	58.8	60.0	60.2	63.3				42.6			ļ		58.3	51.5			56.3						h	51.9				· · · · -		3.2 5	9.6 64.	9 52.4	49.1	54.5	69.1	53.1 4	48.9	58.1 5		6.3	42.6	1837	69.1		26.5
17			_	l	1	l				1	_	1			t .						3								ľ					9.8 61.			L I						3	1			1847	Į.
31				1	ſ	1					1		1	1	1	1 1							1										i	1.4 65.			7	I .										
72					1							1	1																- {	L				0.2 55	1		1 .	I					1.0			- 1		
	r		ı		1	1			1	1	,	1	1					3													,			9.6 56	•		1						- 11				1	1
			ı			1	1			1	1			1					1	1					ι									64·1 56·	1	1	, ,						- 11					24.8
			l .		1		1				1				1	l I			1 :	1	1				1		•	1				r	,	3.0 60	1					i			LI .					22.7
			l	5		1				1			1	1	1	1 1					1												ſ	8.4 52.	1								- 11				,	31.1
-			1	4		1				1									1 1		t							1						51-1 58-		1	1 r					_	- 11				1	21.3
1.0			1		1	1			1	1	4			•																				3.0 65	1	1							- 11		1			21.7
31 54.5	59.2	59.3	56.9	56.1	56.5	53.5	59.6	57.1	54.0	59.0	58.5	61.6	57.6	63.3	63.2	61.4	80.7	50.5	56.5	65.7	64.7	57.3	63.3	60.0	56.7	48.3	52.0	56.8	4.1.7	46°5	56.0	69.1	2.4 5	1.1 61	7 59-4	56.8	52.9	60-2	59.2	;1·2 <i>t</i>	59.6 4	85 5	7.6	44.7	1855	69·1	1858	24.4
53.0	56.3	57:3	55.8	57.0	54.6	53-2	61.0	57.8	54.1	53.1	49.5	5 3 ·3	53.2	56.8	58.9	55.0	53.1	53.7	50.2	56.7	57.3	59.0	55.7	51.9	52.5	52.7	52.5	51.8	49.9	50.6	54.9	53.1 5	3.8 5	4.3 52.	6 56.8	52.9	54.9	56.7	51.1	54.7	58.5 5	1.2	4.4					

The Mean Temperature of the coldest day in May in the years 1826 to 1869 was 37°.4, and it took place on the 1st day in the year 1866.

The Mean Temperature of the hottest day in May in the years 1826 to 1869 was 74°.4, and it took place on the 28th day in the year 1847.

The difference between these numbers is 37°.0, and it represents the extreme difference between the Mean Temperature of two days in the month of May in 44 years.

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 23rd; in the year 1867 its Mean Temperature was 39°8; and in the year 1847 it was 70°9; the difference between these numbers is 31°1.*

The day of the month whose Mean Temperature has been subjected to the least difference was the 11th; in the year 1849 its Mean Temperature was 44°2; and in the year 1848 it was 63°5, the difference between these numbers is 19°3.

* Also the 28th in the year 1869: Mean Temperature 43°3; and in the year 1847 74°4; the difference between these numbers is 31°1.

TABLE VI. Mean Temperature of every day in the month of June, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

DAY OF	JUNE	or 44	y y	Lowest and 1 Iean Daily Tem in 44 Yea	l'ERATURE SE
Похтн	1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868	1869	Lov	west Year Hig	hest Year
1		53.7 5	8.2 4	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	9.5 1858 2
2	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	59.8	8.9 4	$9 \cdot 2 \mid 1855 \mid 7$	1.0 1858 2
3	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		· -	0.2 1837 7	0.0 1858 1
4	$ \begin{bmatrix} 60.9 & 56.0 & 57.4 & 65.0 & 52.3 & 61.4 & 58.4 & 60.9 & 59.3 & 58.3 & 59.2 & 58.6 & 55.7 & 56.1 & 57.0 & 58.8 & 64.7 & 56.1 & 59.6 & 57.7 & 67.4 & 62.4 & 56.8 & 69.8 & 61.1 & 51.1 & 55.6 & 52.8 & 50.9 & 58.6 & 61.7 & \dots \end{bmatrix} \begin{bmatrix} 64.0 & 65.5 & 52.8 & 55.0 & 58.4 & 61.6 & 53.8 & 59.9 & 60.7 & 57.9 & 56.7 & 57.9 & 56.7 & 57.9 & 56.7 & 57.9 $	_	58.4	-	9:8 1849 1
5	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		′′ "		0.8 1849 1
6	$\begin{bmatrix} 64 \cdot 0 & 52 \cdot 2 & 57 \cdot 0 & 49 \cdot 3 & 62 \cdot 8 & 54 \cdot 4 & 56 \cdot 5 & 63 \cdot 1 & 57 \cdot 7 & 63 \cdot 0 & 59 \cdot 7 & 67 \cdot 9 & 51 \cdot 7 & 61 \cdot 0 & 64 \cdot 5 & 53 \cdot 3 & 62 \cdot 8 & 53 \cdot 8 & 60 \cdot 1 & 56 \cdot 7 & 72 \cdot 2 & 51 \cdot 8 & 58 \cdot 6 & 60 \cdot 0 & 57 \cdot 0 & 59 \cdot 7 & 62 \cdot 1 & 58 \cdot 7 & 52 \cdot 8 & 71 \cdot 0 & 56 \cdot 2 & 72 \cdot 1 & 61 \cdot 2 & 64 \cdot 7 & 54 \cdot 0 & 52 \cdot 9 & 61 \cdot 1 & 57 \cdot 6 & 58 \cdot 7 & 69 \cdot 1 & 58 \cdot 3 & 58 \cdot 9 & 64 \cdot 2 & 64 \cdot 7 & 54 \cdot 0 & 52 \cdot 9 & 61 \cdot 1 & 57 \cdot 6 & 58 \cdot 7 & 52 \cdot 8 & 71 \cdot 0 & 52 \cdot 9 & 61 \cdot 1 & 57 \cdot 6 & 58 \cdot 7 & 52 \cdot 8 & 71 \cdot 0 & 52 \cdot 9 & 61 \cdot 1 & 57 \cdot 6 & 58 \cdot 7 & 52 \cdot 8 & 71 \cdot 0 & 52 \cdot 9 & 61 \cdot 1 & 57 \cdot 6 & 58 \cdot 7 & 52 \cdot 8 & 71 \cdot 0 & 52 \cdot 9 & 61 \cdot 1 & 57 \cdot 6 & 58 \cdot 7 & 52 \cdot 8 & 71 \cdot 0 & 52 \cdot 9 & 61 \cdot 1 & 57 \cdot 6 & 58 \cdot 7 & 52 \cdot 8 & 71 \cdot 0 & 52 \cdot 9 & 61 \cdot 1 & 57 \cdot 6 & 58 \cdot 7 & 52 \cdot 8 & 71 \cdot 0 & 52 \cdot 9 & 61 \cdot 1 & 57 \cdot 6 & 58 \cdot 7 & 52 \cdot 8 & 71 \cdot 0 & 52 \cdot 9 & 61 \cdot 1 & 57 \cdot 6 & 58 \cdot 7 & 52 \cdot 8 & 71 \cdot 0 & 52 \cdot 9 & 61 \cdot 1 & 57 \cdot 6 & 58 \cdot 7 & 52 \cdot 8 & 71 \cdot 0 & 52 \cdot 9 & 61 \cdot 1 & 57 \cdot 6 & 58 \cdot 7 & 52 \cdot 8 & 71 \cdot 0 & 52 \cdot 9 & 61 \cdot 1 & 57 \cdot 6 & 58 \cdot 7 & 52 \cdot 8 & 71 \cdot 0 & 52 \cdot 9 & 51 \cdot 8 & 52 \cdot 8 & 71 \cdot 0 & 52 \cdot 9 & 51 \cdot 8 & 52 \cdot 9 & 51 \cdot 9 & 52 \cdot 9 &$, -	·	1 1	2.2 1846 2
7	60.6 57.2 53.4 52.7 56.4 53.9 55.3 63.6 62.6 68.0 58.1 49.8 51.5 58.0 64.0 50.7 64.1 54.8 61.3 55.2 73.9 58.1 59.9 57.4 60.3 51.0 58.3 59.5 64.2 60.8 64.6 49.3 53.6 60.1 56.1 63.4 60.2 63.1 59.5 60.1	۱ ۳	′′ "	(1000	3.9 1846 2
8	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	1 1 -		1 (104)	39·1 1835 1
9	$\begin{bmatrix} 63.9 & 61.4 & 62.9 & 53.3 & 53.0 & 64.0 & 59.5 & 68.9 & 64.8 & 69.1 & 62.8 & 69.5 & 69.1 & 62.8 & 69.2 & 69.5 & 69.1 & 62.8 & 69.2 & 69.1 & 69.2 $	1 -	- 1	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	(1000)
10	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		- 11	50.7 1841 7	70.0 (1835) 9
12	$\begin{bmatrix} 66.9 & 62.9 & 60.2 & 60.7 & 57.1 & 64.0 & 65.7 & 56.0 & 57.6 & 68.9 & 59.4 & 61.3 & 57.5 & 67.9 & 64.0 & 48.3 & 70.5 & 53.0 & 65.0 & 67.7 & 69.5 & 61.8 & 59.8 & 50.4 & 59.5 & 56.0 & 51.8 & 59.2 & 56.8 & 61.0 & 58.8 & 52.1 & 65.4 & 62.5 & 53.2 & 59.3 & 55.5 & 55.2 & 58.7 & 53.0 & 58.3 & 70.4 & 62.9 $		ll ll	18.3 1841 7	$70.5 \mid \frac{1842}{1842} \mid \frac{2}{2}$
12	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	1	II.		70.8 1842 2
14	$\begin{bmatrix} 68\cdot1 & 65\cdot9 & 62\cdot5 & 65\cdot9 & 58\cdot0 & 65\cdot0 & 62\cdot5 & 53\cdot9 & 64\cdot5 & 63\cdot3 & 67\cdot6 & 62\cdot4 & 58\cdot8 & 58\cdot7 & 63\cdot0 & 60\cdot6 & 70\cdot7 & 60\cdot8 & 61\cdot6 & 65\cdot7 & 67\cdot8 & 57\cdot4 & 60\cdot8 & 56\cdot5 & 52\cdot8 & 58\cdot6 & 58\cdot6 & 56\cdot2 & 52\cdot2 & 56\cdot1 & 73\cdot1 & 58\cdot1 & 53\cdot1 & 68\cdot9 & 51\cdot6 & 56\cdot7 & 59\cdot0 & 61\cdot3 & 60\cdot2 & 57\cdot5 & 65\cdot7 & 67\cdot8 & 57\cdot4 & 60\cdot8 & 67\cdot1 $	į.	· 1		73.1 1858
15	$69 \cdot 1 63 \cdot 0 64 \cdot 8 63 \cdot 6 52 \cdot 8 63 \cdot 9 58 \cdot 5 59 \cdot 5 63 \cdot 8 66 \cdot 6 72 \cdot 5 66 \cdot 2 60 \cdot 1 59 \cdot 5 60 \cdot 2 60 \cdot 1 59 \cdot 5 60 \cdot 2 60 \cdot 1 59 \cdot 5 60 \cdot 2 60 \cdot 1 59 \cdot 5 60 \cdot 2 60 \cdot 1 59 \cdot 5 60 \cdot 2 60 \cdot 1 59 \cdot 5 60 \cdot 2 60 \cdot 1 59 \cdot 5 60 \cdot 2 60 \cdot 1 59 \cdot 5 60 \cdot 2 60 \cdot 1 59 \cdot 5 60 \cdot 2 60 \cdot 1 59 \cdot 5 60 \cdot 2 60 \cdot 1 59 \cdot 5 60 \cdot 2 60 \cdot 1 59 \cdot 5 60 \cdot 2 60 \cdot 1 59 \cdot 5 60 \cdot 2 60 \cdot 1 60 \cdot 2 6$		ll l	1 1	75.9 1858
16	$61 \cdot 2 61 \cdot 9 64 \cdot 2 56 \cdot 7 54 \cdot 3 62 \cdot 9 63 \cdot 8 60 \cdot 1 59 \cdot 5 69 \cdot 0 64 \cdot 2 66 \cdot 6 62 \cdot 3 62 \cdot 1 67 \cdot 0 56 \cdot 5 62 \cdot 3 59 \cdot 6 58 \cdot 8 60 \cdot 7 70 \cdot 5 54 \cdot 2 67 \cdot 3 58 \cdot 8 53 \cdot 1 59 \cdot 1 58 \cdot 0 63 \cdot 9 56 \cdot 0 54 \cdot 3 59 \cdot 0 60 \cdot 6 77 \cdot 4 60 \cdot 5 57 \cdot 7 64 \cdot 8 55 \cdot 4 59 \cdot 5 60 \cdot 4 59 \cdot 6 59 \cdot 1 53 \cdot 4 65 \cdot 1 59 \cdot 6 59 \cdot 1 5$. 1	60.7 4	49.4 1869	77.4 1858
17	60.4 66.2 62.8 57.3 51.3 63.5 65.8 62.0 56.7 68.0 64.0 65.5 66.2 65.1 61.3 56.8 61.6 62.0 63.1 67.7 71.0 59.9 64.2 57.8 54.1 55.0 58.6 63.1 56.6 49.1 58.0 59.9 65.3 59.3 52.3 61.1 59.1 61.2 61.7 55.7 52.1 55.1 68.1		60.4	49.1 1855	71.0 1846
18	66.2 63.4 63.5 55.9 57.5 62.8 64.0 62.6 63.2 60.4 63.1 61.3 65.5 62.6 59.3 66.4 59.3 59.2 61.3 55.2 71.4 54.5 60.0 59.6 59.5 55.3 58.0 61.8 58.8 54.0 60.2 69.5 59.1 64.5 54.7 66.4 51.2 62.2 60.7 53.1 54.8 63.0 64.2	1 1	11	$51\cdot2$ 1862	71.4 1846
19	63.2 61.2 63.5 60.4 53.6 63.8 65.1 61.1 64.2 60.8 61.7 61.9 61.1 65.8 55.8 57.4 59.6 56.4 54.7 61.2 71.4 58.9 56.0 54.7 63.2 64.6 56.7 55.7 58.2 50.0 54.7 66.4 65.2 64.8 56.8 69.5 56.2 59.2 60.4 54.3 57.1 61.6 64.2	52.0	60.1	50.0 1855	71.4 1846
20	$61 \cdot 4 59 \cdot 2 65 \cdot 7 65 \cdot 3 57 \cdot 9 63 \cdot 0 62 \cdot 9 63 \cdot 0 71 \cdot 7 61 \cdot 5 59 \cdot 7 65 \cdot 1 60 \cdot 0 69 \cdot 5 59 \cdot 6 59 \cdot 2 61 \cdot 8 51 \cdot 3 60 \cdot 8 60 \cdot 7 74 \cdot 1 58 \cdot 5 55 \cdot 6 61 \cdot 3 66 \cdot 3 64 \cdot 9 62 \cdot 6 56 \cdot 2 56 \cdot 9 67 \cdot 1 58 \cdot 3 58 \cdot 8 65 \cdot 9 56 \cdot 3 62 \cdot 6 62 \cdot 7 59 \cdot 9 61 \cdot 6 56 \cdot 1 69 \cdot 7 74 \cdot 1 7$	51.2	61.3	46.8 1855	74.1 1846
2 I	$\begin{bmatrix} 62 \cdot 2 & 56 \cdot 6 & 61 \cdot 2 & 63 \cdot 6 & 57 \cdot 3 & 67 \cdot 0 & 63 \cdot 9 & 75 \cdot 3 & 64 \cdot 4 & 63 \cdot 7 & 62 \cdot 8 & 60 \cdot 8 & 65 \cdot 2 & 65 \cdot 2 & 59 \cdot 2 & 62 \cdot 1 & 61 \cdot 4 & 65 \cdot 5 & 63 \cdot 7 & 66 \cdot 4 & 57 \cdot 8 & 65 \cdot 0 & 61 \cdot 3 & 65 \cdot 7 & 71 \cdot 1 & 58 \cdot 2 & 52 \cdot 9 & 58 \cdot 5 & 54 \cdot 1 & 56 \cdot 8 & 66 \cdot 6 & 65 \cdot 1 & 58 \cdot 4 & 59 \cdot 6 & 67 \cdot 6 & 55 \cdot 3 & 64 \cdot 1 & 59 \cdot 8 & 62 \cdot 2 & 67 \cdot 8 & 56 \cdot 6 & 69 \cdot 1 &$	51.4	62.2	51.4 1869	75.3 1834
22	$\begin{bmatrix} 59.9 & 58.1 & 63.4 & 59.9 & 52.0 & 65.2 & 59.5 & 60.9 & 62.9 & 64.4 & 61.3 & 65.8 & 58.6 & 59.5 & 60.9 & 62.9 & 64.4 & 61.3 & 65.8 & 58.6 & 59.5 & 60.9 & 59.5 & 61.2 & 60.3 & 65.8 & 58.7 & 74.7 & 56.4 & 66.4 & 61.5 & 65.9 & 57.8 & 59.7 & 56.8 & 64.4 & 60.8 & 59.0 & 63.7 & 67.1 & 64.5 & 59.3 & 63.6 & 58.7 & 62.3 & 60.9 & 62.1 & 61.3 & 57.9 & 61.5 $	55.8	61.4	52.0 1830	74.7 1846
23	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	54.7	61.9	54.7 1869	76.1 1844
24	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	57.8	61.2	53.1 1835	72.8 1844
25	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	58.2	61.2	48.0 1835	71.6 1854
26	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	60.3	62.0	50.0 1835	72.2 1826
27	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	1	- 11		
28	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	1	- II	1 1	
29	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	4		1 1	
30	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	59.0	61.5	50.1 1839	71.2 1826
Means	64.0 60.3 62.7 60.3 57.8 61.4 61.0 61.1 61.9 61.2 62.6 60.8 59.3 61.0 61.4 57.4 63.6 57.2 61.7 60.3 66.8 58.3 59.4 60.3 61.0 60.4 58.2 59.4 57.6 58.3 59.8 62.7 65.8 62.9 55.3 60.4 57.4 59.9 58.4 60.1 62.3 60.1 63.6	56.6	60.2		

The Mean Temperature of the coldest day in June in the years 1826 to 1869 was 45.08, and it took place on the 15th day in the year 1850. The Mean Temperature of the hottest day in June in the years 1826 to 1869 was 770.4, and it took place on the 16th day in the year 1858. The difference between these numbers is 310.6, and it represents the extreme difference between the Mean Temperature of two days in the month of June in 44 years.

The day of the Month whose Mean Temperature has been subjected to the greatest difference was the 15th; in the year 1850 its Mean Temperature was 45°8; and in the year 1858, it was 75°9; the difference between these numbers is 30°1.

The day of the Month whose Mean Temperature has been subjected to the least difference was the 29th; in the year 1839 its Mean Temperature was 51°4; and in the year 1826 it was 69°3; the difference between these numbers is 17°9.

. TABLE VII. Mean Temperature of every day in the month of July, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

AT OF													•											JŲ	LY	•																OF 44		OWEST AN DAILY ! IN 44 !	Tempera		T AND
NIE NIE	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	846	847	848	849	850 1	851 1	852 18	353 18	54 185	5 185	6 1857	1858	1859	1860	1861 1	862 186	53 1864	1865	1866 1	867 18	68 1869	MEANS	Lowest	Year	Highest	Year A	COLDES HOTTES
I	69.8	63.6	65.2	58.6	64.8	61.1	66.5	52.4	62.8	64.2	73.9	54.0	64.9	55.7	62.1	[- 1	1	- 1		1					- 1	1	_	66.	- 1		1	61.4		- 1	67·1 61	1 00 -	1 1	59.1	-	58.3	1	52.4	1833	73.9	1836	21.5
2_	69.4	60.9	68.3	59.7	61.3	64.0	65.8	54.6	62.4	68.0	69.6	60.6	64.9	60.2	61.4	63.8	57.6	64.2	60.0	59.3	66.2	56.9	57.5	62.5	61.5	67.4	60-8	8.1 61	1.7 67	3 56	- I	1	!!!	i	63.4	64.6 63	8 60.1	64.4	56.5	63·0 6	5.5 59.0	62'0	54.6	$ \left\{ \begin{array}{l} 1833 \\ 1862 \end{array} \right. $	69.6	1836	15:0
3	72-9	63.3	, , ,				"		63.6	ĺ		64.8	60.8	61.3	59.1	66.1	, ,	66.9	59.7				60.0	64.2	61.7	59.0	64.5	0.5 63	3.8 66	9 57	0 62.3	55.1	66.5	62.1	61.9	54.4 65	4 56.0	62.8	56.1	33·3 6	5.8 58.6	62.6	54.4	1862	73.5	1828	19-1
\$	74.8	65.0	70.5	55.3	62.2	65.6	65.4	61:3	67.4	64.6	73.6	64.6	63.6	66.4	62.8	64.1	66.2	65.1	60.7	62.8	73.4	62.2		58.3		57.1 7	74.2	_ " " '	3.1 64	- 0-	61.8	60.8	65.8	61.4	57.5	58·1 60	6 57.9	70.3	58.1	52·5 6	0.8 64.5	63.2	55.3	1829	74.8		19:5
5	71.8		- '				65.8	1	68.2		78.3	68.2	65.8	63.9	59.5	66.1	58.4	73.6	59.7	64.8	, 1	68.3	ı		56.6	_	_ .	· '	7.1 62		"		64.9	57.8	59.1	1 -	6 54.1	1 - , - 1	57.9	- -	.	64.0	54.1	1864	'	1852	1
6	72.9		1					-, .	67.1				į i	1		61.6	- 1	- 1	- 1	}	- 1		- 1	- 1				, ·	i -		2 57.1		67.7		1	90.6 63	1	1 1	57.6	·	.	63.9	55.4			1852	
7	71.0	- 1	- 1						68.6				1	' '		60.3		- 1	ì	í	- 1	- 1	- 1		- 1						- 1					- - '	- - / -	1 1	·	- 1	2.6 63.6	1	54.9	1850		1852	7.6
8	69.5	70.4	71.9	62.1]	i	1 1	1		ì	1	!	.		- 1			- 1	- 1	;					- 1		- 1	- 4	1	1	!!	57.7	61.4	62.7 64	6 55.6				0.6 67.7	1		1856	71.9		25.6
9	69.8	70.1	62.5	57.4			[61.8		•	1		1	1 1	58.2	ĺ	- 1	- 1		1	- 1	- 1	- 1	Ī		. .	' '	' '		·5 57·5	1	1 - 1	, ,	62.6	58-1 68	1 - 7 -	1			0.6 62.0	62.5	52.5	1856	72.2	1	19-7
10				1			1	1	1 I			l .		1 1	1 1	61.4	- 1	- 1	- 1]_	•	- 1	- 1		- 1		`		, ,	- 00	.5 63.6	1	""		58.9	57:0 68	' ''	1 - , - 1	67.4	·		627	55.4	1858	72.5		17.1
II	66-9	67.7	64.5	60.9	56.8	67.6	65.1	61.6	64.9		_	1		1	i i		65.8	57.3	- 1	l	1	- 1					\ \				·6 6·4·3	1	1 1	1	59.4	54.4 67	-		1		8.8 65.6		H	1862	73.9		19.5
72	66.6	66.0	59.4	61.0	56.8	65 2	68.9		69.6			60.4		1			V			i	- 1	- 1	ĺ	1	61.4	- 1	}	- 1	- 1		-6 68-9	1	1 1	- 1		30·3 69	-				7:6 73:4	, ,	}	1854	74.3		21.1
13	64.7	67.8	58.2	64.3	60.8	60.3	68.3	55.5	1 1		•	1 1	1	[- 1	- 1			- 1	- 1		}	- 1	- 1	[]	-	1 1		- I	l l	1 1	- i	·	ţ	,	1 1			7:3 60:3		li .	1840	75:0		22-1
I÷	65.6	65.9	59.5	63.1	69.4	61.1	65.3	63.3	65.6	59.2	63.1	66.7	64.1	63.9	60.3	58.0	61.1	62.3	63.1	59.8	69.9	76.1	70.5	65.5	63.4	61.5	69-6	55.2 5	9.7 64	·9 62	·9 70·0	66.7	65.0	61.8	63.9	66°	1 63.0	63.5	69.7	30.8 7	0.2 64.6	64.3	55.2	1853	76.1	1847	20.9
15	64.8	65.1	60.3	66'4	63.1	63.8	62.7	61.4	68.1	66.0	59.0	63.1	60.6	61.2	63.6	58.1	60.4	66.5	61.1	56.3	65.4	72.3	58.6	62.7	73.1	60.2	72.8	6.5	0.3 64	·8 64	6 72.2	73.9	70.5	60.9	63.0	58·8 69	2 63.9	68.3	68.7	59.9 7	0.9 66.0	64'3	56.3	1845	73.9	1858	7.6
16	60.6	66.3	64.2	61.3	62.0	62.6	65.8	64.6	70.2	63.9	62.2	62.2	60.4	61.6	63.7	57.4	63.6	68.4	57.7	61.0	63.2	69.6	63.6	65.8	72.9	57:1 7	71.2	7.6 6	5.0 59	·6 57	·7 65·4	67.1	70.5	57.9	59.9	57.6 59	9 62-2	69.9	65.3	59.7 7	3·1 72·1	63.7	57:1	1851	73.1	1868	16.0
37	64.8	68:2	65.8	59.6	61.7	65.2	69.1	68.1	77.0	66.0	62.1	63.7	64.6	68.8	64.0	61.1	63.1	70.0	61.6	62.9	61.8	62.6	63.2	61.9	68.8	60.4	66.8	8.6 6	1.8 58	-3 58	·4 64·2	66.4	72.4	61.8	62.8	59·5 58	0 64.1	63.6	63.3	5 2 ⋅3 7	1.7 75.0	64'4	58.0	1863	77:0	1834	19-0
18	66.9	66.1	63.1	60.8	63.9	63.2	57.6	69.2	64.8	67.6	60.4	64.4	62.3	66 6	63.0	59.1	67.9	63.9	58.9	63.4	60.8	59.8	64.5	61.6	65.9	ō8·3 (64.4	8.7 69	2.4 61	60 60	·2 64·9	63.5	75.1	61.6	61.5	58.1 56	8 61.1	60.0	59 ⋅9 { (59.1 7	3.6 73.8	63.5	56.8	1863	75.1	$oxed{1859}$	18.3
19	66.5	63.3	61.6	61.9	62.1	64.3	54.9	64.8	58.8	64.8	59.9	64.0	63.2	63.2	62.4	63.8	62.4	56.6	58.4	61.9	62.7	61.0	64.5	57.5	62.2	60.0	67.6	9.8 6	1.5 55	.3 65	·5 68·2	62.4	71.5	59.1	63.0	59.0 58	0 71.4	60.6	61.7	56·6 \ 7	1.6 64.5	62.4	54.9	1832	71.6	1868	16.7
20	63.2	62.6	60.0	65.2	60.8	63.5	56.7	60.0	62.6	70.9	50.2	61.3	61.4	64.1	59.3	57.4	60.8	59.3	58.9	61.5	64.1	66-8	60.9	57.9	63.1	62.6	64.3	1.3 6	5.4 57	.9 63	·5 67·9	66.2	69.6	60.0	65.3	50-1 58	7 68.5	63.5	58.6	30·6 7	4 ∙9 58∙6	62.3	50.2	1836	74.9	1868	24.7
21	60.8	61.8	60.5	62.5	66.3	62.4	56.6	58.7	60.6	70.3	56.5	61.2	58.2	61.7	60.5	59.1	55.7	60.8	65.0	64.5	64.3	66.9	60.7	57.4	63.6	62.2	64.7	2.3 6	5.1 62	0 67	0 66.5	60.7	66-9	58.4	62.5	58.6 54	9 65-9	67.0	60.1	63·6 7	7·9 65·7	62.5	54.9	1863	77.9	1868	23.0
12	63.7	62.3	62.7	65.3	67:3	59.1	57.5	58.0	61.7	68.0	58.5	63.9	53.8	63.1	58.5	58.0	55.3	59.1	68.6	63.1	65.7	61.4	64.8	62.4	70.6	65:5 (66.0	0.2 68	8-8 64	7 69	·4 67·1	62.8	68.6	57:1	61.1	59.8 57	2 63.9	66.4	55.1	31.6 7	5.7 75.6	63.5	53-8	1838	75.7	1868	21:9
23	56.3	69.0	64.5	64.6	68.6	60.5	59.6	63.6	67.1	65.8	57:2	70.0	59.5	63.8	57.1	58.6	56.2	52.2	73.3	55.1	68.3	60.6	65.0	58.8	71.6	62.5	65∙3 €	2.6 75	2-6 69	8 72	6 69.4	66-3	64.1	53.2	61.9	54.6 57	8-99 8	63.3	58.4	33·1 6	9.0 67.8	63.4	52.2	1843	73:3	1844 1	21:1
2.	61.7	69.6	64.3	67.4	66.1	62.8	61.1	60.6	66.3	68.0	59.7	66.6	57.3	65.0	61.8	57:1	65.1	51.3	70.6	58.5	59.9	64.1	61.1	57.3	62 0	56.7	68:3	9.8 72	2.6 62	1 65	.6 68⋅1	64.4	59.1	54.7	61.0	58-6 57	0 66.7	66.9	59.0	616 6	7-2 66-6	62*3	54-3	1843	72.6	1854 1	8.3
25	64.3	66.9	63.2	64.9	72.3	61.2	62.0	65.7	64.4	67.5	59.2	68.7	55.6	61.2	61.0	60.3	60.2	59.9	74.7	60.3	60.8	57.9	58.9	58.5	58.1	1.00	65.8	2.0 7	1.5 59	.7 62	.7 61.3	60.4	62.5	50.1	63.2	30·5 59	7 59.6	66.9	58.7	62.4	8.7 67.6	62.6	50.1	1860	74.7	1844 2	24.6
								1	1 6	i 1	1	,				, ,		1		· ·												1					1						11			1830	
							1		I T	r I		1				r 1	- 1																				1	1)				1	!!	1		1830 2	
							1	1				1	1				- 1		Į.	í						- 1		- 1				1	I I	,		t t	I .	1 .		- 1	2.7 56.0	1 .	II			1868	
1							1	1			1									,											•								1	1	1.1 63.1	1	II .	1845	75.3	1827	20-7
50																																														1830 2	22:6
31	73.5	67-1	61.5	55.9	70.0	69.2	56.1	61.4	65.7	62.8	60.4	63-1	59.7	57.8	61.5	53.7	56.3	58-6	60•5	58.8	76.4	65.4	62.3	59.3	68.1	65.3	67.6	3.0 60	5·5 59·	9 71	·4 67·7	60.1	65.2	60.0	62.7	50-2 59	2 67.2	59.3	55.7	6 0.83	66.5	62.9	53.7	1841	76.4	1846 2	2.7
tans	66.6	66.2	63.3	61.0	64.8	64.9	62.5	62.2	65.7	65.1	64.2	64.0	62.2	62.5	60.4	59.7	60.3	62.0	63.2	61.1	65.8	65.6	62.4	62:4	62.4	61.7	68.1	1.6 62	2.1 63.	1 62	1 64.3	61.5	68.1	58.6	61.7	62	2 61.9	63.9	61.8	80.6	8.7 65.5	63.1					

The Mean Temperature of the coldest day in July in the years 1826 to 1869 was 46°-3, and it took place on the 8th day in the year 1856.

The Mean Temperature of the hottest day in July in the years 1826 to 1869 was 79°-2, and it took place on the 5th day in the year 1852.

The difference between these numbers is 32°-9, and it represents the extreme difference between the Mean Temperature of two days in the month of

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 8th; in the year 1856 its Mean Temperature was 46°3; and in the year 1828 it was 71°9; the difference between these numbers is 25°6.

The day of the month whose Mean Temperature has been subjected to the least difference was the 2nd; in the years 1833 and 1862 its Mean Temperature was 54°6; and in the year 1836 it was 69°6; the difference between these numbers is 15°0.

TABLE VIII. Mean Temperature of every day in the month of August, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

1 70.9 68 2 69.1 71. 5 66.7 66. 4 65.1 67. 5 62.7 69. 6 64.6 62. 7 66.2 63. 8 67.1 62. 9 67.3 66. 10 65.5 64. 11 61.1 59. 12 59.7 61. 13 59.2 61. 14 65.7 64. 15 64.7 66. 16 63.7 58. 17 67.1 63. 18 68.0 63. 19 69.2 59. 20 71.8 60. 21 64.5 59. 22 65.7 57. 23 65.0 60. 24 66.3 58. 25 69.7 56. 26 64.7 57.					_												A U	GUS	S T.														S of 44	Lo Mean	WEST AND DAILY TEM 44 YEA	Highest mperatui ars	TRE IN
5 66·7 66· ÷ 65·1 67· 5 62·7 69· 6 64·6 62· 7 66·2 63· 8 67·1 62· 9 67·3 66· 10 65·5 64· 11 61·1 59· 12 59·7 61· 13 59·2 61· 14 65·7 64· 15 64·7 66· 16 63·7 58· 17 67·1 63· 18 68·0 63· 19 69·2 59· 20 71·8 60· 21 64·5 59· 22 65·7 57· 23 65·0 60· 24 66·3 58· 25 69·7 56· 26 64·7 57·	1827 182	8 1829 18	30 1831	1832 183	33 1834	1835	1836 1	1837 18	838 183	59 1840	1841 1	842 184	3 1844	1845	846	847 18.	184	9 1850	1851 1	852 185	1854	1855 18	56 1857	1858	1859 18	860 186	1 862	863 18	64 186	1866	1867 1	868 186	MEAN.	Lowest	Year H	lighest	Year C
5 66.7 66. \$\displays 65.1 67. 5 62.7 69. 6 64.6 62. 7 66.2 63. 8 67.1 62. 9 67.3 66. 10 65.5 64. 11 61.1 59. 12 59.7 61. 13 59.2 61. 14 65.7 64. 15 64.7 66. 16 63.7 58. 17 67.1 63. 18 68.0 63. 19 69.2 59. 20 71.8 69. 21 64.5 59. 22 65.7 57. 23 65.0 60. 24 66.3 58. 25 69.7 56. 26 64.7 57.	68·7 63·9	9 59.9 6	8.7 68.9	61.3 55	0 7î·3	66.9	60.4	60.1 6	33·7 62	·6 60·5	58.0	5î·3 59·	9 56.7	59.7	74.8	69.8 69	.5 60.4	63.0	70.1	8.8 65.4	61.4	63.6	8.1 68.7	60.6	62.4 6	62.1	63.9	62.4 63	.9 53.9	64.3	58.5	70°-4 63°-9) . 6 <mark>3</mark> ·8	53.9	1865	74.8	1846
\$\frac{65.1}{62.7} \frac{69.5}{69.6}\$ 6 \frac{64.6}{64.6} \frac{62.2}{63.8}\$ 8 \frac{67.1}{67.1} \frac{62.2}{62.9}\$ 9 \frac{67.3}{65.5} \frac{64.1}{64.7}\$ 10 \frac{65.5}{65.7} \frac{64.1}{64.7}\$ 11 \frac{61.1}{61.7} \frac{59.2}{64.7}\$ 12 \frac{59.7}{64.7} \frac{64.7}{64.7}\$ 13 \frac{69.2}{69.7} \frac{69.2}{59.7}\$ 16 \frac{63.7}{63.7} \frac{58.1}{63.7}\$ 17 \frac{67.1}{67.1} \frac{63.7}{63.7}\$ 18 \frac{68.0}{68.0} \frac{63.3}{63.7}\$ 20 \frac{71.8}{69.2} \frac{69.2}{59.7}\$ 23 \frac{65.0}{65.0} \frac{60.3}{60.2}\$ 24 \frac{66.3}{66.3} \frac{58.2}{56.9.7}\$ 26 \frac{64.7}{57.7}\$ 26 \frac{64.7}{57.7}\$ 27 \frac{65.0}{64.7}\$ 28 \frac{66.3}{64.7}\$ 29 \frac{64.7}{57.7}\$ 21 \frac{64.7}{57.7}\$ 22 \frac{65.7}{57.7}\$ 23 \frac{65.0}{64.7}\$ 24 \frac{66.3}{64.7}\$ 25 \frac{69.7}{57.7}\$ 26 \frac{64.7}{57.7}\$ 27 \frac{64.7}{57.7}\$ 28 \frac{65.7}{57.7}\$ 29 \frac{64.7}{57.7}\$ 20 \frac{64.7}{57.7}\$ 21 \frac{64.7}{57.7}\$ 22 \frac{65.7}{57.7}\$ 23 \frac{65.0}{57.7}\$ 24 \frac{66.3}{59.7}\$ 25 \frac{69.7}{57.7}\$ 26 \frac{64.7}{57.7}\$ 27 \frac{64.7}{57.7}\$ 28 \frac{65.0}{64.7}\$ 29 \frac{64.7}{57.7}\$ 29 \frac{64.7}{57.7}\$ 20 \frac{64.7}{57.7}\$ 21 \frac{64.7}{57.7}\$ 22 \frac{65.7}{57.7}\$ 23 \frac{65.0}{64.7}\$ 24 \frac{66.3}{59.7}\$ 25 \frac{69.7}{57.7}\$ 26 \frac{64.7}{57.7}\$ 27 \frac{64.7}{57.7}\$ 28 \frac{66.3}{59.7}\$ 29 \frac{64.7}{57.7}\$ 20 \frac{64.7}{57.7}\$ 20 \frac{64.7}{57.7}\$ 21 \frac{64.7}{57.7}\$ 22 \frac{65.7}{57.7}\$ 23 \frac{65.0}{64.7}\$ 24 \frac{66.3}{59.7}\$ 25 \frac{69.7}{57.7}\$ 26 \frac{64.7}{57.7}\$ 27 \frac{64.7}{57.7}\$ 28 \frac{64.7}{57.7}\$ 29 \frac{64.7}{57.7}\$ 20 \frac{64.7}{57.7}\$ 20 \frac{64.7}{57.7}\$ 21 \frac{64.7}{57.7}\$ 22 \frac{65.7}{57.7}\$ 23 \frac{65.0}{57.7}\$ 24 \frac{66.3}{59.7}\$ 25 \frac{64.7}{57.7}\$ 26 \frac{64.7}{57.7}\$ 27 \frac{64.7}{57.7}\$ 28 \frac{64.7}{57.7}\$ 29 \frac{64.7}{57.7}\$ 20 \frac{64.7}{57.7}\$ 21 \frac{64.7}{57.7}\$ 22 \frac{65.7}{57.7}\$ 23 \frac{65.0}{57.7}\$ 24 \frac{66.7}{57.7}\$ 25 \frac{64.7}{57.7}\$ 26 \frac{64.7}{57.7}\$ 27 \frac{64.7}{57.7}\$ 28 \frac{64.7}{57.7}\$ 29 \frac{64.7}{57.7}\$ 20 \frac{64.7}{	' '	63.7 63	1			1 1		i	[1 1	1		1	-1	1 1	- 1				1 1		ļ	1 1					1	1 1	1 1		1 1				1856
5 62·7 69·6 64·6 62·7 66·2 63·8 67·1 62·9 67·3 66·10 65·5 64·11 61·1 59·12 59·7 61·13 59·2 61·14 65·7 64·15 64·7 66·16 63·7 58·17 67·1 63·18 68·0 63·19 69·2 50·2 50·2 50·2 50·2 50·2 50·2 50		2		- 1		!!		- 1						1 1		1		1 1	i	ł	1 1						1 1	-		1	'	ł		1		73.2	1856
6 64.6 62 7 66.2 63 8 67.1 62 9 67.3 66 10 65.5 64 11 61.1 59 12 59.7 61 13 59.2 61 14 65.7 64 15 64.7 66 16 63.7 58 17 67.1 63 18 68.0 63 19 69.2 59 20 71.8 60 21 64.5 59 22 65.7 57 23 65.0 60 24 66.3 58 25 69.7 56 26 64.7 57		$0 \mid 59.0 \mid 69$	1 1	}		1 1					i I	1	- 1	1 1	l i	- 1		1 1		- 1	1 1		i i	1 1			1 1		- 1	1 1	{				1854		1868
7 66·2 63·8 67·1 62·9 67·3 66·10 65·5 64·11 61·1 59·12 59·7 61·14 65·7 64·15 64·7 66·16 63·7 58·17 67·1 63·18 68·0 63·19 69·2 59·2 65·7 57·23 65·0 60·24 66·3 58·25 69·7 56·26 64·7 57·	1 1	7 57.8 6	1	Į	1	1 1	1				1 }			1 1	- 1	1	1	'	- 1	1	1 1			1 1		- 1	1 1			1 1			1	54.4			1868
8 67·1 62·9 67·3 66·10 65·5 64·11 61·1 59 12 59·7 61·13 59·2 61 14 65·7 64 15 64·7 66 16 63·7 58 17 67·1 63 18 68·0 63 19 69·2 59 20 71·8 69 21 64·5 59 22 65·7 57 23 65·0 60 24 66·3 58 25 69·7 56 26 64·7 57		- I I		į.		1 1		- 1	1		1				1	- 1	ì	1 1		,	1 1			1 1		1	1 1		ı	1 1		, I				72.9	
9 67·3 66· 10 65·5 64 11 61·1 59 12 59·7 61 13 59·2 61 14 65·7 64 15 64·7 66 16 63·7 58 17 67·1 63 18 68·0 63 19 69·2 59 20 71·8 69 21 64·5 59 22 65·7 57 23 65·0 60 24 66·3 58 25 69·7 56 26 64·7 57	1 1	1 1	1	1		1 1	: 1		l	i	l i		i	1		1					1					- Ł				1 1				54.6		$ \begin{array}{c c} 70.3 & 1 \\ 70.2 & 1 \end{array} $	
10 65·5 64 11 61·1 59 12 59·7 61 13 59·2 61 14 65·7 64 15 64·7 66 16 63·7 58 17 67·1 63 18 68·0 63 19 69·2 59 20 71·8 60 21 64·5 59 22 65·7 57 23 65·0 60 24 66·3 58 25 69·7 56 26 64·7 57		5 68.0 6				1	· I				1 1			1 1	- 1	. .	1 '		1	1	1 1	i		i I			, I	}		1 1	i	´ !				70.8	
11 61·1 59 12 59·7 61 13 59·2 61 14 65·7 64 15 64·7 66 16 63·7 58 17 67·1 63 18 68·0 63 19 69·2 59 20 71·8 69 21 64·5 59 22 65·7 57 23 65·0 60 24 66·3 58 25 69·7 56 26 64·7 57		0 64.8 6			ļ.		1 1	1			1			1 1	- 1		ŀ	1 1	- 1		1 1			1 1				ł		1 1	l j	1		54.2	<u> </u>	77.3	- 1
12 59·7 61 13 59·2 61 14 65·7 64 15 64·7 66 16 63·7 58 17 67·1 63 18 68·0 63 19 69·2 59 20 71·8 69 21 64·5 59 22 65·7 57 23 65·0 60 24 66·3 58 25 69·7 56 26 64·7 57					1	1 1	1 1		ŀ		1 1	1		1 1					- 1					i 1		1	1 1				l i			1			1835
13 59·2 61 14 65·7 64 15 64·7 66 16 63·7 58 17 67·1 63 18 68·0 63 19 69·2 59 20 71·8 60 21 64·5 59 22 65·7 57 23 65·0 60 24 66·3 58 25 69·7 56 26 64·7 57	1	·	1 1	- 1	1	1 1	1 1		- 1	l l	1 1			1 t			- 1	1 1			1 F			1 1			1 1	1			l į		1	1 1	1841	l l	,
14 65·7 64 15 64·7 66 16 63·7 58 17 67·1 63 18 68·0 63 19 69·2 59 20 71·8 60 21 64·5 59 22 65·7 57 23 65·0 60 24 66·3 58 25 69·7 56 26 64·7 57	1	-	1		1	1 1	ł		- 1	}	, I		1 -	1 ' 1				1 1	1		1 1			1 1	1		1 i	i				- 1	1 1				1851
15 64·7 66 16 63·7 58 17 67·1 63 18 68·0 63 19 69·2 59 20 71·8 69 21 64·5 59 22 65·7 57 23 65·0 60 24 66·3 58 25 69·7 56 26 64·7 57	{ 1 ·	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1	1		1 1	1			· l	1 1		· -						Ι,		1 1)	_	1 1			1 1	1					· ·	53.5			1867
16 63·7 58 17 67·1 63 18 68·0 63 19 69·2 59 20 71·8 69 21 64·5 59 22 65·7 57 23 65·0 60 24 66·3 58 25 69·7 56 26 64·7 57	1	4 51.5 5	1 1			1 1	1	- 1		- 1	1 1	-1	- 1	1 1	L		I				1 1		ł ·	1 I			1 I	1		I I			1 :	51.5		72.7	1842
17 67·1 63 18 68·0 63 19 69·2 59 20 71·8 69 21 64·5 59 22 65·7 57 23 65·0 60 24 66·3 58 25 69·7 56 26 64·7 57		1 56.3 5	1 1	- 4		1	1 1	- 1	.)		1 1			1 1	l l		- 1					- 1	,	1 1		ì	i 1				1		1 1	54.1	1845	72.9	1842
18 68.0 63 19 69.2 59 20 71.8 69 21 64.5 59 22 65.7 57 23 65.0 60 24 66.3 58 25 69.7 56 26 64.7 57		9 56.5 5	1 1		Į		1 1				· 1					l'		- 1				l	1	1 1	1					1 1				51.7	1854	71.4	1837
20 71·8 69 21 64·5 59 22 65·7 57 23 65·0 60 24 66·3 58 25 69·7 56 26 64·7 57		$\cdot 2 \begin{vmatrix} 58 \cdot 8 & 56 \end{vmatrix}$	1 1	1					- 1	- 1	!	l l		1 1				1 1		1					- 1		1 1			1 1	1 1				1830	76.7	1842
21 64·5 59 22 65·7 57 23 65·0 60 24 66·3 58 25 69·7 56 26 64·7 57		.5 60.9 5	1 1	1	ŀ	1	1 1				i 1		1 -	1 1	1	1	1	1 1					· 1				1 I			. i	1 1	ŀ	1	53.0	1839	73 3	1843
22 65.7 57 23 65.0 60 24 66.3 58 25 69.7 56 26 64.7 57	60.0 61.	8 56.8 5	4.5 62.3	68.0 65	5-6 65-0	70.2	59.0	68.0	64.3 54	§·3 67·1	64.3	64.8 64.	3 64.8	56.1	61.4	60.3 58	63	$0 \mid 56.4 \mid$	66.1	64.4	63.1	61.5 60	0.2 65.6	59.7	66.7 5	59·6 58·3	61.5	57.2 58	3 61.8	63.3	64.3	30·5 58·0	62.2	54.3	1839	71.8	1826
23 65·0 60 24 66·3 58 25 69·7 56 26 64·7 57	59.3 59.	3 57.2 5	8.0 61.1	64.5 66	62·5 62·5	71.8	58.1	66.6	$59.9 \mid 52$	68.6	59.5	65.4 59	6 60.4	51.8	60.8	66.5 58	66.	1 50.4	66.7	64.3	61.4	62.6 59	0.2 66.2	57.4	62.5 5	56-5	65.0	58.1 54	2 60.8	60.3	65.8 6	31·1 59·₃	61.3	50.4	1850	71.8	1835
24 66·3 58 25 69·7 56 26 64·7 57	57.3 56.	8 60.5 6	0.1 62.6	62.7 59	9.3 60.3	65.2	61.3	67.6	58.2 60	0.4 62.1	60.0	70·7 56·	9 58.7	58.0	61.0	60.3 56	64	8 53.9	69.4	64.2	59.8	64.3 50	69.2	59.7	62.8 5	67.0 62.6	60-1	60.6 56	•5 63•2	62.4	58.9 5	59·6 64·8	61.3	53.9	1850	70.7	1842
25 69·7 56 26 64·7 57	60.9 57.	2 61.9 6	1.4 67.2	58.7 58	8·8 56·6	65.5	58.3	62.8	56.0 64	61.0	58.5	69.9 60	2 54.7	59.7	64.9	53.0 57	3 62	6 54.0	65.1 6	55-3 56-7	58.6	67.8 56	6.1 73.0	59.8	64.2 5	55.0 63.1	57.3	65.0 49	·5 59·5	64.3	60.4 5	59.1 64.9	60.8	49.5	1864	73.0	1857
26 64.7 57	58.8 66.	0 56.3 6	2.7 65.9	60.5 60	0.4 57.3	64.2	54.1	56.5	57.3 63	3.5 59.9	55.0	62·1 59	6 59.2	58.6	60.1	56:1 59	64.	0 57.8	60.7	55.7 55.8	60.1	64.5 6	1.1 70.1	63.4	67.5 5	59.0	57.7	61.9 52	0 63.3	63.0	62.9 5	59-4 64-9	60.5	52.0		70.1	
	56.1 67	0 54.2 6	1.6 61.1	58.8 58	8.5 54.6	62.4	61.3	59·0 (56.4 63	3.2 64.3	60.1	63.4 63	1 60.7	61.9	58.8	61.9 57	.5 64.	$4 \mid 59 \cdot 4 \mid$	58.4	61.6	59-4	61.5 59	9·8 67·0	59.0	71.3 5	8.8 62.3	60.2	57.4 50	4 60.8	62.1	64.4 5	69.3	61.0	50.4	1	71.3	
	57.0 63	60.9 5	9.6 65.4	55.7 58	8-6 55-6	60.3	57.9	59.0	62.7 64	£·1 63·6	67.2	67.1 61	6 57.1	59.4	63.8	58.6 65	67	1 57.5	59.6	55·4 59·7	62.8	57.9 6	1.5 64.7	57.3	66.5 5	68.9 62.4	60.9	58.4 52	.5 60-1	66.9	56.9 5	57·7 69·9	61.1	52.5		69.9	
27 64.0 63	63.2 63	57.6 6	1.6 69.9	58.7 61	1.0 56.7	59.4	63.3	53.4	68-6 60)·7 58-9	70.6	65.8 60	3 55.5	59.4	66.3	6 3 ·6 6	59:	2 61.5	61.0	65·4 56·0	69.4	63.6	l·2 59·0	56.3	63.4 5	55.4 65.4	60.0	60.5 52	4 61.8	65.7	57.1 6	32.0 71.0	61.7			71.0	
28 66.2 61	61.7 64	÷0 57·0 5	7.4 62.7	59.3 63	3.0 58.7	59.4	58.1	58.3	69-3 60	0.6 63.3	62.8	6 3 ·9 63	3 53.7	57.0	66.6	67·3 68	0 64	$2 \left[\begin{array}{c c} 55.0 \end{array} \right]$	54.2	66·1 56·0	67.5	66.8 6	63.8	54.7	61.1 5	8.7 64.2	2 58.4	62.1 61	4 61.7	60.9	58.9 5	71.6	61.5		1844		
		57.9 5	[[- 1	- 1		1 1	I	- 1	l l	1	- 1	4	1 1	I					J	1 1	I	ı	1 1	I	- 1	I I	1	I		l 6		1 1		1850	- 1	
	58.2 63	57.9 5																1 1								1					I I			'		70.0	
31 65.6 60		4 57.2 5	7.9 59.5	59.4 49	9.3 61.5	5 59.7	61.3	53.1	58.4 57	7.2 64.4	62.5	56.5 67	7 61.3	63.0	65.4	55.8 50	65.	$3 \mid 54.8 \mid$	57.5	57:0 59:1	62.9	60.3 63	3·1 66·5	57.3	52.0 5	8.6 60.8	61.1	58.2 61	•7 65•3	60.4	68.7 6	$34.0 \mid 54.4$	60.1	49.3	1833	68.7	1867
Means 65.9 62	60.0 59															1	1	·			11	1				1	~I -l-		— —	-1!		<u> </u>	-				1

The Mean Temperature of the coldest day in August in the years 1826 to 1869 was 49°3, and it took place on the 31st day in the year 1833. The Mean Temperature of the hottest day in August in the years 1826 to 1869 was 77°3, and it took place on the 10th day in the year 1842. The difference between these numbers is 28°0, and it represents the extreme difference between the Mean Temperature of two days in the month of August in 44 years. T

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 18th; in the year 1830 its Mean Temperature was 50°3; and it took place on the 10th day in the year 1842.

* Also the 23rd; in the year 1864 Mean Temperature 49°5; and in the year 1857 it was 73°0; the difference between these numbers is 23°5.

* Also the 23rd; in the year 1864 Mean Temperature 49°5; and in the year 1857 it was 73°0; the difference between these numbers is 23°5.

TABLE IX. Mean Temperature of every day in the month of September, as deduced from the observations when on that day at the Gardens of the Royal Horticultural Society at Chiswiek in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

SEPTEMBER.	OF 44	Lowie Mean Da	EST AND HIGHEST AILY TEMPERATUR 44 YEARS	E Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z
1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869	MEANS	Lowest	Year Highest	DIFFWEE COLDE
$\begin{bmatrix} 6\frac{2}{4} \cdot 7 & 6\frac{2}{5} \cdot 0 & 6\frac{1}{1} \cdot 4 & 5\frac{9}{5} \cdot 1 & 5\frac{9}{5} \cdot 7 & 5\frac{1}{1} \cdot 6 & 5\frac{8}{5} \cdot 3 & 5\frac{1}{1} \cdot 1 & 60\frac{1}{5} \cdot 7 & 60\frac{1}{5} \cdot 6 & 6\frac{1}{1} \cdot 2 & 5\frac{1}{5} \cdot 1 & 5\frac{8}{5} \cdot 3 & 5\frac{8}{5} \cdot 9 & 6\frac{8}{5} \cdot 7 & 5\frac{1}{5} \cdot 6 & 6\frac{1}{5} \cdot 2 & 5\frac{1}{5} \cdot 6 & 6\frac{1}{5} \cdot 2 & 5\frac{1}{5} \cdot 6 & 6\frac{1}{5} \cdot 2 & $	59.6	51.1 1	1833 70.7	1843 19.6
$\begin{bmatrix} 62 \cdot 2 & 64 \cdot 4 & 58 \cdot 5 & 58 \cdot 7 & 61 \cdot 0 & 53 \cdot 3 & 57 \cdot 3 & 51 \cdot 9 & 59 \cdot 8 & 62 \cdot 6 & 52 \cdot 3 & 55 \cdot 6 & 59 \cdot 5 & 57 \cdot 2 & 66 \cdot 7 & 59 \cdot 3 & 69 \cdot 8 & 69 \cdot 2 & 63 \cdot 3 & 56 \cdot 8 & 59 \cdot 5 & 54 \cdot 0 & 58 \cdot 3 & 56 \cdot 8 & 59 \cdot 4 & 55 \cdot 5 & 65 \cdot 8 & 60 \cdot 0 & 57 \cdot 8 & 57 \cdot 0 & 64 \cdot 0 & 56 \cdot 4 & 67 \cdot 5 & 61 \cdot 6 & 52 \cdot 8 & 69 \cdot 2 & 63 \cdot 3 & 56 \cdot 8 & 69 \cdot 2 & 63 \cdot 3 & 56 \cdot 8 & 59 \cdot 5 & 65 \cdot 8 & 69 \cdot 2 & 63 \cdot 3 & 56 \cdot 8 & 69 \cdot 2 & 63 \cdot 3 & 56 \cdot 8 & 69 \cdot 2 & 63 \cdot 3 & 56 \cdot 8 & 59 \cdot 5 & 57 \cdot 0 & 64 \cdot 0 & 57 \cdot 8 & 57 \cdot 0 & 64 \cdot 0 & 56 \cdot 4 & 67 \cdot 5 & 61 \cdot 6 & 52 \cdot 8 & 69 \cdot 2 & 63 \cdot 3 & 69 \cdot 8 & 69 \cdot 2 & 63 \cdot 3 & 56 \cdot 8 & 69 \cdot 2 & 63 \cdot 3 & 69 \cdot 8 & 69 \cdot 2 & 63 \cdot 3 & 69 \cdot 8 & 69 \cdot 2 & 63 \cdot 3 & 69 \cdot 8 & 69 \cdot 2 & 63 \cdot 3 & 69 \cdot 8 & 69 \cdot 2 & 69 \cdot 2 & 63 \cdot 3 & 69 \cdot 8 & 69 \cdot 2 &$	59.6	51.9 1	1833 69.8 1	1842 17.9
$\begin{bmatrix} 63.5 & 61.4 & 58.4 & 57.9 & 59.0 & 54.5 & 57.5 & 53.5 & 63.8 & 66.2 & 57.4 & 54.0 & 59.8 & 66.2 & 57.4 & 54.0 & 59.8 & 66.2 & 57.4 & 54.0 & 59.8 & 66.2 & 54.5 & 63.8 & 69.9 & 65.5 & 53.9 & 59.2 & 52.4 & 60.0 & 66.6 & 57.8 & 65.4 & 53.0 & 67.1 & 59.8 & 56.7 & 62.1 & 55.0 & 60.8 & 60.9 & 65.5 & 55.0 & 64.6 & 65.1 & 54.0 & 65.1 & 54.0 & 67.1 $	59.8	52.4 1	1847 69.9 1	1843 17.5
$\begin{bmatrix} 66.0 & 58.4 & 61.3 & 56.8 & 59.5 & 61.8 & 57.6 & 51.2 & 68.9 & 67.8 & 62.6 & 51.2 & 68.9 & 67.8 & 62.6 & 51.6 & 57.6 & 60.7 & 55.7 & 47.7 & 62.1 & 59.8 & 66.8 & 53.5 & 62.9 & 50.3 & 61.7 & 67.1 & 51.9 & 61.6 & 64.0 & 57.9 & 58.4 & 58.3 & 56.4 & 56.7 & 60.0 & 57.6 & 53.9 & 63.8 & 57.7 & 58.0 & 62.5 & 64.5 & 61.1 & 65.3 & 66.0 & 61.7 & 67.7 $	59.7		- I	1834 21.2
$\begin{bmatrix} 59.8 & 59.0 & 59.6 & 58.3 & 58.7 & 66.4 & 58.0 & 52.1 & 64.7 & 67.3 & 56.1 & 52.9 & 64.1 & 62.5 & 54.9 & 48.5 & 61.2 & 58.7 & 63.7 & 54.5 & 67.6 & 51.6 & 68.6 & 64.8 & 53.5 & 59.6 & 63.7 & 55.2 & 58.2 & 56.2 & 58.3 & 57.6 & 67.4 & 57.1 & 53.9 & 57.6 & 63.5 & 61.5 & 59.5 & 66.1 & 67.0 $	59.5			1848 20.1
$\begin{bmatrix} 60.6 & 59.2 & 62.3 & 59.1 & 57.6 & 59.6 & 60.3 & 56.7 & 58.7 & 67.1 & 55.6 & 54.5 & 62.8 & 61.1 & 60.4 & 49.3 & 60.5 & 64.3 & 65.6 & 53.2 & 67.6 & 50.5 & 58.6 & 62.3 & 49.8 & 57.3 & 61.0 & 57.5 & 56.4 & 58.0 & 65.1 & 54.6 & 58.1 & 65.8 & 65.0 & 60.8 & 61.5 & 70.7 & 63.6 $,, ,	}		1868 21.4
$\begin{bmatrix} 54\cdot3 & 58\cdot1 & 66\cdot7 & 59\cdot1 & 57\cdot9 & 55\cdot0 & 58\cdot4 & 58\cdot4 & 57\cdot5 & 65\cdot1 & 58\cdot4 & 57\cdot5 & 65\cdot1 & 59\cdot8 & 61\cdot9 & 60\cdot8 & 60\cdot7 & 59\cdot8 & 55\cdot1 & 64\cdot0 & 67\cdot1 & 65\cdot4 & 54\cdot7 & 67\cdot9 & 54\cdot7 & 57\cdot3 & 57\cdot2 & 51\cdot9 & 56\cdot3 & 62\cdot3 & 52\cdot5 & 59\cdot0 & 63\cdot3 & 61\cdot8 & 59\cdot3 & 55\cdot7 & 58\cdot9 & 56\cdot1 & 59\cdot6 & 67\cdot6 & 65\cdot1 & 60\cdot5 & 61\cdot8 & 71\cdot5 & 66\cdot2 & 61\cdot8 & 71\cdot5 & 66\cdot2 & 61\cdot8 & 71\cdot5 $		-		1868 19.6
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	59.9	50.3 1	1850 71.7	1865 21.4
$\begin{bmatrix} 55.6 & 62.3 & 65.6 & 60.2 & 57.0 & 54.6 & 60.6 & 58.9 & 58.7 & 57.7 & 52.2 & 63.9 & 50.9 & 63.8 & 62.3 & 61.5 & 59.6 & 66.8 & 59.8 & 58.1 & 66.6 & 57.4 & 60.5 & 59.2 & 54.9 & 58.6 & 63.1 & 62.4 & 60.6 & 52.3 & 58.2 & 63.4 & 57.6 & 57.1 & 65.6 & 60.3 & 62.5 & 59.8 & 65.8 $	59.6	50.9 1	1838 66.6 1	1843 15.9
57.6 62.0 61.7 61.8 54.1 56.7 57.6 58.8 60.5 59.4 49.1 60.8 51.1 66.9 59.1 61.9 58.5 64.5 56.3 60.4 67.2 58.8 57.7 61.8 53.0 53.1 63.9 56.8 55.0 54.7 61.6 64.9 53.1 47.4 55.2 48.1 53.6 53.1 69.2 60.4 56.2 62.6 59.9 61.8 69.2 60.4 67.2 69.2		47-4 1		1865 21.8
$54\cdot 4 63\cdot 9 67\cdot 9 57\cdot 3 55\cdot 8 53\cdot 4 52\cdot 7 59\cdot 9 52\cdot 3 64\cdot 6 59\cdot 9 65\cdot 0 57\cdot 5 56\cdot 8 64\cdot 7 58\cdot 9 51\cdot 8 56\cdot 3 60\cdot 9 54\cdot 7 59\cdot 9 53\cdot 1 47\cdot 6 52\cdot 8 55\cdot 4 53\cdot 3 47\cdot 6 69\cdot 5 55\cdot 9 62\cdot 9 61\cdot 5 60\cdot 4 50\cdot $				1865 21.9
55.9 + 57.9 + 63.2 + 54.2 + 51.7 + 58.6 + 56.3 + 50.6 + 55.7 + 54.3 + 54.5 + 57.6 + 57.6 + 57.6 + 57.6 + 57.6 + 57.6 + 57.6 + 57.8 +	3, 3	_ -		1841 22.1
56.9 58.2 59.4 56.7 54.9 60.7 60.0 54.5 55.6 55.6 55.6 55.6 55.6 55.6 55.2 57.0 51.5 66.7 59.2 59.7 61.5 58.9 62.0 57.2 50.5 54.5 52.3 54.2 57.6 53.7 65.0 51.5 54.7 56.3 61.3 55.7 55.7 67.8 58.7 58.0 61.6 57.4	57.8	50.9 1	1848 68.7	1841 18.2
57.8 58.7 52.7 53.3 56.5 56.9 55.7 60.1 53.0 59.2 52.5 53.4 62.0 57.7 49.6 67.6 62.5 62.7 64.0 55.4 60.6 51.4 51.9 57.3 52.2 55.7 54.5 55.2 61.2 50.8 52.4 60.7 63.4 51.8 56.7 53.9 61.1 55.1 53.7 64.7 56.7 55.9 58.0 61.8 56.7	26.8	49.6	1840 67'6	1841 18.0
$52 \cdot 3 62 \cdot 2 52 \cdot 2 53 \cdot 5 58 \cdot 4 57 \cdot 8 50 \cdot 5 53 \cdot 9 56 \cdot 4 59 \cdot 5 56 \cdot 4 59 \cdot 5 56 \cdot 4 59 \cdot 5 57 \cdot 3 64 \cdot 2 63 \cdot 0 66 \cdot 3 65 \cdot 0 49 \cdot 7 62 \cdot 9 53 \cdot 8 56 \cdot 9 58 \cdot 0 55 \cdot 2 62 \cdot 8 55 \cdot 4 54 \cdot 8 67 \cdot 7 55 \cdot 6 57 \cdot 3 57 \cdot 8 58 \cdot 4 58 \cdot 9 5$	3, -	48.8	1048	1865 18.9
$54\cdot3$ $64\cdot7$ $51\cdot7$ $49\cdot7$ $57\cdot3$ $56\cdot4$ $59\cdot2$ $58\cdot4$ $63\cdot2$ $54\cdot9$ $53\cdot6$ $60\cdot1$ $60\cdot4$ $59\cdot2$ $58\cdot6$ $60\cdot1$ $60\cdot4$ $59\cdot2$ $50\cdot5$ $59\cdot3$ $59\cdot7$ $68\cdot0$ $66\cdot2$ $58\cdot0$ $63\cdot1$ $59\cdot0$ $59\cdot3$ $51\cdot9$ $60\cdot6$ $66\cdot3$ $61\cdot0$ $57\cdot1$ $62\cdot5$ $66\cdot4$ $57\cdot3$ $56\cdot7$ $54\cdot1$ $57\cdot9$ $58\cdot6$ $57\cdot7$ $67\cdot7$ $55\cdot2$ $54\cdot1$ $57\cdot3$ $61\cdot0$ $51\cdot0$		1 4		1843 18.3
$60^{\circ}9 63^{\circ}7 57^{\circ}0 54^{\circ}2 53^{\circ}8 56^{\circ}2 59^{\circ}9 55^{\circ}7 66^{\circ}3 54^{\circ}0 55^{\circ}8 64^{\circ}9 60^{\circ}7 54^{\circ}2 49^{\circ}7 55^{\circ}0 62^{\circ}7 67^{\circ}4 63^{\circ}2 69^{\circ}4 64^{\circ}8 51^{\circ}8 54^{\circ}4 54^{\circ}8 56^{\circ}4 58^{\circ}0 48^{\circ}7 60^{\circ}5 58^{\circ}1 59^{\circ}0 63^{\circ}8 63^{\circ}4 54^{\circ}1 60^{\circ}5 55^{\circ}3 53^{\circ}7 54^{\circ}2 54^{\circ}3 62^{\circ}2 54^{\circ}1 54^{\circ}0 62^{\circ}2 61^{\circ}2 61^{$	28.1		" -	1843 18.7
56.5 61.6 55.9 55.4 53.9 58.7 54.0 55.2 63.5 55.2 63.5 55.2 63.5 55.2 63.5 55.9 54.1 59.5 57.4 56.3 49.9 55.9 57.5 67.1 52.2 58.0 56.8 47.0 52.2 49.3 58.1 57.3 57.6 57.5 59.7 54.6 59.7 54.6 59.7 54.6 59.7 54.7 60.8 59.3 61.9 57.1 57.2 59.7	56.7		-	1843 20·T 1837 19·0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	56.7			
$57\cdot 3 51\cdot 5 56\cdot 4 54\cdot 4 55\cdot 4 57\cdot 0 51\cdot 7 53\cdot 2 66\cdot 1 60\cdot 6 50\cdot 0 62\cdot 2 52\cdot 7 56\cdot 5 47\cdot 7 65\cdot 5 52\cdot 7 59\cdot 4 51\cdot 8 57\cdot 1 59\cdot 0 48\cdot 8 56\cdot 5 58\cdot 7 55\cdot 0 57\cdot 0 54\cdot 2 62\cdot 3 52\cdot 8 57\cdot 0 62\cdot 6 49\cdot 8 57\cdot 1 60\cdot 3 52\cdot 0 59\cdot $	١ '	.		1834 18·4 1834 19·6
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	339	46.9		
49·8 54·9 62·2 55·4 52·4 54·9 56·4 58·0 59·5 64·0 51·1 59·9 55·0 53·2 46·9 61·4 52·0 60·3 53·9 53·1 62·3 59·3 62·7 58·5 58·2 57·4 51·2 60·4 51·2 58·8 55·0 59·1 60·0 55·3 55·2 56·5 54·8 52·6 58·4 55·8 48·7 56·6 59·5 57·3	7 1			
$54\cdot5'$ $54\cdot8$ $62\cdot1$ $55\cdot9$ $56\cdot6$ $60\cdot3$ $57\cdot8$ $56\cdot6$ $53\cdot9$ $61\cdot7$ $58\cdot5$ $56\cdot5$ $57\cdot4$ $52\cdot9$ $49\cdot7$ $56\cdot3$ $52\cdot2$ $59\cdot8$ $55\cdot2$ $44\cdot9$ $61\cdot3$ $59\cdot5$ $58\cdot4$ $56\cdot5$ $59\cdot1$ $57\cdot0$ $56\cdot6$ $55\cdot1$ $58\cdot3$ $64\cdot8$ $55\cdot4$ $59\cdot7$ $62\cdot5$ $61\cdot0$ $48\cdot4$ $56\cdot0$ $52\cdot5$ $48\cdot3$ $57\cdot9$ $56\cdot5$ $51\cdot1$ $55\cdot0$ $57\cdot1$ $61\cdot2$				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				1828 19-3
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$, ,		1855 66.7 1	
35 35 35 35 35 35 35 35 35 35 35 35 35 3	,,		18:17 62:6 1	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		i	1847 64.8 1	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			1829 65.4	1
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		_	1836 64.9 1	1
$\begin{bmatrix} 62 \cdot 4 & 60 \cdot 7 & 56 \cdot 1 & 47 \cdot 5 & 49 \cdot 7 & 64 \cdot 9 & 59 \cdot 4 & 51 \cdot 9 & 53 \cdot 4 & 60 \cdot 3 & 44 \cdot 8 & 56 \cdot 3 & 58 \cdot 7 & 53 \cdot 8 & 52 \cdot 1 & 56 \cdot 0 & 50 \cdot 6 & 60 \cdot 8 & 48 \cdot 6 & 50 \cdot 8 & 50 \cdot 4 & 57 \cdot 0 & 57 \cdot 3 & 50 \cdot 6 & 54 \cdot 4 & 57 \cdot 0 & 57 \cdot 3 & 56 \cdot 7 & 57 \cdot 0 & 49 \cdot 3 & 61 \cdot 2 & 53 \cdot 9 & 51 \cdot 3 & 55 \cdot 1 & 53 \cdot 4 & 57 \cdot 4 &$	33 4		040	
59·0 59·5 60·2 55·1 55·6 58·6 57·7 55·1 59·8 59·2 54·9 56·9 56·9 56·2 57·8 54·0 59·3 58·1 61·8 58·5 54·5 61·1 54·2 56·7 57·3 56·1 57·9 56·9 55·2 59·4 60·5 56·7 53·3 57·0 57·9 54·5 57·0 62·7 58·5 60·9 59·8	57.6			

Mean Temperature of the coldest day in September in the years 1826 to 1869 was 43°6, and it took place on the 25th day in the year 1860.

Mean Temperature of the hottest day in September in the years 1826 to 1869 was 71°7, and it took place on the 8th day in the year 1865.

Medifference between these numbers is 28°1, and it represents the extreme difference between the Mean Temperature of two days in the month of September

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 12th; in the year 1848 its Mean Temperature was 47°°2; and in the year 1841 it was 69°·3; the difference between these numbers is 22°·1.

The day of the month whose Mean Temperature has been subjected to the least difference was the 9th; in the year 1838 its Mean Temperature was 50°·9; and in the year 1843 it was 66°·8; the difference between these numbers is 15°·9.

TABLE X. Mean Temperature of every day in the month of October, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

Y OF															<u>,</u>			- <u>-</u> -	<u> : </u>				(o c	TC	BE	ER.																				S OF 44 LARS.	MEAN	OWEST AND DAILY T	ND HIGH EMPERA EARS	HEST TURE E	Z.
HE ONTH	1826	1827	1828	8 182	183	30 18	31	832	1833	3 18	34 18	335	1836	183	7 183	8 18	39 18.	40 1 8	841 18	842 18	43 18	344	845	846	847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860 1	8611	862	363 18	64 186	5 186	6 1867	1 868	1869	MEAN	Lowest	Year	Highes	t Year	DIFF
1	$5\overset{\circ}{4}.9$	56.7	56.4	52.	6 56	2 6	°2 (60°3	49.6	51	9 5	5.4	49.3	58·1	0 1 54	4 53	6 53	8·2 5	$\begin{bmatrix} \circ \\ 4 \cdot 2 \end{bmatrix} 4$	9.3 6	$\begin{vmatrix} \circ & & 5 \\ 3\cdot 4 & & 5 \end{vmatrix}$	5.8 4	7.7	53.9	57.2	52·9	51°6	49°.6	54.0	50.2	48.3	53·1	53 [°] 1	53.3	57·1	51·4	60.1	49.3	61°9	55.9 E	3.6 54	59.	8 56.2	48.7	53.6	58.5	o 54'4	47.7	1845	64.2	183	1
2	53.1	58.2	52.2	54.	2 59	0 59	9.6	59.4	52.3	51	.8 5	2.9	46.2	63.9	55	5 55	.2 52	2.8 5	3.8 4	6.6 6	0.0 5	8.4	30·6	58.3	53.1	56.4	47.4	51.1	51.9	49.1	44.0	55.4	53.2	56.4	57.6	56.3	61.1	52.5	56.2	63.4 5	3.3 51	4 614	8 59.4	50.3	50.9	56.7	54.8.	44.0	1853	63.9	183	7
3	51·1	53.7	54.2	55	0 57	7 61	l·2 t	58.2	51.0	50	.3 5	0.7	43.2	62.1	l 52·	7 50	·3 47	··0 5	5.6 5	1.6 5	9.7 6	0.1 5	7.8	51.9	53.4	57.3	52.7	50.6	55.3	50.1	41.3	51.3	55.9	59.7	58.0	60.2	61.0	52.7	58.2	62.4 5	8.9 48	57.9	9 62.0	45.0	47.8	56.1	54.4	41.3	1853	62.4	186	2
F	46.9	54.0	53.8	53.	8 51	9 58	S-0 6	58.9	50.1	54	2 5	2.5	43.3	58.8	50.	0 56	·7 49	9 5	4.6 4	7.4 5	9.8 5	3.7 5	6.5	57.8	51.6	61.8	48.7	49.5	55.4	50.4	49.2	51.0	58.4	60.5	54.4	56.4	63.5	51.0	57:8	53.4 5	8.3 48	1 54%	3 58.2	42.1	50.6	53.9	53'7	42.1	1867	63.2	185	9
5	43.7	55.4	58.4	51.	6 51	0 57	7·3 á	55.4	51.3	60	6 5	0.0	48.0	56.8	52	6 48	·4 49	5 5	3·1 4	4.2 6	0.6 5	4.2 4	6.6	59.0	49.3	60.5	46.5	49.9	51.7	51.2	51.5	60.4	53·1	53.4	48.9	48.3	62.0	52.5	58·8 6	54.4 4	8.4 48	2 51.	7 55.1	40.2	53.9	49.9	52.4	40.2	1867	62.0	185	9
5	40.8	52.3	55.1	46	4 49	9 62	2.5 4	49·5	52.0	57	7 5	2.7	52.5	5 5·9	51%	5 49	7 40	1 5	0.8 4	8.9 6	0.2 5	1.8 4	7.2	57.2	54.7	61.8	47.8	50.1	50.4	44.8	49.1	52.7	56.6	55.0	50.4	49.8	60.6	55.6	57:4	60.9 4	7.7 44	4 51%	9 56.2	43.4	53.4	54.3	52'1	40.1	1840	62.5	183	1
7	47.3	52.0	55.2	38.	8 54	7 63	3.3 8	54.2	50.5	60	9 5	3.1	55.8	54 ·9	51.	8 52	2 42	0 5	3.2 5	2.9 6	լ∙3 4	6.0 4	7.0	56.6	52.1	61.2	55.5	51.8	52.0	45.0	50.9	50.9	54.2	54.9	55.2	54.1	63.0	55.4	61.1 6	52.4 5	6.5 50	.7 54.9	9 56.7	45.6	49.5	57.7	53'3	38.8	1829	63.3	183	1
:	56.3	54.6	53.9	40.	1 56	1 53	3.1	49.2	51.3	59	1 5	2.7	51.4	53.2	51.	8 57	4 43	0 5	1:1 5:	$2\cdot2 \mid 5$	7·3 4	5.7 4	8.1	52.9	54.9	57.6	47.3	46.8	46.5	40.6	51.3	54.6	51.3	52.8	51.7	44.0	58.7	49.8	62.3	56.4 5	8.7 51	·4 55·4	4 54.4	43.1	50.3	61.2	52.1	40.1	1829	62.3	186	1
	48.8	57.4	1				- 1	- 1		1	- 1	}	- 1	l	1]		ļ	ſ							- 1	- 1	- 1						1	- 1	t	ſ				·8 58·4			1 1	•	٠,	37.9	1852	61.0	183	9
		l .	1	1	ſ		- 1	- 1			- 1		[[1			- 1	- 1								- 1					1				- 1	ļ		- 1	1		8 58.4			1 1		• ,	41.1	1849	""	- * *	1
			1	1		- 1		- 1			- 1			f	1		l.	- 1		· 1	1	- 1	1	- 1	- 1		i	- 6				- 1		- 1		- 1			1)	1	.2 26.8			1	1 1	• •	42.3				2
	62.2		1			- 1		- 1		1	- 1				1	- 1		- 1	ı	- 1		j	1	.	- 1	- 1			T I		- 1					- 1						.2 21.0			1 1	!!	-	39.1	1860	-		6
	57.0		1	1	1	- 1					- 1		- 1		1	- I		- 1				ı	- 1	- 1	ľ	- 1	- 1	- 1			· · · · · · · · · · · · · · · · · · ·				1	- 1	- 1	·		1		.5 48.0	i		!	1	•	11				
	55.2		1								- 1		- 1			- 1				- 1	- 1	- 1		- 1		- 1									- 1	- 1	- 1	·		•		·2 4 9·8	1	1		1 1	-	37.6	1838			1
			1			- 1					- 1		- 1		1	- 1	- 1	ļ	i	- 1			- 1	- 1		- 1	- 1		i			1			- 1							2 48.2	- 1		1 1	i I	-	37.7	1843	58.0		2
			1		- !	- {		Ì			- [- 1	- 1			1		- 1		- 1		- 1]			- 1	- 1		Į				1	- 1			·	ı	1		- 1	.5 48.8			į (36.3	1		183	
		1	1		- 1	- 1	-	·					- 1			`		- 1	-			1				- 1	- 1	1	- 6		• •			ł	1	ł		` '	į	- {		1 50.0		1	1 1		''	41.7	1869		183	_
	55.9	56.8	1		- 1	- 1		- 1				- 1					-		1	·		ł				{	1	- 1	!								- [- 1	2 49.1	1						1843			
	58.0	57.1		Į.	2 56	- 1	- 1	- 1					I		ì	- 1	- 1	- 1				- 1	- 1		- 1	- 1	- 1	- 1	- 1				- 1	- 1								2 42.8	- 1		l i	i	20.0	36.2		59.2		
		1	1	1	1			- 1		1	- 1	- 1	1	l	i	- 1		- 1	·		- 1	- 1	•	- 1	- 1	- 1	ı		- 1			1	1					· I				- 1	- 1		! I				1842		185	1
		!	1	1	4	- 1	- 1	- 1		1	- 1		- 1	l	ļ	j.		- 1	- 1		- 1			- 1										1	1		I		í			9 42.7	1	1	1 1				1842		182	0
-		ł.	1	1	1	- 1	- 1			1	- 1		- 1	l				- 1	- 1		i i			- 1			- 1	I					- 1	1			I						1		, ,		- 1		1859	1	1	١
		1		1	- 1		- 1	ſ		1	- 1		- 1	l	i			- 1	- 1			- 1	- 1	- 1		_ i			- 1			- 1	- 1	ł				- 1	- 1			1		1			-	1	1859		/ 105	33
-			1					- 1		1	- 1			1				- 1				1	í	- 1	- 1		1	I	1							í			ſ		ı	2 52.6		1 1	1 1		· -				1,200	3
5		1	₹	- 1	ŀ	1		- 1		1	- 1	- 1	I	l	- 1	- 1		1	1			- 1					- 1	I				1	- 1						- 1		- 1	6 45.6		i .				38.8		1		
6		1	1		- 1	į į		- 1		1		- 1	,	;		1	- (1	- 1	- 1		- 1		1	- 1							- 1		- 1	- 1				$egin{array}{c c} 4 & 48.4 \\ 2 & 45.2 \\ \hline \end{array}$						38.4	í			
7 8		1		1		- 1				1	ı	1	í	ĺ			į	- 1		- (- 1		- 1				1	Į							- 1	1	- 1					$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	{	1 (1		- 1			1		-
-		1	1	l.	1	- 1	l l			1	1	- 1	- 1	5	1			- (- 1	- 1							- 1	- 1			1	ı		4 47.1	•			1	- !!		1836			
- 1		1	1	1		- 1		,		1	- 1			1	l			- 1		- 1			- 1		- 1	· 1	- 1	- t					í		· 1		- 1	1				1 47.2		1 1	- 1				1836			
			l l		L	- 1	- 1	- 1		ì	- 1								- 1	- 1										I				- 1		1	- 1			- 1		!		1 1			- II		1836	ľ		
•	400	102	40.2	1 40	3 01	3 0	י טיי	ן טיטע	01.0	, U2	, o *	01	02.0	40.0	′ ⁴³ ′′	9 39	9 40	1 4	90 4	30 T	7 T 4	<u>סט 4</u>		FT.9	90.Z	40.9	40.4	#U #	41 9	υο ⁻ 4	90.4	04.4	40.4	91.9	44'3	30.8	70. \ \	70.0 4	****	0 4 4	7.2 (*4.4"	9 44.7	77.4	0 ± 0	01.0	** 1	<u>+</u>					
	52.0	50.0	E1.0	10	.0 51	.0 =	8.0	51.5	E1.4			0.0	40.4	50.0		, ,	.5 40	.0 5					0.0			500		15.1	50.4	47.	50.0	10.5	50.0	53.0	50.	50.0		50.0		0.0	50	e = 0.4	51.0	40.77	17.0	40.6	ro					
cans	93.0	92.9	51'2	48	0 91	.8 9.	o.a {	91.9	91.4	16	6 4	:9°0	48'4	90.9	5 51	1 50	7 46	.0 50	0.5 40	0.3 4	5'6 4'	ย:7 4	9.2	00.1	52.4	50.2	90.1	40'4	02.4	47.1	50.9	49.0	50.6	21.3	52'4	50.0	50.1	50·0 5	94.7 5	$\mathbf{z}.\mathbf{n} \mid \mathbf{z},$	2.1 20.	6 50•4	91.0	48'7	47.8	49.0	50.4					1

The Mean Temperature of the coldest day in October in the years 1826 to 1869 was 29°9 and it took place on the 24th day in the year 1859.

The Mean Temperature of the hottest day in October in the years 1826 to 1869 was 64°2, and it took place on the 1st day in the year 1831.

The difference between these numbers is 34°3, and it represents the extreme difference between the Mean Temperature of two days in the month of October in 44 years. **T**

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 13th; in the year 1838 its Mean Temperature was 35°·7, and in the year 1831 it was 63°·3; the difference between these numbers is 27°·6.

The day of the month whose Mean Temperature has been subjected to the least difference was the 17th; in the year 1869 its Mean Temperature was 41°·7, and in the year 1831 it was 56°·7; the difference between these numbers is 15°·0.

TABLE XI. Mean Temperature of every day in the month of November, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

NOVEMBER.	S OF 44	MEAN DAILY	AND HIGHEST TEMPERATURE YEARS
826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869	Mean	Lowest Year	Highest Year O
$\frac{1}{43\cdot 9} + \frac{1}{43\cdot 9} + $	46.2	35.0 1858	58.7 1852 23.
$44\cdot0$ $44\cdot4$ $47\cdot8$ $43\cdot1$ $54\cdot4$ $49\cdot5$ $54\cdot0$ $50\cdot5$ $52\cdot2$ $43\cdot0$ $46\cdot9$ $40\cdot3$ $39\cdot4$ $44\cdot0$ $50\cdot5$ $45\cdot9$ $42\cdot6$ $44\cdot7$ $42\cdot3$ $41\cdot9$ $50\cdot0$ $49\cdot9$ $44\cdot1$ $47\cdot1$ $51\cdot6$ $39\cdot1$ $55\cdot2$ $52\cdot9$ $48\cdot7$ $39\cdot3$ $49\cdot1$ $55\cdot8$ $36\cdot6$ $46\cdot7$ $39\cdot6$ $37\cdot4$ $50\cdot3$ $44\cdot8$ $42\cdot4$ $39\cdot9$ $53\cdot7$ $39\cdot4$ $48\cdot4$ $51\cdot7$	46.3	36.6 1858	55.8 1857 19.
47.7 45.6 46.8 45.2 53.4 40.5 50.4 43.9 50.0 44.8 46.0 38.5 42.2 47.7 48.2 45.9 41.4 50.8 40.3 36.5 51.1 46.9 43.6 49.9 35.4 50.1 47.9 42.9 39.7 44.5 56.3 39.9 43.6 35.8 34.7 49.8 47.8 42.3 38.5 50.9 41.2 50.5 48.8	45.5	34.7 1861	56.3 1857 21.
44.7 49.6 44.8 47.5 50.8 39.4 41.4 40.0 52.4 41.4 43.5 38.8 47.1 47.0 49.3 44.6 38.0 47.8 42.2 32.5 51.9 47.1 31.5 46.7 48.9 36.5 51.1 48.0 45.1 40.5 48.2 48.4 37.5 41.4 48.4 56.4 36.5 38.4 48.3 47.4 49.2 47.7	44.9	31.5 1848	56.4 1863 24
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	45.6	37.5 1851	58.5 1834 21
$42 \cdot 1$ $50 \cdot 9$ $45 \cdot 7$ $47 \cdot 1$ $54 \cdot 9$ $48 \cdot 9$ $42 \cdot 3$ $50 \cdot 7$ $57 \cdot 6$ $36 \cdot 9$ $37 \cdot 0$ $36 \cdot 9$ $47 \cdot 2$ $47 \cdot 3$ $47 \cdot 3$ $46 \cdot 1$ $40 \cdot 9$ $49 \cdot 2$ $38 \cdot 9$ $54 \cdot 4$ $43 \cdot 3$ $52 \cdot 3$ $45 \cdot 1$ $40 \cdot 6$ $47 \cdot 8$ $42 \cdot 4$ $51 \cdot 3$ $51 \cdot 7$ $40 \cdot 0$ $49 \cdot 1$ $36 \cdot 1$ $52 \cdot 8$ $42 \cdot 1$ $52 \cdot 3$ $41 \cdot 3$ $44 \cdot 9$ $39 \cdot 9$ $39 \cdot 7$ $40 \cdot 4$ $41 \cdot 8$ $50 \cdot 7$ $36 \cdot 0$ $33 \cdot 3$ $42 \cdot 0$	45.0	33.3 1868	57.6 1834 24
$35\cdot 8 \begin{vmatrix} 49\cdot 3 \end{vmatrix} 41\cdot 5 \begin{vmatrix} 41\cdot 8 \end{vmatrix} 48\cdot 0 \begin{vmatrix} 47\cdot 0 \end{vmatrix} 41\cdot 8 \begin{vmatrix} 48\cdot 0 \end{vmatrix} 47\cdot 0 \begin{vmatrix} 41\cdot 0 \end{vmatrix} 40\cdot 1 \begin{vmatrix} 54\cdot 1 \end{vmatrix} 42\cdot 3 \begin{vmatrix} 34\cdot 2 \end{vmatrix} 33\cdot 8 \begin{vmatrix} 54\cdot 1 \end{vmatrix} 49\cdot 3 \begin{vmatrix} 48\cdot 4 \end{vmatrix} 45\cdot 6 \begin{vmatrix} 42\cdot 7 \end{vmatrix} 49\cdot 3 \begin{vmatrix} 45\cdot 1 \end{vmatrix} 52\cdot 5 \begin{vmatrix} 42\cdot 2 \end{vmatrix} 55\cdot 8 \begin{vmatrix} 38\cdot 7 \end{vmatrix} 48\cdot 6 \begin{vmatrix} 51\cdot 2 \end{vmatrix} 41\cdot 3 \begin{vmatrix} 57\cdot 1 \end{vmatrix} 52\cdot 1 \begin{vmatrix} 39\cdot 8 \end{vmatrix} 49\cdot 1 \begin{vmatrix} 43\cdot 1 \end{vmatrix} 51\cdot 2 \begin{vmatrix} 41\cdot 5 \end{vmatrix} 50\cdot 7 \begin{vmatrix} 39\cdot 5 \end{vmatrix} 37\cdot 9 \begin{vmatrix} 38\cdot 9 \end{vmatrix} 45\cdot 7 \begin{vmatrix} 33\cdot 4 \end{vmatrix} 40\cdot 5 \begin{vmatrix} 52\cdot 8 \end{vmatrix} 37\cdot 1 \begin{vmatrix} 34\cdot 3 \end{vmatrix} 42\cdot 3 \begin{vmatrix} 42\cdot $	44.6	33.4 1864	57.1 1852 23
33.7 $\begin{vmatrix} 47.3 \end{vmatrix}$ $\begin{vmatrix} 42.2 \end{vmatrix}$ $\begin{vmatrix} 40.2 \end{vmatrix}$ $\begin{vmatrix} 45.6 \end{vmatrix}$ $\begin{vmatrix} 38.5 \end{vmatrix}$ $\begin{vmatrix} 39.8 \end{vmatrix}$ $\begin{vmatrix} 48.6 \end{vmatrix}$ $\begin{vmatrix} 43.3 \end{vmatrix}$ $\begin{vmatrix} 36.0 \end{vmatrix}$ $\begin{vmatrix} 28.6 \end{vmatrix}$ $\begin{vmatrix} 49.2 \end{vmatrix}$ $\begin{vmatrix} 49.9 \end{vmatrix}$ $\begin{vmatrix} 48.0 \end{vmatrix}$ $\begin{vmatrix} 45.2 \end{vmatrix}$ $\begin{vmatrix} 42.2 \end{vmatrix}$ $\begin{vmatrix} 39.8 \end{vmatrix}$ $\begin{vmatrix} 49.2 \end{vmatrix}$ $\begin{vmatrix} 40.2 \end{vmatrix}$ $\begin{vmatrix} $	43.6	28.6 1837	59.5 1852 30
$35\cdot2$ $49\cdot2$ $37\cdot4$ $44\cdot2$ $41\cdot0$ $38\cdot5$ $39\cdot7$ $38\cdot8$ $49\cdot8$ $37\cdot6$ $48\cdot9$ $36\cdot5$ $43\cdot1$ $51\cdot1$ $47\cdot0$ $46\cdot6$ $44\cdot3$ $36\cdot7$ $45\cdot9$ $49\cdot2$ $40\cdot3$ $45\cdot0$ $35\cdot2$ $53\cdot2$ $47\cdot4$ $41\cdot7$ $55\cdot2$ $37\cdot8$ $34\cdot9$ $42\cdot5$ $41\cdot5$ $51\cdot1$ $38\cdot5$ $36\cdot1$ $37\cdot3$ $37\cdot7$ $47\cdot0$ $39\cdot4$ $37\cdot7$ $43\cdot8$ $41\cdot0$ $42\cdot6$ $39\cdot0$ $44\cdot0$	42.5	34.9 1854	
39.9 48.2 35.7 46.5 52.1 40.5 45.7 47.5 45.0 36.9 46.4 49.3 38.4 52.7 43.5 49.6 46.5 39.5 42.7 46.4 43.5 42.0 37.9 49.2 47.4 38.0 49.1 36.1 33.2 39.1 43.5 43.0 35.0 31.9 39.5 43.2 45.0 40.3 34.2 45.0 49.1 45.0 49.1 45.0 49.1 45.0 49.1 45.0 49.1 45.0 49.1 45.0 49.1	42.8	31.9 1864	53.0 1850 21
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	·	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	42.6	30.7 1859	53.5 1827 22
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	42.1	24.1 1859	53.7 1869 20
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	42.5	30.8 1851	54.3 1844 23
$94 \begin{array}{ c c c c c c c c c c c c c c c c c c c$	42.2	29.7 1841	57.4 1840 27
	41.3	28.5 1841	52.8 1839 24
$4\cdot7$ $47\cdot9$ $42\cdot5$ $38\cdot2$ $38\cdot3$ $31\cdot4$ $42\cdot8$ $49\cdot8$ $42\cdot1$ $46\cdot2$ $39\cdot2$ $37\cdot2$ $42\cdot5$ $51\cdot4$ $38\cdot9$ $34\cdot5$ $36\cdot1$ $41\cdot5$ $52\cdot0$ $50\cdot4$ $50\cdot6$ $35\cdot1$ $43\cdot1$ $47\cdot4$ $47\cdot8$ $33\cdot2$ $43\cdot6$ $30\cdot6$ $40\cdot5$ $43\cdot7$ $42\cdot7$ $45\cdot6$ $32\cdot4$ $37\cdot0$ $35\cdot4$ $23\cdot8$ $40\cdot2$ $48\cdot7$ $47\cdot1$ $43\cdot2$ $43\cdot5$ $41\cdot6$ $42\cdot8$ $38\cdot9$	41.5	23.8 1861	52.0 1844 28
$3\cdot4$ $48\cdot9$ $46\cdot2$ $31\cdot5$ $37\cdot1$ $38\cdot7$ $45\cdot7$ $45\cdot4$ $36\cdot3$ $40\cdot5$ $39\cdot0$ $47\cdot8$ $39\cdot2$ $47\cdot6$ $38\cdot1$ $42\cdot2$ $46\cdot7$ $42\cdot9$ $50\cdot1$ $52\cdot6$ $52\cdot0$ $31\cdot4$ $37\cdot3$ $45\cdot3$ $50\cdot1$ $30\cdot9$ $43\cdot8$ $35\cdot2$ $38\cdot6$ $41\cdot4$ $44\cdot4$ $40\cdot4$ $27\cdot0$ $36\cdot5$ $35\cdot3$ $28\cdot8$ $38\cdot7$ $45\cdot7$ $46\cdot5$ $48\cdot7$ $36\cdot8$ $39\cdot1$ $41\cdot7$ $45\cdot4$	41.4	27.0 1858	52.6 1845 25
$3\cdot4$ $45\cdot4$ $49\cdot9$ $29\cdot1$ $46\cdot0$ $41\cdot8$ $46\cdot1$ $43\cdot8$ $35\cdot7$ $48\cdot9$ $38\cdot1$ $42\cdot8$ $38\cdot5$ $42\cdot2$ $36\cdot3$ $43\cdot4$ $43\cdot0$ $44\cdot3$ $48\cdot9$ $45\cdot4$ $49\cdot7$ $35\cdot0$ $49\cdot1$ $44\cdot3$ $47\cdot2$ $34\cdot8$ $47\cdot4$ $39\cdot7$ $37\cdot9$ $40\cdot2$ $45\cdot8$ $44\cdot3$ $32\cdot3$ $34\cdot8$ $37\cdot7$ $39\cdot7$ $36\cdot7$ $42\cdot7$ $47\cdot4$ $51\cdot7$ $32\cdot7$ $37\cdot7$ $34\cdot7$ $36\cdot5$	41'7	29.1 1829	51.7 1865 22
$4\cdot 9 + 37\cdot 1 + 54\cdot 2 + 32\cdot 5 + 48\cdot 2 + 54\cdot 5 + 49\cdot 8 + 45\cdot 5 + 49\cdot 8 + 48\cdot 8 + 51\cdot 3 + 35\cdot 8 + 43\cdot 0 + 42\cdot 1 + 42\cdot 9 + 50\cdot 9 + 37\cdot 9 + 52\cdot 5 + 38\cdot 8 + 43\cdot 0 + 47\cdot 1 + 39\cdot 7 + 45\cdot 0 + 42\cdot 0 + 39\cdot 8 + 51\cdot 1 + 33\cdot 3 + 36\cdot 6 + 38\cdot 7 + 45\cdot 4 + 45\cdot 8 + 27\cdot 1 + 38\cdot 0 + 41\cdot 5 + 48\cdot 8 + 39\cdot 7 + 45\cdot 4 + 45\cdot 8 + 27\cdot 1 + 38\cdot 0 + 41\cdot 5 + 48\cdot 8 + 39\cdot 7 + 45\cdot 4 + 45\cdot 8 + 47\cdot 1 + 42\cdot 9 + 43\cdot 1 + 42\cdot 9 + 42\cdot 1 + 42\cdot 9 + 43\cdot 1 + 43\cdot 1$	42'8	27:1 1858	54.5 1831 27
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	42'5	25.8 1858	54.2 1831 28
$ \begin{vmatrix} 6\cdot4 & 29\cdot7 & 46\cdot7 & 40\cdot0 & 41\cdot0 & 53\cdot5 & 46\cdot9 & 42\cdot6 & 40\cdot0 & 51\cdot1 & 41\cdot9 & 49\cdot1 & 42\cdot6 & 37\cdot6 & 42\cdot9 & 40\cdot3 & 42\cdot4 & 46\cdot8 & 37\cdot6 & 33\cdot9 & 48\cdot0 & 48\cdot2 & 47\cdot8 & 38\cdot0 & 39\cdot7 & 29\cdot1 & 33\cdot1 & 52\cdot9 & 48\cdot7 & 20\cdot3 & 42\cdot8 & 37\cdot8 & 36\cdot1 & 26\cdot7 & 48\cdot7 & 42\cdot9 & 50\cdot3 & 44\cdot2 & 40\cdot2 & 43\cdot8 & 39\cdot9 \\ \end{vmatrix} $	- 11	I	
$ \begin{array}{c c c c c c c c c c c c c c c c c c c $	ll ll	I .	1 1
$egin{array}{ c c c c c c c c c c c c c c c c c c c$	- 11		, , , , ,
$38.6 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	II.		
38.5 50.9 38.2 38.3 34.5 41.3 38.4 38.4 38.4 38.4 50.7 52.5 40.5 36.3 29.5 28.4 47.1 46.4 52.1 32.6 51.5 38.4 45.2 43.2 28.0 37.3 35.2 43.7 37.5 29.0 42.6 46.3 43.4 42.5 35.6 38.3 44.3 41.9 38.5 44.3 32.3 40.8 43.9 41.9 38.5 41.9 38.5 41.9 38.6 41.9	ll ll		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			
448 47·3 50·4 40·0 43·0 41·9 43·3 44·6 42·3 51·8 41·7 45·7 47·8 44·7 48·5 50·7 40·0	41.5	20-3 1890	000 1047 27
\$\frac{11\cdot{3}}{43\cdot{9}}\frac{43\cdot{4}}{45\cdot{4}}\frac{40\cdot{6}}{45\cdot{4}}\frac{43\cdot{4}}{43\cdot{4}}\frac{44\cdot{3}}{44\cdot{6}}\frac{42\cdot{5}}{40\cdot{5}}\frac{41\cdot{7}}{46\cdot{2}}\frac{43\cdot{2}}{43\cdot{2}}\frac{43\cdot{4}}{43\cdot{4}}\frac{43\cdot{4}}{43\cdot{4}}\frac{43\cdot{4}}{43\cdot{6}}\frac{43\cdot{4}}{43\cdot{6}}\frac{43\cdot{4}}{43\cdot{6}}\frac{43\cdot{4}}{43\cdot{6}}\frac{43\cdot{4}}{43\cdot{6}}\frac{43\cdot{4}}{43\cdot{6}}\frac{43\cdot{6}}{43\cdot{6}}43\cdot{6	42.7		
20 40 4 40 4 40 4 40 4 40 4 40 4 40 4 4	T- /		1 1 1 1

The Mean Temperature of the coldest day in November in the years 1826 to 1869 was 20°·3, and it took place on the 23rd day in the year 1858.

The Mean Temperature of the hottest day in November in the years 1826 to 1869 was 59°·5, and it took place on the 8th day in the year 1852.

The difference between these numbers is 39°·2, and it represents the extreme difference between the Mean Temperature of two days in the month of November in 44 years.

The difference between these numbers is 39°·2, and it represents the extreme difference between the Mean Temperature of two days in the month of November in 44 years.

The day of the Month whose Mean Temperature has been subjected to the greatest difference was the 23rd; in the year 1858 its Mean Temperature was 20°3; and in the year 1831, it was 53°5; the difference between these numbers is 35°2.

The day of the Month whose Mean Temperature has been subjected to the least difference was the 2nd; in the year 1858 its Mean Temperature was 36°6; and in the year 1857 it was 55°8; the difference between these numbers is 19°2.

TABLE XII. Mean Temperature of every day in the month of December, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; and extremes of Mean Temperature for every day within the same period.

DAYOF	DECE	EMBER.	. OF 44	LOWEST AND HIGHEST MEAN DAILY TEMPERATURE IN 44 YEARS
тне молтн 1826 18:	27 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1847 1848 1849 1849 1848 1849 1849 1849 1848 1849	850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1	862 1863 1864 1865 1866 1867 1868 1869	Lowest Year Highest Year
1 41·3 48 2 42·2 46	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			$egin{array}{ c c c c c c c c c c c c c c c c c c c$
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$egin{array}{ c c c c c c c c c c c c c c c c c c c$	44.4 42.9 48.3 43.4 52.9 31.2 53.6 32.1 42.3	30.2 1837 54.0 1836 2
6 39.8 41	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$39.0 \ \ 47.2 \ \ 47.6 \ \ 41.5 \ \ 38.4 \ \ 35.3 \ \ 52.1 \ \ 49.0 \ \ 32.7 \ \ 41.2 \ \ 49.7 \ \ 40.7 \ \ 60.7 \ $	52.9 43.9 46.5 49.4 52.0 34.1 52.9 37.2 42.4	25·5 1844 53·4 1852 2 21·9 1844 52·9 1862 8 27·9 1844 56·7 1856 2
8 49.3 42	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$36 \cdot 3 \begin{vmatrix} 45 \cdot 4 \end{vmatrix} \begin{vmatrix} 45 \cdot 8 \end{vmatrix} \begin{vmatrix} 36 \cdot 2 \end{vmatrix} \begin{vmatrix} 44 \cdot 5 \end{vmatrix} \begin{vmatrix} 29 \cdot 2 \end{vmatrix} \begin{vmatrix} 55 \cdot 3 \end{vmatrix} \begin{vmatrix} 40 \cdot 9 \end{vmatrix} \begin{vmatrix} 37 \cdot 0 \end{vmatrix} \begin{vmatrix} 40 \cdot 4 \end{vmatrix} \begin{vmatrix} 41 \cdot 0 \end{vmatrix} \begin{vmatrix} 46 \cdot 0 \end{vmatrix} \end{vmatrix}$	42.4 45.9 42.1 47.0 40.1 31.3 49.3 40.1 41.5	29·2 1855 55·3 1856 2 23·1 1867 54·2 1856 8
1 11 1	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$oxed{40.7} egin{array}{ c c c c c c c c c c c c c c c c c c c$	42.4 49.4 47.3 39.1 35.7 43.2 48.9 44.1 40.2	25.7 1835 52.7 1852 2
	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$oxed{44\cdot3} oxed{41\cdot0} oxed{50\cdot0} oxed{41\cdot3} oxed{44\cdot5} oxed{25\cdot8} oxed{44\cdot2} oxed{40\cdot8} oxed{40\cdot8} oxed{40\cdot3} oxed{32\cdot0} oxed{38\cdot9} oxed{47\cdot5} oxed{47\cdot5}$		26.8 1855 53.5 1842 2 23.5 1846 52.5 1842 2 23.0 1846 50.9 1868 2
15 45·3 49 16 46·7 46	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$egin{array}{c ccccccccccccccccccccccccccccccccccc$	37.0 42.5 34.3 37.6 43.2 51.1 51.0 41.5 41.1 38.0 41.0 33.2 39.3 45.4 50.8 47.7 44.9 40.7	23.0 1840 51.8 1833 2 23.4 1859 51.9 1849 2
1 -/ 1 1	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$35.6 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	41.5 37.5 27.5 39.9 48.3 35.9 50.0 50.9 39.9	21·3 1859 51·8 1857 3 20·2 1859 53·6 1827 3 20·3 1859 51·2 1827 3
	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	30.8 49.8 50.1 35.0 37.9 24.5 44.4 39.0 38.0 25.4 28.9 39.1	38.5 39.5 41.7 46.5 32.2 29.4 42.2 41.0 39.0	24.5 1855 52.3 1828 2
23 47.8 48	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	31.3 37.9 43.0 35.9 37.8 43.3 35.8 51.1 45.9 35.5 22.9 40.5	40.5 37.0 30.4 40.6 41.8 33.5 41.3 40.6 38.5	22.9 1860 52.0 1843 2
25 46.7 49	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	37.5 34.7 48.3 28.1 44.9 42.8 26.5 43.2 40.7 39.6 18.7 32.5	45.9 40.9 32.4 39.9 38.4 35.4 40.6 31.9 36.8	18.7 1860 49.0 1827
28 34.7 3.	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	38.7 38.0 40.1 27.2 30.7 47.9 23.5 35.2 40.5 43.7 21.4 36.1	49.9 35.4 39.0 44.3 47.7 31.5 42.6 23.5 36.5	21.4 1860 49.9 1862
30 47.4 3	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	46.4 32.9 48.5 31.1 35.8 38.7 41.5 36.7 37.7 49.3 37.7 30.2	44.9 37.9 36.8 42.6 37.9 32.7 37.0 38.5 39.1	29.5 1836 51.6 1834
	4:7 45·3 33·6 35·9 42·6 41·8 45·7 40·9 35·0 40·3 41·1 38·8 40·2 32·5 40·3 44·6 44·0 33·6 40·5 32·4 42·1 42·4 38·0			

The Mean Temperature of the coldest day in December in the years 1826 to 1869 was 18°.7, and it took place on the 25th day in the year 1800.

The Mean Temperature of the hottest day in December in the years 1826 to 1869 was 56°.7, and it took place on the 7th day in the year 1856.

The difference between these numbers is 38°.0, and it represents the extreme difference between the Mean Temperature of two days in the month of December in 44 years.

* Also the 30th in the year 1842: Mean Temperature 51°.6: and it

The day of the month whose Mean Temperature has been subjected to the greatest difference was the 18th; in the year 1859 its Mean Temperature was 20°.2; and in the year 1827 it was 53°.6; the difference between these numbers is 33°.4.


The day of the month whose Mean Temperature has been subjected to the greatest difference was the 18th; in the year 1859 its Mean Temperature was 20°.5; and in the year 1827 it was 53°.6; the difference between these numbers is 33°.4.

The day of the month whose Mean Temperature has been subjected to the least difference was the 30th; in the year 1836 its Mean Temperature was 29°.5; and in the year 1834 it was 51°.6, the difference between these numbers is 22°·1.*

* Also the 30th in the year 1842: Mean Temperature 51°.6; and in the year 1836 it was 29°.5; the difference between these numbers is 22°·1.*



DIAGRAM showing the Meur Temperature of the Air for every day in the year, from observations made, from January 1, 1826, to December 31, 1869, at the Gardens of the Royal Horticultural Society at Chiswick!



By examining the numbers in the forty-sixth column, it will be seen that there are many large differences between the values on consecutive

ly laying these down on a diagram all these are shown, and by noting a curved line to pass through or near all these points, giving teal weight to every one, the most probable temperature of every day nhe year is shown. The numbers in Table XIII. are the best I can tide upon as the nearest approximation to the true temperature

onging to every day in the year.

'he days of the lowest mean temperature (36°.3) are January 7th, t and 9th; it then increases to 39°.3 on the 4th of February, remains tionary at that temperature till the 8th, and then gradually decreases 39°0 on the 13th and three following days; from the 16th it weases, and continues so to do, gradually for the first few days, but ards the end of March at a more rapid rate, the mean temperatures fonsecutive days differing as much as two or three-tenths of a degree en each other, and continues increasing at this rate till the 8th of ie, when it slackens to a general rate of one-tenth, but still increases we arrive at July 9th, the mean temperature of this day differing a that of the 26th of the same month by one-tenth of a degree only; en begins to decrease, gradually till the 11th of August, and at a re rapid rate from that date, decreasing uninterruptedly till the It of November, from which day till the 9th of December, when the large is very small, the mean temperature being unchanged for three four days together, it then continues to decrease until the end of year.

TABLE XIII.

Showing the adopted Mean Temperature of every day in the year as determined from all the Thermometrical Observations taken at the Gardens of the Royal Horticultural Society, Chiswick.

											-	r
Д ЕСЕИВЕВ	41.3	41.3	41.3	41.3	41.2	41.2	41.1	41.0	41.0	40.9	40.7	10.2
<u> И</u> ОЛЕЖВЕН	45.7	45.5	45.4	45.1	44.8	44.5	44.1	43.8	43.5	43.3	43.8	4200
АзвотоО	54.7	54.5	54.2	54.0	53.7	53.4	53.0	52.6	52.5	52.3	59.1	2.00
RIBERNATAR	0.09	59.8	9.69	59.5	59.4	59.3	59.1	9.69	6.89	2.89	58.5	6.29
August	63.2	63.5	63.2	63.2	63.1	63.1	0.89	6.79	65.9	62.8	62.8	62.1
luly	62.7	62.8	65.9	63.0	63.1	63.1	63.2	63.5	63.2	63.3	63.3	0.83.4
JUNE	58.4	58.6	8.89	59.5	59.4	9.69	2.69	59.9	0.09	60.1	60.2	30.00
YAM	51.0	51.3	51.5	51.7	52.0	52.3	52.5	52.8	53.0	53.2	53.4	2 0 0 2 1 1 2 2 0 0
АРВІГ	45.5	45.7	45.9	46.5	46.5	46.7	46.9	47.1	47.5	47.3	47.5	18.3
Илясн	40.6	40.7	40.8	+1.0	41.1	41.3	41.5	41.6	41.7	41.8	42.0	12.41
Т явисая т	39.1	39.5	39.5	39.3	39.3	39.3	39.3	39.3	39.2	39.3	39.1	30.03
VANUARY	8.98	36.7	9.98	36.5	36.4	36.4	36.3	36.3	36.3	36.4	36.4	2.08
THE MOZTH	. e	63	33	4	5	9	7	∞	6	OI	11	100

40.5	40.4	40.5	40.0	39.8	2.68	39.4	39.0	38.9	28.2	38.4	38.1	8.28	9.28	37.5	37.3	37.1	39.8
42.2	42.1	45.0	41.9	41.8	41.7	41.6	41.6	41.6	41.5	41.5	41.4	41.4	41.4	41.4	41.3	:	42.8
51.0	2.09	50.5	50.1	8.64	49.5	49.2	48.8	48.4	48.0	47.6	47.3	47.0	46.6	46.4	46.2	45.9	50.5
8.29	9.29	57.3	57.5	57.1	56.9	2.99	9.99	56.3	56.1	55.9	2.99	55.5	55.4	55.2	55.0	:	57.6
62.4	62.3	62.1	62.0	61.8	61.6	61.5	61.4	61.3	61.2	0.19	6.09	8.09	2.09	60.5	60.4	60.5	62.0
63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.4	63.3	63.3	63.3	63.3	63.3	63.3
2.09	6.09	61.1	61.2	61.4	61.5	61.6	61.7	61.8	62.0	62.1	62.5	62.3	62.4	62.5	9.79	:	8.09
54.3	54.6	54.8	55.1	55.4	2.99	55.9	56.1	56.3	56.4	9.99	2.99	56.9	57.5	57.5	6.73	58·1	54.6
48.1	48.3	48.4	48.6	48.7	48.8	49.0	49.2	49.3	49.5	49.6	49.7	49.8	50.1	50.4	2.09	:	48.1
42.4	42.6	42.7	42.8	43.0	43.2	43.4	43.5	43.7	43.9	44.1	44.2	44.4	44.5	44.7	44.9	45.3	42.7
99.0	39.0	39.1	39.1	39.2	39.3	39.4	39.6	39.7	39.8	40.0	40.1	40.2	40.4	:	:	:	39.4
2.98	36.7	36.8	36.9	37.2	37.4	37.5	37.7	37.9	38.3	38.4	38.5	9.88	38.7	38.8	38.9	39.0	37.2
15	91	17	81	61	70	2.1	22	23	24	2.5	56	27	28	29	30	31	Means

TABLE XIV.—Showing the Mean Temperature of every Month and Year, as deduced from the Observations at the Gardens of the Royal Horticultural Society at Chiswick, 1826-1869.

YEAR	JANUARY	FEBRUARY	Мавсн	APRIL,	MAY	JUNE	July	Augusr	SEPTEMBER	Остовев	November	D ескивец
826	32.5	43.9	43.5	50.7	53.0	64.0	9.99	65.9	59.0	53.0	41.3	43.8
1827	35.7	33.9	45.4	50.1	56.3	8.09	99.99	62.3	59.5	52.9	43.9	44.7
828	41.7	42.5	45.4	49.8	57.3	2.29	63.3	61.3	60.5	51.2	45.4	45.3
829	33.2	39.9	40.9	46.0	55.8	60.3	61.0	59.8	55.1	48.6	40.6	33.6
830	32.3	36.9	48.5	51-1	0.29	8.29	64.8	60.3	9.00	51.8	45.4	35.9
831	35.6	42.9	46.8	51.6	54.6	61.4	64.9	9.99	9.89	6.99	43.4	43.6
832	36.9	38.2	42.7	49.0	53.2	61.0	62.5	62.7	2.29	21.5	44.3	41.8
833	34.9	43.8	39.0	47.2	61.0	61.1	62.2	6-69	55.1	51.4	43.6	45.7
834	45.6	41.2	45.4	47.6	8.29	61.9	2.99	9 89	59.8	9.19	44.7	40.9
835	38.8	43.0	42.8	49.0	54.1	61.2	65.1	65.2	2.69	49.0	44.6	35.0
836	38.0	87.9	44.8	- 45.6	53.1	9.79	64.2	61.5	54.9	48.4	42.5	40.3
837	38.2	41.1	37.6	42.1	49.5	8.09	64.0	62.8	6.99	6.09	40.5	41.1
838	28.5	33.7	42.3	44.3	53.3	. 59.3	62.2	61.8	56.5	51.1	41.7	38.8
839	9.28	40.3	41.6	44.7	53.2	61.0	62.5	61.7	27.8	2.09	46.2	40.5
840	9.68	39.1	39.4	8.09	9.99	61.4	60.4	63.8	0.19	46.0	43.2	32.5
841	34.6	37.1	46.9	48.2	58.9	57.4	2.69	61.8	59.3	2.09	43.1	40.3
1842	33.4	41.2	45.9	47.6	92.0	9.89	60.3	67.5	58.1	46.3	43.3	41.6
843	40.1	36.5	43.8	49.2	53.1	57.2	62.0	63.5	68.6	19.6	43.4	33.6
				0.40	000		1	0.00	2.00	22.000		4 55 . 1

	37.7	43.0	49.6	59.8	61.3	65.5	56.6	51.5	51.4	38·1	45.2	40.6	1869
	45.8	41.3	8.24	6.09	8.49	2.89	9.89	58.5	49.7	45.4	43.5	37.5	1868
	8.98	40.4	48.7	58.5	62.5	9.09	60.1	54.7	51.5	38.6	45.0	33.2	1867
	43.0	2.44	51.0	2.99	60.3	61.8	62.3	51.1	49.5	41.1	40.6	42.2	1866
	42.5	44.1	50.4	62.7	59.8	63.9	60.1	2.99	52.8	8.98	2.98	36·1	1865
	38•1	41.6	9.09	0.29	59.9	61.9	58.4	54.9	49.5	41.3	35.8	34.7	1864
	42.3	44.8	52.1	54.5	2.29	62.5	59.9	52.9	50.3	44.7	42.3	41.5	1863
	43.5	39.9	52.0	6.29	60.1	59.1	57.4	9.99	49.4	43.9	41.5	38.5	1862
	39.5	39·1	54.7	92.0	63.2	61.7	. 4.09	52.6	44.8	43.7	41.6	32.6	1981
	35.4	2.68	20.0	53.3	58.5	9.89	55.3	54.3	43.8	41.8	35.3	39.0	098I
	35.7	40.3	50.1	2.99	63.1	68.1	65.6	53.8	47.6	46.5	41.9	39.8	1859
3	40.0	37.7	0.09	9.09	62.1	61.5	8.99	53.1	48.5	42.3	34.9	36·1	1858
1	44.2	45.8	52.4	59.4	65.2	64.3	2.29	54.9	46.8	42.5	8.28	35.9	1857
	39.4	40.0	51.3	55.5	63.8	62.1	59.8	9.09	47.7	39.5	41.8	38.8	1856
	35.6	40.9	9.09	56.9	65.9	63.1	58.3	49.9	47.0	38.4	28.8	34.5	1855
	39.9	39.6	49.0	6.49	61.2	62.1	9.29	51.8	49.8	44.0	39.1	38.7	1854
	33.8	40.9	6.09	56.1	9.09	61.6	59.4	52.5	47.1	9.86	33.1	42.2	1853
	47.2	48.5	47.1	57.3	63.1	68.1	58.5	52.7	46.8	41.0	40.0	40.4	1852
	40.0	37.1	52.4	2.99	9.89	61.7	60.4	52.5	46.5	43.1	39.8	42.1	1851
	39.2	44.7	45.4	2.99	60.3	62.4	61.0	51.9	49.7	29.7	43.6	33.4	1850
	38.0	42.9	50.1	58.5	63.3	62.4	60.3	2.99	44.9	43.1	41.9	89.9	1849
	42.4	41.6	50.3	2.99	59.0	62.4	59.4	29.0	48.3	43.8	43.8	34.4	1848
	42.1	46.2	52.4	54.2	62.6	9.99	58.3	57.3	45.3	41.4	35.8	34.8	1847
	0.11	43.3	8.97	1.89	67-2	8.09	63.6	65.0	47.6	0.51	2-11-	2.00	I sees

From the numbers in this table we learn that the coldest month in the year has taken place in January 26 times, in February 8 times, December 8 times, in March once, and in November once. These unusual circumstances took place in the years 1837 and 1851 respectively.

The hottest month has occurred twice in June, 27 times in July,

and 15 times in August.

The month of lowest temperature was January 1838; and of highest was July 1852.

By taking the mean of all the values for each month, we find :-

						0
The	$_{\rm mean}$	temperature	of	January	was	37.4
	,,	,,		February	,,	39.4
	,,	,,		March	,,	42.4
	,,	,,		April	,,	48.2
	,,	,,		May	,,	54.4
	,,	,,		June	,,	60.5
	,,	• ••		July	,,	63.1
	,,	,,		August	,,	62.2
	,,	,,		September	,,	57.6
	,,	••		October	,,	50.4
	,,	,,		November	-,,	42.7
	,.	,,		${\bf December}$,,	40.0

And the mean of these gives $49^{\circ}.9$ as the mean yearly temperature.

By taking the means of the numbers in each horizontal line, the mean temperature for each year is determined as follows:—

TABLE. XV.—Mean Temperature of every Year, 1826-1869.

YEARS	MEAN TEMPERATURES	YEARS	MEAN TEMPERATURES	YEARS	MEAN TEMPERATURES
1826	51.4	1841	49.8	1856	49.2
1827	51.0	1842	50.5	1857	51.0
1828	52.2	1843	50.3	1858	49.4
1829	47.9	1844	49.4	1859	50.5
1830	49.8	1845	48.0	1860	47.1
1831	52.1	1846	51.7	1861	49.2
1832	50.1	1847	49.7	1862	50.0
1833	50.4	1848	50.1	1863	. 50.9
1834	52.2	1849	50.1	1864	48.6
1835	50.6	1850	48.9	1865	50.2
1836	49.5	1851	49.7	1866	50.4
1837	48.8	1852	50.9	1867	49.2
1838	47.8	1853	48.1	1868	52.3
1839	49.8	1854	49.2	1869	50.0
1840	48.9	1855	47.2		

in d the mean of all these is 49°.9, as the mean temperature of the same value as found from the monthly results.

The mean temperatures of the years 1828, 1831, 1834, and 1868, are all above 52°. The year of highest temperature was 1868, and $\frac{1}{15}$ value was 52°.3.

The mean temperatures of the years 1829, 1838, 1855, and 1860, re all below 48°. The year of lowest temperature was 1860, and its lue was 47°·1.

Thus 44 years, from 1826 to 1869 inclusive, give a mean temperare of 49°9, with a variation, between one year and another, from °1 in 1860 to 52°3 in 1868. The difference is 5°2.



ON THE

EXCESS OR DEFICIENCY

ABOVE OR BELOW THE AVERAGE

OF THE

IEAN TEMPERATURE OF EVERY DAY, MONTH, AND YEAR

FROM ALL

THERMOMETRICAL OBSERVATIONS

TAKEN AT THE

HORTICULTURAL GARDENS

 ΛT

CHISWICK

FROM THE BEGINNING OF 1826 TO THE END OF 1869




TABLE XVI. Excess or Defect of Temperature on every day in the month of January, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

DAY OF																							_	JA	N U	AI	RY.					•											<u> </u>				OF 44
NOVIH THE	1826	827 1	1828	1829	1830	1831	1832	1833	183.	4 18	35 1	836	1837	1838	3 18	39 18	40	1841	1842	184	3 18.	44 18	345 1	846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	858 18	359 18	860 18	861 18	362	1863 18	64 1	1865 1	866 1	867 18	1 869	MEANS YE
1	-				i .			1		1	1			[- 1	1	- 1					T I	- 1		- 1							- 1	ľ	- 1						- 1						8.0 + 0.	
3	_ 1.9 -	13.3 +	⊦ 5·1 -	- 3.0 -	- 1.2	÷ 2·4	– 6·8	+ 3.0	+ 11.	4 -	1.9	10.9	- 0.4	+ 2.0	6 +	8.8 +	6.6	- 3.9	-6 ·2	- 5	5 - 7	7.5	2.4	2.3	-3.7	+ 11.5	- 8.9	+1.3	+ 7.8	+ 3.4	+ 8.0	- 10.5	+ 9.9 +	- 7.8	+ 8.3	0.3	1.7 +	13.2 - 1	3.2	0.4	4.7 -1	1.3 -	- 2.8 +	8.1 _	-14:3	7·2 + 9· 7·8 + 6·	9 36.2
5 6	+ 1.7	3.3	- 2.7 -	- 3.5	- 1.0	- 2.5	+ 1.7	- 5:	3 + 12.	4 - 1	2.3 +	5.9	+ 8.1	- 1.0	5 +	4.7	6.5	9.3	-0.8	+ 1	7 + 9	9.5 + 1	11.5 +	6.3	+ 5.6	- 2.4	- 7.5	-8.6	+ 1.9	+ 5.7	+ 5.4	- 2.8	+ 1.5 +	6.9	- 3.7	10.1	0.8 +	0.7 -1	.3.6 +	1.1	8.4 -1	9.0 +	3.6	1.6	3.7	3·8 + 8·4 4·4 + 6·4	4 35.8
7 8 9	- 5.6 +	13.9	- 3.4 -	- 2.6	- 2.5	- 7·6	+ 2.6	_ 2·2	2 + 8.	2 -	5.7 +	0.4	£·0 +	- 9:	2 -	2.1 -1	2.2	- 22-1	-5.4	+ 0.	2 + 3	1.1	2.9 +	10.0	+ 1.0	– 1·8	+ 1.9	-6.0	+ 3.8	+ 5.4	+ 5.4	+ 3.4	+ 8.6 +	2.3	- 0.9 +	9.8	4.1 +	2.7 -1	4.2 +	3.8 +	3.2	4 ·0 +	8.5 +	7.0 +	9.3	5·7 + 9·3 3·8 + 14·3 6·1 + 10·	2 36.1
10	- 9·4 - 9·5 +	9.1 -	- 5·2 - 2·6	- 2·1 - 3·9	- 1·7 - 3·9	+ 0·9	+ 10·4 + 7·8	- 8·9 - 3·8	$\begin{vmatrix} 2 & + & 6 \\ + & 10 \end{vmatrix}$	4 + 7 + 1	5·7 - 2·7 -	4·9 2·7	+ 6·8 - 7·6	-13°8	8	1·6 - 8·4 -1	6·2 - 1·2 -	- 1·7 - 1·5	-8·0 -4·6	+ 2· - 1·	1 + 2 + 3 + 3	$\begin{vmatrix} 2.9 & + \\ 1.3 & + \end{vmatrix}$	3·2 + 10·4 +	1.9	-7·0 -9·0	- 5·4 - 5·5	+ 7·8 + 0·3	-5·4 -6·5	+ 7·0 + 10·4	- 4·5 + 9·5	+ 10.6 + 9.6	+ 0·7 - 1·8	- 2·9 - 2·5	· 3·6	+ 8·5 + + 3·6 +	9·2 + 3·4 +	0·1 - 7·8 +	$ \begin{vmatrix} 1 \cdot 4 \\ 1 \cdot 3 \end{vmatrix} = 1 $	1·3 + 0·0 + 1	8·4 +	1.4 - 1	0·1 + 1·9 +	10·1 + 7·9 -	1.1 +	3·2 - 6 4·6 - 6	5·7 + 4·1 5·0 + 2·	1 36·9 1 36·9
12	-15.4 +	3.3 +	9.2	- 3.0 -	- 7:7	_ 1.9	- 0.2	+ 2.6	5 + 11·	7 +	5.9	2.8	+ 5.7	-14	5 + 1	0.4	3.2	- 3.2	-6.1	+ 4	3 + 3	2-4 +	4.0 +	3.6	-5.7	+ 6.0	+ 13.5	-9.7	+ 9.7	+ 6.3	+ 7.1	- 2.1	_ 0.4	8 6 -	- 3.8 -	0.3 +	1.5 +	0.6	7.2 +	0.2	3.5 -	1∙0 +	1.4 +	3.4	17.1 + 3	$\begin{vmatrix} 3 \cdot 1 \\ 7 \cdot 7 \\ + 0 \cdot 6 \\ 1 \cdot 3 \\ - 3 \cdot 6 \end{vmatrix}$	6 37.3
15 16	-18·2 - -17·6 +	0·1 7·6	- 0·9 - 1·4	- 1-9 - 7·3	- 4·6 - 9·0	- 4·1 - 2·6	- 6·4 - 4·3	+ 2·:	$\begin{vmatrix} 1 & +11 \\ +12 \end{vmatrix}$	6 + 1 + 2 +	1·2 + 4·5 -	2.8	- 1·6 - 1·3	-21: -11:	1 + 5 -	1.8 +	8·2 5·6	- 8·9 - 0·3	-5·8 +1·9	+ 0·	$\begin{vmatrix} 2 \\ -2 \end{vmatrix} - \begin{vmatrix} 6 \\ -2 \end{vmatrix}$	6·5 +	4·5 + 4·2 +	7·9 8·3	-7·1 -5·4	- 4·0 - 6·6	+ 1·9 + 6·1	-8.7 -5.9	+ 9·6 + 6·5	+ 14·8 + 8·6	+ 8.0 + 3.1 +	+ 0·1 + 5·9	- 6·8 - 5·1	- 5·2 - 0·1	- 1·0 + - 0·4 +	4·2 - 3·7 -	1·1 + 2·6 +	8.3 -	9·2 9·7	1·2 + 6·2 +	2.9 - 1	1·2 + 3·4 -	1.2 +	8·5 10·1 -	8·4 + 9 5·4 + 9	9·1 + 8·6 9·9 + 7·3	6 36·1 1 36·7
17	_ 2.3	2.3 +	+ 14·4 -	- 9.5	-14.4	+ 3.3	- 1.7	_ 1:	2 + 7	6 -	3.7 +	2.5	- 0.2	-14	4 -	4.8 +	0.9	- 5·0	-5.6	+ 4-	7 +	4·4 +	2.9 +	5.3	-6.7	— 3·7	+ 8.2	-3.7	+ 2.3	- 3.3	- 1.5	+ 7.1	- 10·5 +	8.6	+ 9.5 -	1.5 + 1	1.8	3.4	3.8 -1	.1.0 +	0.7 +	3·7 -	1.7 +	10.4	9.5 + 8	$ \begin{vmatrix} 0.6 & + & 8.2 \\ 8.1 & - & 1.2 \\ 5.4 & - & 1.2 \end{vmatrix} $	2 37.1
20	+ 0.5	· 7·5 +	+ 13∙4 -	- 9.0	- 5.2	+ 4.9	- 3.6	- 3	5 + 6·	4 -	6.9 +	- 0.1	- 3·7	-29%	6 +	5·0 +	8.5	- 7.2	-5.1	- 1	2 +	0.7 +	1.4 +	7.9	-6.9	- 6.0	+ 9.6	-8.2	+ 7.2	+ 7.2	+ 11.8	+ 7.1	- 9·7 +	8.9	+ 0.4 +	5.8 +	7.0 +	1.7 +	3.0	8.0 +	4.2 +	3∙0 —	4.6 +	9.1	9.0 - 0	0·8 - 3·9 1·4 - 4·4	9 37.3
22	_ 2.4 -	- 10·6 ÷	+ 9·0 -	-15·9	- 5.7	+ 4.1	- 2.3	-11	5 + 15	-8 +	0.2 +	10.8	+ 9.9	- 7	2 -	2.5 + 1	2.8	- 1.7	-6.2	+ 5	8 +	1.1 +	4.1 +	8.2	-0.2	– 6·8	+ 8.7	-2.3	- 3.8	- 1.5	+ 1.5	+ 2.1	- 9·4 +	10.4	- 1.0 -	7.0	0.1 +	2.0	3.9	0.3 +	6.0 -	l·1 —	4.8 +	5.2 +	4.1 - 8	$\begin{vmatrix} 2.2 & - & 5.6 \\ 5.2 & - & 9.7 \\ 3.3 & - & 8.4 \end{vmatrix}$	7 38.8
24 25 26	_ 4.9 -	-10.1	+ 7.8	-13.7	- 2 ·9	- 9.3	+ 1.0	- 6.	4 + 7	·5 +	6.9 +	. 1.1	+ 4.9	-11	7 +	2.7 +	4.4	- 4·5	-3.1	+ 6	·9 +	1·1 +	1.2 +	14.5	+ 2.3	– 8·9	+ 9.2	+ 4.5	- 3.4	+ 2.5	_ 1.7 -	- 1.7	_ 5.2 +	- 3.8	- 3.6 -	7.2 +	9.5	1.8 +	8.2 —	0.3 +	5.8 - 1	l·6 —	6.5 —	0.2 +	5.3 + 1	$ \begin{vmatrix} 3 \cdot 3 & - & 8 \cdot 4 \\ 1 \cdot 5 & - & 5 \cdot 6 \\ 2 \cdot 6 & + & 1 \cdot 6 \end{vmatrix} $	0 38.8
27	- 8·1 - 5·1 -	- 12·3 + - 3·3 +	+ 7.4 + 4.1	+ 1·0 - 2·6	- 2·8 - 3·7	- 5·1 - 5·6	- 5·9 - 4·1	- 1· + 1·	$\begin{vmatrix} 0 & +10 \\ 9 & +9 \end{vmatrix}$	·5 + ·1 +	3·9 + 1·3 +	- 5·4 - 6·0	– 1·8 – 4·6	$\begin{vmatrix} -6 \end{vmatrix} - 6$	5 - 6 -	7·3 + 6·4 +	0·6 · 8·5 ·	+ 4·9 - 1·3	-0·5	$\begin{vmatrix} +13 \\ +12 \end{vmatrix}$	·0 + ·4 +	5·6 + 6·1 -	0·2 + 4·3 +	· 7·5 · 8·4	+ 6·2 + 0·1	-12·6 -15·7	+ 0·9 + 0·5	$\begin{vmatrix} -7.0 \\ +3.1 \end{vmatrix}$	- 1·1 + 3·0	+ 2·9 - 2·3	- 2.6 + 1.3	+ 5·2 + 7·0	- 13·2 - - 7·2 -	- 2·4 - - 5·7 -	- 9·6 - -10·8 -	6.4 +	6.4 +	3·3 + 6·0 +	8.0 +	0·5 + 3·7 +	$\begin{vmatrix} 3.4 \\ 2.3 \\ + \end{vmatrix}$	7·0 1·1	5 7 + 10·5 +	2.2 +	13·4 - 6 9·8 + 3	$\begin{vmatrix} 3.0 & + & 3.1 \\ - & 3.1 & - & 3.1 \end{vmatrix}$	38.6
29 30 31	+ 4.5	⊦ 0·9 -	+ 2.3	_ 1.8	- 7·9	-12.5	+ 1.9	- 4	6 + 2	1 +	4.4 -	- 1.1	+ 0.6	5 - 3	6 -	12.8	3.6	- 0⋅3	<u> </u>	3 + 9	· 4 +	3.6 -	8.6 +	- 7.9	-2.1	+ 4.2	- 0.5	-4.8	+ 1.6	+ 2.3	+ 1.1 -	+ 10.3	-10.2 -	- 9.1	- 11.8 -+	8.2 +	0.2	0.1 +	2.2 +	9.8	8.2 -	7.6 -	- 2.3 +	3.2 +	4.6 + 3	$ \begin{vmatrix} 0.1 & + & 6.1 \\ 3.2 & + & 8.0 \\ 9.4 & + 14.2 \end{vmatrix} $	0 38.9
Kean						-		-	-		-			_	_ —	[_	-			_ -	_ -	_	_				-{	<u> </u>	-	·				-	<u>-</u>		_					— -				0.1 + 3.5	-

TABLE XVII. Excess or Defect of Temperature on every day in the month of February, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

DAY OF	FEBRUARY.	07 44 8
ДОУТН ДОУТН	1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869	M rang Year
I	$\begin{vmatrix} \circ & \circ $	30
2	$ \left + \ 9 \cdot 6 \ - \ 4 \cdot 9 \ + \ 4 \cdot 4 \ - 12 \cdot 7 \ - 18 \cdot 3 \ - \ 6 \cdot 6 \ + \ 2 \cdot 6 \ + \ 8 \cdot 3 \ + 4 \cdot 0 \ + 9 \cdot 8 \ - 1 \cdot 3 \ + \ 3 \cdot 4 \ - 10 \cdot 8 \ - \ 7 \cdot 1 \ + \ 5 \cdot 7 \ - 13 \cdot 4 \ + \ 5 \cdot 9 \ + \ 3 \cdot 4 \ - \ 6 \cdot 3 \ - \ 8 \cdot 3 \ + \ 2 \cdot 9 \ - \ 5 \cdot 2 \ - \ 0 \cdot 5 \ + \ 6 \cdot 9 \ + \ 11 \cdot 5 \ - \ 2 \cdot 2 \ + \ 11 \cdot 2 \ - \ 2 \cdot 2 \ + \ 11 \cdot 2 \ - \ 2 \cdot 2 \ + \ 2 \cdot 1 \ - \ 1 \cdot 5 \ + \ 2 \cdot 1 \ - \ 1 \cdot 5 \ + \ 2 \cdot 1 $	
	$ +10\cdot8 - 5\cdot2 + 3\cdot4 - 9\cdot8 - 16\cdot1 - 2\cdot8 + 2\cdot2 + 7\cdot4 + 4\cdot4 + 8\cdot5 - 1\cdot4 + 1\cdot5 - 8\cdot4 - 2\cdot1 + 6\cdot4 - 16\cdot9 + 3\cdot3 - 3\cdot2 - 6\cdot2 - 0\cdot1 + 7\cdot4 - 4\cdot4 + 1\cdot3 + 4\cdot3 - 1\cdot8 - 10\cdot5 - 7\cdot3 - 4\cdot6 - 8\cdot9 + 2\cdot1 - 5\cdot7 - 5\cdot1 + 1\cdot8 + 11\cdot2 + 4\cdot9 + 7\cdot1 + 4\cdot1 + 3\cdot1 + 0\cdot6 + 2\cdot1 + 11\cdot5 - 3\cdot4 - 3\cdot4 + 3\cdot4 $	
1	$ \left + \frac{6 \cdot 7}{4} - \frac{5 \cdot 5}{5} + \frac{6 \cdot 8}{4} - \frac{3 \cdot 2}{4} \right - \frac{2 \cdot 0}{4} + \frac{6 \cdot 7}{4} + \frac{10 \cdot 0}{4} + \frac{3 \cdot 7}{4} + \frac{5 \cdot 1}{4} \right - \frac{2 \cdot 3}{4} - \frac{3 \cdot 5}{4} - \frac{11 \cdot 0}{4} + \frac{2 \cdot 3}{4} + \frac{4 \cdot 6}{4} - \frac{13 \cdot 2}{4} - \frac{4 \cdot 2}{4} + \frac{13 \cdot 7}{4} + \frac{2 \cdot 2}{4} - \frac{3 \cdot 5}{4} - \frac{13 \cdot 7}{4} + \frac{2 \cdot 2}{4} - \frac{3 \cdot 5}{4} - \frac{13 \cdot 2}{4} - \frac{4 \cdot 2}{4} + \frac{13 \cdot 7}{4} + \frac{2 \cdot 2}{4} - \frac{3 \cdot 5}{4} - \frac{13 \cdot 2}{4} - \frac{4 \cdot 2}{4} + \frac{13 \cdot 7}{4} + \frac{2 \cdot 2}{4} - \frac{3 \cdot 5}{4} - \frac{13 \cdot 2}{4} - \frac{4 \cdot 2}{4} + \frac{13 \cdot 7}{4} + \frac{2 \cdot 2}{4} - \frac{3 \cdot 5}{4} - \frac{13 \cdot 2}{4} - 1$	
5	$\begin{vmatrix} + 6 \cdot 2 & - 8 \cdot 5 & + 8 \cdot 2 & + 0 \cdot 3 & -20 \cdot 6 & - 5 \cdot 1 & + 10 \cdot 2 & + 7 \cdot 9 & + 3 \cdot 1 & + 3 \cdot 7 & -4 \cdot 4 & - 6 \cdot 9 & -10 \cdot 3 & + 0 \cdot 6 & + 1 \cdot 3 & -14 \cdot 0 & - 5 \cdot 6 & - 7 \cdot 0 & -10 \cdot 9 & - 1 \cdot 5 & + 0 \cdot 3 & - 4 \cdot 1 & + 10 \cdot 3 & + 5 \cdot 2 & + 4 \cdot 3 & + 3 \cdot 1 & + 9 \cdot 0 & - 3 \cdot 7 & + 4 \cdot 5 & - 4 \cdot 7 & + 2 \cdot 0 & - 9 \cdot 3 & + 1 \cdot 5 & + 3 \cdot 9 & + 2 \cdot 6 & + 4 \cdot 8 & + 7 \cdot 8 & + 5 \cdot 9 & - 8 \cdot 4 & - 4 \cdot 4 & + 5 \cdot 4 & + 2 \cdot 7 & + 3 \cdot 7 & + 9 \cdot 0 & - 3 \cdot 7 & + 4 \cdot 5 & - 4 \cdot 7 & + 2 \cdot 0 & - 9 \cdot 3 & + 1 \cdot 5 & + 3 \cdot 9 & + 2 \cdot 6 & + 4 \cdot 8 & + 7 \cdot 8 & + 5 \cdot 9 & - 8 \cdot 4 & - 4 \cdot 4 & + 5 \cdot 4 & + 2 \cdot 7 & + 3 \cdot 7 & + 9 \cdot 0 & - 3 \cdot 7 & + 4 \cdot 5 & - 4 \cdot 7 & + 2 \cdot 0 & - 9 \cdot 3 & + 1 \cdot 5 & + 3 \cdot 9 & + 2 \cdot 6 & + 4 \cdot 8 & + 7 \cdot 8 & + 5 \cdot 9 & - 8 \cdot 4 & - 4 \cdot 4 & + 5 \cdot 4 & + 2 \cdot 7 & + 3 \cdot 7 & + 9 \cdot 0 & - 3 \cdot 7 & + 4 \cdot 5 & - 4 \cdot 7 & + 2 \cdot 0 & - 9 \cdot 3 & + 1 \cdot 5 & + 3 \cdot 9 & + 2 \cdot 6 & + 4 \cdot 8 & + 7 \cdot 8 & + 5 \cdot 9 & - 8 \cdot 4 & - 4 \cdot 4 & + 5 \cdot 4 & + 2 \cdot 7 & + 3 \cdot 7 & + 9 \cdot 0 & - 3 \cdot 7 & + 4 \cdot 5 & - 4 \cdot 7 & + 2 \cdot 0 & - 9 \cdot 3 & + 1 \cdot 5 & + 3 \cdot 9 & + 2 \cdot 6 & + 4 \cdot 8 & + 7 \cdot 8 & + 5 \cdot 9 & - 8 \cdot 4 & - 4 \cdot 4 & + 5 \cdot 4 & + 2 \cdot 7 & + 3 \cdot 7 & + 9 \cdot 0 & - 3 \cdot 7 & + 4 \cdot 5 & - 4 \cdot 7 & + 2 \cdot 0 & - 9 \cdot 3 & + 1 \cdot 5 & + 3 \cdot 9 & + 2 \cdot 6 & + 4 \cdot 8 & + 7 \cdot 8 & + 5 \cdot 9 & - 8 \cdot 4 & - 4 \cdot 4 & + 5 \cdot 4 & + 2 \cdot 7 & + 3 \cdot 7 & +$	
6	+ 8·1 $-$ 5·5 $+$ 8·2 $+$ 0·5 $-$ 20·5 $-$ 5·6 $+$ 5·2 $+$ 9·0 $-$ 0·6 $+$ 1·0 $+$ 2·0 $-$ 6·8 $-$ 8·6 $+$ 4·1 $+$ 1·4 $-$ 13·8 $-$ 7·5 $-$ 5·6 $-$ 6·2 $-$ 8·8 $+$ 1·8 $+$ 1·4 $+$ 11·1 $+$ 3·9 $+$ 0·2 $-$ 3·4 $+$ 6·6 $+$ 2·1 $-$ 2·2 $-$ 2·1 $-$ 3·3 $+$ 5·3 $+$ 3·4 $+$ 7·8 $-$ 8·2 $-$ 0·5 $+$ 11·2 $+$ 2·1 $+$ 0·1 $+$ 6·4 $-$ 1·5 $+$ 12·3 $-$ 7·4 $+$ 6·6 $+$ 2·1 $-$ 2·2 $-$ 2·1 $-$ 3·3 $+$ 5·3 $+$ 3·4 $+$ 7·8 $-$ 8·2 $-$ 0·5 $+$ 11·2 $+$ 2·1 $+$ 0·1 $+$ 6·4 $-$ 1·5 $+$ 12·3 $-$ 7·4 $+$ 6·6 $+$ 2·1 $-$ 2·2 $-$ 2·1 $-$ 3·3 $+$ 5·3 $+$ 3·4 $+$ 7·8 $-$ 8·2 $-$ 0·5 $+$ 11·2 $+$ 2·1 $+$ 0·1 $+$ 6·4 $-$ 1·5 $+$ 12·3 $-$ 7·4 $+$ 6·6 $+$ 2·1 $-$ 2·2 $-$ 2·1 $-$ 3·3 $+$ 5·3 $+$ 3·4 $+$ 7·8 $-$ 8·2 $-$ 0·5 $+$ 11·2 $+$ 2·1 $+$ 0·1 $+$ 6·4 $+$ 1·1 $+$ 1·4 $+$ 1·1 $+$ 1·4 $+$ 1·1 $+$ 1·4 $+$ 1·1 $+$ 1·4 $+$ 1·1 $+$ 1·4 $+$ 1·1 $+$ 1·4 $+$	
7	$ \begin{vmatrix} + & 1 & 1 & - & 6 & 9 & & + & 5 & 9 & & + & 3 & 2 & & + & 1 & 4 & & + & 9 & 9 & & - & 2 & 5 & & + & 7 & 8 & & - & 6 & 4 & & + & 5 & 3 & & + & 2 & 7 & & - & 3 & 7 & & - & 1 & 8 & & + & 9 & 3 & & + & 5 & 8 & & - & 1 & 5 & 4 & & - & 5 & 2 & & - & 5 & 9 & & - & 1 & 1 & & + & 2 & 2 & & + & 1 & 1 & 1 & & + & 2 & 2 & & + & 1 & 1 & 1 & & + & 2 & 1 & 1 & 1 & 1 & & + & 2 & 2 & & - & 2 & 1 & 1 & 1 & & - & 2 & 1 & & + & 2 & 2 & & - & 2 & 1 & & + & 2 & 2 & & - & 2 & 1 & & + & 2 & 2 & & - & 2 & 2 & 2 & & - & 2 & 2 & 2 & & - & 2 & 2 & 2 & & - & 2 & 2 & 2 & & - & 2 & 2 & & - & 2 & 2 & 2 & & - & 2 & 2 & 2 & & - & 2 & 2 & 2 & 2 & & - & 2 & 2 & 2 & 2 & 2 & 2 & 2 & 2 & 2$	
°	$ \begin{vmatrix} -29 & -76 & +26 & -27 & +42 & +145 & +67 & +75 & -97 & +75 & +27 & +75 & +27 & +75 & +27 & +75 & +75 & +27 & +75 & $	27.7
1	$-29 - 500 - 400 + 200 - 260 + 13\cdot2 - 1\cdot4 + 11\cdot7 - 0\cdot8 - 5\cdot7 + 5\cdot3 + 9\cdot3 - 8\cdot1 + 2\cdot1 + 7\cdot0 - 9\cdot2 + 7\cdot5 - 2\cdot4 - 1\cdot9 - 9\cdot1 - 7\cdot1 - 10\cdot0 + 4\cdot6 + 6\cdot1 + 3\cdot9 + 1\cdot9 - 2\cdot8 - 2\cdot8 - 1\cdot5 - 17\cdot4 + 10\cdot3 + 3\cdot7 - 5\cdot0 + 4\cdot9 - 13\cdot0 - 4\cdot1 - 2\cdot3 + 4\cdot2 - 9\cdot3 - 6\cdot7 + 5\cdot8 + 11\cdot8 + 7\cdot4 + 11\cdot5$	
	$ \begin{vmatrix} -0.7 & -5.4 & -6.9 & +4.8 & -0.1 & +12.9 & +0.3 & +13.2 & +2.6 & +1.3 & -1.8 & +6.3 & -6.5 & +2.9 & +7.2 & +0.2 & +11.3 & +0.5 & -3.8 & -13.3 & -3.6 & -11.8 & +1.4 & -0.9 & +2.9 & +0.2 & -4.5 & -6.6 & -3.7 & -14.6 & +8.6 & +6.6 & -4.9 & +8.0 & -8.7 & -7.4 & -1.1 & +5.2 & -3.5 & -12.0 & +4.5 & +5.8 & +4.9 & +12.6 & +1.2 & +1.$	
1	$\begin{vmatrix} +4.9 \end{vmatrix} - 5.4 \begin{vmatrix} -7.8 \end{vmatrix} + 6.9 \begin{vmatrix} -9.6 \end{vmatrix} + 11.7 \begin{vmatrix} +9.2 \end{vmatrix} + 10.2 \begin{vmatrix} +2.1 \end{vmatrix} + 2.7 \begin{vmatrix} +1.5 \end{vmatrix} + 5.4 \begin{vmatrix} -10.5 \end{vmatrix} + 6.9 \begin{vmatrix} +5.7 \end{vmatrix} + 5.8 \begin{vmatrix} +11.5 \end{vmatrix} - 1.0 \begin{vmatrix} -7.4 \end{vmatrix} - 22.3 \begin{vmatrix} +0.6 \end{vmatrix} - 14.7 \begin{vmatrix} +3.9 \end{vmatrix} - 5.4 \begin{vmatrix} -9.2 \end{vmatrix} + 0.8 \begin{vmatrix} -5.4 \end{vmatrix} - 0.2 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -5.4 \end{vmatrix} - 0.2 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -5.4 \end{vmatrix} - 0.2 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -5.4 \end{vmatrix} - 0.2 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -5.4 \end{vmatrix} - 0.2 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -5.4 \end{vmatrix} - 0.2 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -5.4 \end{vmatrix} - 0.2 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -5.4 \end{vmatrix} - 0.2 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -5.4 \end{vmatrix} - 0.2 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -5.4 \end{vmatrix} - 0.2 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -5.4 \end{vmatrix} - 0.2 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -5.4 \end{vmatrix} - 0.2 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -1.7 \end{vmatrix} + 0.9 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -1.7 \end{vmatrix} + 0.9 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -1.7 \end{vmatrix} + 0.9 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -1.7 \end{vmatrix} + 0.9 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -1.7 \end{vmatrix} + 0.9 \begin{vmatrix} +0.8 \end{vmatrix} + 0.6 \begin{vmatrix} -14.7 \end{vmatrix} + 3.9 \begin{vmatrix} -1.7 \end{vmatrix} + 0.9 \begin{vmatrix} +0.8 \end{vmatrix} + 0.8 \begin{vmatrix} -1.7 \end{vmatrix} + 0.9 \begin{vmatrix} +0.8 \end{vmatrix} + 0.8 \begin{vmatrix} -1.7 \end{vmatrix} + 0.9 \begin{vmatrix} +0.8 \end{vmatrix} + 0.8 \begin{vmatrix} -1.7 \end{vmatrix} + 0.9 \begin{vmatrix} +0.8 \end{vmatrix} + 0.8 \begin{vmatrix} -1.7 \end{vmatrix} + 0.9 \begin{vmatrix} +0.8 \end{vmatrix} + 0.8 \begin{vmatrix} -1.7 \end{vmatrix} + 0.9 \begin{vmatrix} +0.8 \end{vmatrix} + 0.8 \begin{vmatrix} -1.7 \end{vmatrix} + 0.9 \begin{vmatrix} +0.8 \end{vmatrix} + 0.8 \begin{vmatrix} -1.7 \end{vmatrix} + 0.9 \begin{vmatrix} +0.8 \end{vmatrix} + 0.8 \begin{vmatrix} -1.7 \end{vmatrix} + 0.9 \begin{vmatrix} +0.8 \end{vmatrix} + 0.8 \end{vmatrix} + 0.8 \begin{vmatrix} +0.8 \end{vmatrix} + 0.8 \end{vmatrix} + 0.8 \begin{vmatrix} +0.8 \end{vmatrix} + 0.8 \end{vmatrix} + 0.8 \begin{vmatrix} +0.8 \end{vmatrix} + 0.8 \end{vmatrix} + 0.8 \begin{vmatrix} +0.8 \end{vmatrix} + 0.8 \end{vmatrix} + 0.8 \end{vmatrix} + 0.8 \begin{vmatrix} +0.8 \end{vmatrix}$	
13	$\begin{vmatrix} + & 7 \cdot 3 \end{vmatrix} - & 4 \cdot 0 \end{vmatrix} - & 5 \cdot 7 \end{vmatrix} + & 6 \cdot 9 \end{vmatrix} - & 2 \cdot 6 \end{vmatrix} + & 8 \cdot 3 \end{vmatrix} - & 0 \cdot 5 \end{vmatrix} + & 8 \cdot 9 \end{vmatrix} + & 0 \cdot 7 \end{vmatrix} + & 4 \cdot 8 \end{vmatrix} + & 6 \cdot 8 \end{vmatrix} + & 4 \cdot 7 \end{vmatrix} + & 8 \cdot 7 \end{vmatrix} + & 6 \cdot 8 \end{vmatrix} - & 10 \cdot 9 \end{vmatrix} - & 6 \cdot 3 \end{vmatrix} + & 11 \cdot 5 \end{vmatrix} + &$	
14	$\left + 7 \cdot 2 \right - 4 \cdot 5 \left - 6 \cdot 6 \right + 7 \cdot 2 \left - 4 \cdot 7 \right + 4 \cdot 8 \left - 3 \cdot 8 \right + 4 \cdot 8 \left + 1 \cdot 6 \right + 8 \cdot 5 \left + 2 \cdot 2 \right + 1 \cdot 7 \left - 12 \cdot 4 \right + 4 \cdot 7 \left - 3 \cdot 6 \right + 8 \cdot 3 \left + 6 \cdot 2 \right - 9 \cdot 3 \left - 2 \cdot 9 \right - 1 \cdot 6 \left - 0 \cdot 4 \right + 3 \cdot 2 \left + 12 \cdot 1 \right + 2 \cdot 6 \left - 0 \cdot 8 \right - 3 \cdot 4 \left - 9 \cdot 5 \right - 7 \cdot 2 \left - 12 \cdot 3 \right + 8 \cdot 2 \left - 3 \cdot 6 \right - 1 \cdot 0 \left + 1 \cdot 2 \right - 9 \cdot 0 \left - 4 \cdot 6 \right - 0 \cdot 1 \left + 0 \cdot 4 \right + 5 \cdot 2 \left - 10 \cdot 1 \right - 2 \cdot 4 \right + 5 \cdot 9 \left + 6 \cdot 4 \right + 8 \cdot 6 \cdot 4 \right + 8 \cdot 6 \cdot 6 \cdot 6 \cdot 6 \cdot 7 \cdot 6 \cdot 7 \cdot 7 \cdot 7 \cdot 7$	381
15	$ \begin{vmatrix} +8.3 \end{vmatrix} - 5.7 \begin{vmatrix} -5.0 \end{vmatrix} + 7.1 \begin{vmatrix} -5.4 \end{vmatrix} + 3.9 \begin{vmatrix} -9.5 \end{vmatrix} - 0.8 \begin{vmatrix} -0.3 \end{vmatrix} + 7.6 \begin{vmatrix} -1.6 \end{vmatrix} + 1.7 \begin{vmatrix} -10.2 \end{vmatrix} + 2.0 \begin{vmatrix} -1.0 \end{vmatrix} + 1.7 \begin{vmatrix} -10.2 \end{vmatrix} + 2.0 \begin{vmatrix} -1.5 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +5.1 \end{vmatrix} + 3.2 \begin{vmatrix} +6.0 \end{vmatrix} + 13.0 \begin{vmatrix} -4.9 \end{vmatrix} + 2.9 \begin{vmatrix} -9.9 \end{vmatrix} - 2.0 \begin{vmatrix} -15.2 \end{vmatrix} + 4.6 \begin{vmatrix} -2.7 \end{vmatrix} - 4.1 \begin{vmatrix} +5.4 \end{vmatrix} - 5.5 \begin{vmatrix} +6.4 \end{vmatrix} - 0.7 \begin{vmatrix} +2.6 \end{vmatrix} + 8.6 \begin{vmatrix} -15.7 \end{vmatrix} - 0.3 \begin{vmatrix} +7.0 \end{vmatrix} - 0.3 \begin{vmatrix} +7.0 \end{vmatrix} - 0.0 \begin{vmatrix} +6.2 \end{vmatrix} + 3.2 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 1.5 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 3.4 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 3.4 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 3.4 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 3.4 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 3.4 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 3.4 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 3.4 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 3.4 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 3.4 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 3.4 \begin{vmatrix} +6.0 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 3.4 \begin{vmatrix} -3.7 \end{vmatrix} + 3.4 \begin{vmatrix} -3.7 \end{vmatrix} - 3.4 \begin{vmatrix} -3.7 \end{vmatrix} + 3.$	391
16	$ \begin{vmatrix} + 8 \cdot 2 \begin{vmatrix} -13 \cdot 4 \begin{vmatrix} - 4 \cdot 2 \end{vmatrix} + 6 \cdot 9 \begin{vmatrix} -5 \cdot 5 \end{vmatrix} + 6 \cdot 5 \begin{vmatrix} -4 \cdot 5 \end{vmatrix} - 2 \cdot 1 \begin{vmatrix} -4 \cdot 7 \end{vmatrix} + 2 \cdot 8 \begin{vmatrix} +1 \cdot 5 \end{vmatrix} + 10 \cdot 3 \begin{vmatrix} -9 \cdot 5 \end{vmatrix} + 0 \cdot 6 \begin{vmatrix} -12 \cdot 5 \end{vmatrix} - 2 \cdot 0 \begin{vmatrix} -6 \cdot 0 \end{vmatrix} + 4 \cdot 6 \begin{vmatrix} +3 \cdot 9 \end{vmatrix} + 0 \cdot 6 \begin{vmatrix} -6 \cdot 7 \end{vmatrix} + 3 \cdot 9 \begin{vmatrix} -6 \cdot 5 \end{vmatrix} + 3 \cdot 9 \begin{vmatrix} -6 \cdot 5 \end{vmatrix} + 2 \cdot 8 \begin{vmatrix} -6 \cdot 7 \end{vmatrix} + 3 \cdot 6 \begin{vmatrix} -11 \cdot 1 \end{vmatrix} + 3 \cdot 9 \begin{vmatrix} -6 \cdot 5 \end{vmatrix} + 3 \cdot 9 \begin{vmatrix} -6 $	39'5
	$ \begin{vmatrix} + 4 \cdot 2 \begin{vmatrix} -14 \cdot 4 \end{vmatrix} - 5 \cdot 3 \begin{vmatrix} + 5 \cdot 0 \end{vmatrix} - 6 \cdot 7 \begin{vmatrix} + 5 \cdot 0 \end{vmatrix} + 1 \cdot 1 \begin{vmatrix} + 0 \cdot 7 \end{vmatrix} - 2 \cdot 8 \begin{vmatrix} + 2 \cdot 7 \end{vmatrix} - 1 \cdot 4 \begin{vmatrix} + 3 \cdot 8 \end{vmatrix} - 8 \cdot 6 \begin{vmatrix} - 3 \cdot 1 \end{vmatrix} + 5 \cdot 4 \begin{vmatrix} + 2 \cdot 5 \end{vmatrix} + 2 \cdot 9 \begin{vmatrix} - 7 \cdot 7 \end{vmatrix} + 1 \cdot 3 \begin{vmatrix} - 6 \cdot 5 \end{vmatrix} + 4 \cdot 0 \begin{vmatrix} + 11 \cdot 8 \end{vmatrix} - 1 \cdot 7 \begin{vmatrix} - 0 \cdot 0 \end{vmatrix} + 7 \cdot 0 \begin{vmatrix} - 3 \cdot 7 \end{vmatrix} + 1 \cdot 2 \cdot 8 \begin{vmatrix} - 18 \cdot 8 \end{vmatrix} - 0 \cdot 0 \begin{vmatrix} + 3 \cdot 8 \end{vmatrix} - 4 \cdot 2 \begin{vmatrix} + 3 \cdot 8 \end{vmatrix} - 4 \cdot 2 \begin{vmatrix} + 3 \cdot 8 \end{vmatrix} - 4 \cdot 3 \begin{vmatrix} - 2 \cdot 0 \end{vmatrix} - 5 \cdot 3 \begin{vmatrix} - 2 \cdot 0 \end{vmatrix} - 5 \cdot 3 \begin{vmatrix} - 6 \cdot 0 \end{vmatrix} + 6 \cdot 7 \begin{vmatrix} + 0 \cdot 3 \end{vmatrix} + 9 \cdot 6 \begin{vmatrix} - 3 \cdot 7 \end{vmatrix} + 2 \cdot 5 \begin{vmatrix} - 3 \cdot$	
18	$ \begin{vmatrix} + & 3 \cdot 0 \begin{vmatrix} -13 \cdot 5 \end{vmatrix} - & 0 \cdot 9 \begin{vmatrix} -1 \cdot 4 \end{vmatrix} - & 4 \cdot 9 \begin{vmatrix} +3 \cdot 7 \end{vmatrix} + & 2 \cdot 3 \begin{vmatrix} +4 \cdot 5 \end{vmatrix} + & 6 \cdot 5 \begin{vmatrix} +2 \cdot 1 \end{vmatrix} - & 3 \cdot 1 \begin{vmatrix} +5 \cdot 2 \end{vmatrix} - & 4 \cdot 7 \begin{vmatrix} -7 \cdot 1 \end{vmatrix} - & 1 \cdot 8 \begin{vmatrix} +7 \cdot 1 \end{vmatrix} - & 2 \cdot 9 \begin{vmatrix} +6 \cdot 0 \end{vmatrix} + & 4 \cdot 8 \begin{vmatrix} +6 \cdot 1 \end{vmatrix} + &$	
19	$ \begin{vmatrix} +6.8 & -10.0 & +4.3 & +4.2 & -4.6 & +5.7 & -4.8 & +5.7 & +6.5 & +5.7 & -6.3 & +5.9 & -6.0 & -5.4 & -5.8 & +6.3 & -2.2 & -3.4 & +1.9 & -10.5 & +3.9 & +4.0 & +3.1 & +6.3 & +9.9 & +10.3 & -6.0 & -13.1 & -4.4 & -15.0 & -2.9 & -2.3 & -8.2 & +2.2 & -2.7 & +6.3 & +10.9 & +4.1 & -10.2 & -5.0 & -5.5 & +10.4 & +4.9 & +3.7 & +3.9 & +3.$	
20	$\begin{vmatrix} +5.3 & -8.0 & +8.2 & +7.9 & -4.1 & -0.2 & -3.4 & +3.2 & +5.3 & +3.3 & -8.9 & +5.3 & -4.4 & -1.9 & -6.9 & +7.6 & -2.7 & -1.0 & -7.1 & -10.1 & +5.7 & +6.6 & -0.3 & +4.6 & +5.4 & +8.5 & -8.7 & -8.6 & +2.5 & -15.4 & -3.5 & +3.1 & -6.4 & +6.9 & -4.9 & +6.1 & +12.3 & +2.8 & -10.2 & -6.9 & -3.7 & +10.8 & +3.7 & +3.9 & -3.7 & +3.9 & -3.7 & +3.9 & -3.7 & +3.9 & -3.7 & +3.9 & -3.7 & +3.9 & -3.7 & +3.9 & -3.7 & +3.9 & -3.7 & +3.9 & -3.7 & +3.9 & -3.9 & -3.7 & +3.9 & -3.9 & -3.7 & +3.9 & -3.9 & -3.7 & +3.9 & -3.9 & -3.7 & +3.9 & -3.9 & -3.7 & +3.9 & -3.9 & -3.7 & +3.9 & -3.9 & -3.7 & +3.9 & -3.9 & -3.7 & +3.9 & -3.9 & -3.7 & +3.9 & -3.9 & $	
	$ \begin{vmatrix} + 4 \cdot 3 & - 5 \cdot 1 & + 6 \cdot 0 & + 6 \cdot 5 & + 1 \cdot 7 & - 1 \cdot 2 & - 1 \cdot 5 & + 3 \cdot 3 & + 1 \cdot 2 & + 6 \cdot 6 & - 7 \cdot 0 & + 6 \cdot 2 & - 5 \cdot 3 & - 3 \cdot 3 & - 8 \cdot 4 & + 3 \cdot 7 & - 1 \cdot 7 & + 4 \cdot 4 & - 3 \cdot 7 & - 8 \cdot 0 & + 9 \cdot 0 & + 6 \cdot 5 & - 0 \cdot 7 & + 5 \cdot 8 & + 2 \cdot 2 & - 6 \cdot 3 & - 8 \cdot 5 & + 1 \cdot 1 & - 1 \cdot 7 \cdot 1 & - 5 \cdot 9 & + 4 \cdot 2 & - 5 \cdot 4 & + 6 \cdot 0 & - 3 \cdot 4 & + 6 \cdot 2 & + 4 \cdot 2 & + 2 \cdot 5 & - 10 \cdot 0 & - 6 \cdot 0 & - 1 \cdot 7 & + 8 \cdot 2 & + 9 \cdot 1 & + 2 \cdot 4 & - 2 \cdot 4 & - 2 \cdot 6 \cdot 3 & - 8 \cdot 5 & + 1 \cdot 1 & - 17 \cdot 1 & - 5 \cdot 9 & + 4 \cdot 2 & - 5 \cdot 4 & + 6 \cdot 0 & - 3 \cdot 4 & + 6 \cdot 2 & + 4 \cdot 2 & + 2 \cdot 5 & - 10 \cdot 0 & - 6 \cdot 0 & - 1 \cdot 7 & + 8 \cdot 2 & + 9 \cdot 1 & + 2 \cdot 4 & - 2 \cdot 4 & - 2 \cdot 6 \cdot 3 & - 8 \cdot 5 & + 1 \cdot 1 & - 17 \cdot 1 & - 5 \cdot 9 & + 4 \cdot 2 & - 5 \cdot 4 & + 6 \cdot 0 & - 3 \cdot 4 & + 6 \cdot 2 & + 4 \cdot 2 & + 2 \cdot 5 & - 10 \cdot 0 & - 6 \cdot 0 & - 17 & + 8 \cdot 2 & + 9 \cdot 1 & + 2 \cdot 4 & - 2 \cdot 2 & - 6 \cdot 3 & - 8 \cdot 5 & + 1 \cdot 1 & - 17 \cdot 1 & - 5 \cdot 9 & + 4 \cdot 2 & - 5 \cdot 4 & + 6 \cdot 0 & - 3 \cdot 4 & + 6 \cdot 2 & + 4 \cdot 2 & + 2 \cdot 5 & - 10 \cdot 0 & - 6 \cdot 0 & - 17 & + 8 \cdot 2 & + 9 \cdot 1 & + 2 \cdot 4 & - 2 \cdot 2 & - 6 \cdot 3 & - 8 \cdot 5 & + 1 \cdot 1 & - 17 \cdot 1 & - 5 \cdot 9 & + 4 \cdot 2 & - 5 \cdot 4 & + 6 \cdot 0 & - 3 \cdot 4 & + 6 \cdot 2 & + 4 \cdot 2 & + 2 \cdot 5 & - 10 \cdot 0 & - 6 \cdot 0 & - 17 & + 8 \cdot 2 & + 9 \cdot 1 & + 2 \cdot 4 & - 2 \cdot 2 & - 6 \cdot 3 & - 8 \cdot 5 & + 1 \cdot 1 & - 17 \cdot 1 & - 5 \cdot 9 & + 4 \cdot 2 & - 5 \cdot 4 & + 6 \cdot 0 & - 3 \cdot 4 & + 6 \cdot 2 & + 4 \cdot 2 & + 2 \cdot 5 & - 10 \cdot 0 & - 6 \cdot 0 & - 17 & + 8 \cdot 2 & + 9 \cdot 1 & + 2 \cdot 4 & - 2 \cdot 2 & - 6 \cdot 3 & - 8 \cdot 4 & + 2 \cdot 2 & - 6 \cdot 3 & - 8 \cdot 5 & + 1 \cdot 1 & - 17 \cdot 1 & - 5 \cdot 9 & + 4 \cdot 2 & - 5 \cdot 4 & + 6 \cdot 0 & - 3 \cdot 4 & + 6 \cdot 2 & + 2 \cdot 5 & - 10 \cdot 0 & - 6 \cdot 0 & - 17 & + 8 \cdot 2 & + 2 \cdot 4 & - 2 \cdot 2 & - 6 \cdot 3 & - 8 \cdot 5 & + 1 \cdot 1 & - 17 \cdot 1 & - 5 \cdot 9 & + 4 \cdot 2 & - 5 \cdot 4 & + 6 \cdot 0 & - 3 \cdot 4 & + 6 \cdot 2 & + 2 \cdot 5 & - 10 \cdot 0 & - 6 \cdot 0 & - 17 \cdot 7 & + 8 \cdot 2 & + 2 \cdot 2 & - 6 \cdot 3 & - 8 \cdot 5 & + 1 \cdot 1 & - 17 \cdot 1 & - 7 \cdot 1$	
	$ \begin{vmatrix} +7\cdot2 & -7\cdot9 & +5\cdot5 & +1\cdot4 & +1\cdot9 & -3\cdot0 & -5\cdot8 & +0\cdot3 & +1\cdot9 & +4\cdot4 & -1\cdot7 & +2\cdot4 & -6\cdot3 & +5\cdot9 & -10\cdot5 & +0\cdot1 & +1\cdot8 & +6\cdot4 & -9\cdot6 & -6\cdot4 & +8\cdot6 & +4\cdot1 & +5\cdot7 & +7\cdot5 & +6\cdot2 & -0\cdot4 & -1\cdot6 & -7\cdot7 & +1\cdot5 & -14\cdot5 & -4\cdot7 & +1\cdot4 & -7\cdot5 & +2\cdot4 & -3\cdot3 & +7\cdot2 & +8\cdot0 & +3\cdot0 & -11\cdot0 & 0\cdot0 & +0\cdot3 & +8\cdot5 & +5\cdot0 & -5\cdot8 & -2\cdot6 & -5\cdot0 & +0\cdot9 & -10\cdot7 & -1\cdot0 & -2\cdot0 & -2\cdot8 & -2\cdot3 & -8\cdot0 & +4\cdot7 & +5\cdot8 & +4\cdot7 & -11\cdot3 & +5\cdot4 & +1\cdot7 & +3\cdot6 & +0\cdot6 & -2\cdot6 & $	
	$ \begin{vmatrix} -0.8 & -0.5$	
	$ \begin{vmatrix} +6\cdot4 & -6\cdot4 & +10\cdot2 & -1\cdot7 & +11\cdot4 & +2\cdot3 & -6\cdot3 & +2\cdot8 & +0\cdot3 & +6\cdot3 & -6\cdot6 & -5\cdot2 & +2\cdot4 & -1\cdot4 & -6\cdot2 & -1\cdot2 & +3\cdot6 & +2\cdot5 & +1\cdot7 & +2\cdot0 & -3\cdot6 & -5\cdot5 & +2\cdot6 & +2\cdot4 & -0\cdot1 & -5\cdot9 & -9\cdot3 & -1\cdot5 & -7\cdot3 & -0\cdot7 & -2\cdot9 & +2\cdot0 & -6\cdot6 & -1\cdot2 & +1\cdot4 & +5\cdot7 & +10\cdot1 & +2\cdot1 & +$	
	$ \begin{vmatrix} +2.0 \\ +4.8 \\ \end{vmatrix} + \begin{vmatrix} 12.3 \\ -2.0 \\ \end{vmatrix} + \begin{vmatrix} 3.4 \\ $	
	$+ \frac{4\cdot8}{8\cdot2} + \frac{8\cdot2}{13\cdot4} + \frac{2\cdot4}{2\cdot4} + \frac{9\cdot7}{12\cdot4} + \frac{3\cdot1}{2\cdot8} + \frac{1\cdot0}{12\cdot6} + \frac{9\cdot6}{12\cdot6} + \frac{2\cdot6}{12\cdot6} + \frac{3\cdot7}{12\cdot6} + \frac{1\cdot9}{12\cdot6} + 1\cdot9$	
i	$+8\cdot1 + 4\cdot2 + 7\cdot5 - 7\cdot5 + 10\cdot0 + 0\cdot3 - 4\cdot7 - 1\cdot7 + 9\cdot3 - 1\cdot4 - 5\cdot3 - 5\cdot1 + 4\cdot3 + 0\cdot8 - 3\cdot5 - 2\cdot2 + 5\cdot0 - 2\cdot3 - 0\cdot8 - 4\cdot8 + 11\cdot8 - 6\cdot9 + 6\cdot0 + 0\cdot1 - 9\cdot8 + 0\cdot9 - 1\cdot5 + 1\cdot0 + 2\cdot4 - 8\cdot4 - 0\cdot7 + 0\cdot5 + 2\cdot8 - 3\cdot8 + 2\cdot3 - 1\cdot7 + 5\cdot2 - 9\cdot5 - 6\cdot4 + 8\cdot4 - 0\cdot5$	
	╼╎╼╌╿╼╌╿╼╌┦╌╌╎╼╼┤╌┦╾╌┦╌╌┦╌╌╎╌╌╎╌╌╎┈╾┦╌╌╿╌╌┦╌╌╿╌╌╿╌╌╿╌╌╿╌╌╿╌╌╿╌╌╿╌╌╿╌╌╿╌╌╿╌╌┞╌╌┞╌╌┞╌	
Меа		

TABLE XVIII. Excess or Defect of Temperature on every day in the month of March, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

OAT OF						,																		F.	M A	RC	н.															:					OF 44
HONTH	1826	182	27 18	28 1	829	1830	1831	1832	2 1833	3 1834	4 18	35 18	36 I	837	1838	1839	1840	184	1 18	342 18	843	1844	1845	1846	184	7 184	.8 184	9 1850	185	1 1852	2 1853	185	4 1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867 1	868 1	MEANS 1EA
1	+ °7·7	+ 7	3 +	4.8	°S·4	+ 9.1	0.0	- 1:	6 + 1:	1 + 9	5 - 9	5.9 + 3	3.0 -	6.6	- 3.2	+ 3.5	- 7·4	1 - 4	7 +	2.1 -	7·9 -	+ 4.8	- 5· 7	+ 10.5	5.	4 - 1	·5 + 2·	4 + 5:	2 - 3	3 + 0.	7 - 8.8	- 3·	6 + 4.6	+ 0.5	+ 2.4	- 9·4	+ 4.6	- 1·5	+ 3.3	- 4·2	+ 1.8	- 1·3	+ 3.9 -	9.4	- 2.8 +	2.8 +	2.5 41.1
3	+ 5·1	÷ 2 ÷ 3	3.0 +	3.4	4.3	+ 4.7	+ 8.5	- 0.5	$\begin{vmatrix} 2 & + & 1 & 0 \\ + & 7 & 0 \\ + & 6 & 0 \end{vmatrix}$	0 + 7	7 -	0.1 + 0	0.4	3.3	- 0.8	+ 2.5	- 2.6	$\begin{vmatrix} 3 & - & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0$	2 + 1	0.3	8.0	+ 1.8	- 7·3	+ 11.0	- 5	1 - 1	.8 + 2.	6 + 3%	5 - 3	9 - 6	4 - 8.1	- 4·	6 - 1.6	- 1.8	- 0.7	-10.8	+ 9.4	+ 0.5	+ 3.4	- 9·5	+ 10.7	- 3·5	+ 1·0 - - 4·0 -	- 7·8 -	- 5.0 +	8.9	0·1 42·3 5·1 41·8
5	3.1	÷ 2	75 +	3.1 -	0.9	+ 1.2	+ 8.7	+ 0:	5 + 1.6	$5 + 10^{\circ}$	1 + 9	0.9 + 3	2.5	0.0 +	1.6	- 8·0	- 5·6	+ 2	4 -	0.1	5.4 -	- 8·1 - 4·9	-14·1 -14·9	+ 4.9	- 1·	6 - 1	$\begin{vmatrix} 1 & + & 0 \\ + & 4 & + & 2 \end{vmatrix}$	$\begin{vmatrix} -3 & -3 & -3 & -3 & -3 & -3 & -3 & -3 $	5 + 2	8 - 8	5 + 3.5 2 + 8.1	- 2·	3 - 0.9	- 1·5	- 1·8	- 7·0	+ 10.3	- 1·6	+ 3.5 -	- 5.3	+ 8.7	+ 2.5	- 2·5 - - 0·9 -	- 8·8 - - 5·8 -	- 0.7 +	9.3 +	6·7 41·3 4·2 41·0
7	- 0·7 - 10·8	÷ 3 + 5	0 -	2.6 +	1.8	+ 1.6 - 2.5 + 3.5	+ 3.2	3.3	$\begin{vmatrix} 1 & 3 & 3 \\ -3 & 7 & 3 \end{vmatrix}$	7 + 9	4 + 6).6 - (0.9	2.7	1.5	10:9 11:5	- 5.8	3 + 10	8 +	7.8 -	7.3	- 4·8 - 1·9	- 7·9 - 7·0	+ 1.5	- 1·	$\begin{bmatrix} 5 \\ -1 \end{bmatrix}$	1 + 5	$\begin{vmatrix} 5 \\ + \\ 3 \end{vmatrix}$	9 - 1.	$\begin{vmatrix} 0 & 1 & 1 \\ 1 & 1 & 1 \end{vmatrix}$	$\begin{vmatrix} 3 \\ + 4.5 \\ 3 \\ + 1.4 \end{vmatrix}$	- 1· + 9·	$\begin{bmatrix} -2 & 6 & 6 \\ 7 & -6 & 6 \end{bmatrix}$	- 7·7 - 3·1	+ 3.0	- 3.2 - 7.5	+10.8	- 6·5 - 7·6	+ 5.1	+12.3	+ 1.5	+ 5.9	- 6·0 - 3·6	5.2	- 7.7 +	4.1	0·3 41·2 6·9 41·2 8·2 41·3
9	- 14·7 - 12·9	τ 3 - 5 - 1	5 ÷ 1	0.9 +	2.5	. 5·0 + 5·4	+ 3.4	$\begin{vmatrix} -3 & -4 & -4 & -4 & -4 & -4 & -4 & -4 &$	4 - 4.8	$\begin{vmatrix} 10 \\ 8 \\ + 10 \end{vmatrix}$	7 + 5 + 5		0.7 +	2.1	- 2·3 - 0·7	- 10·7 6·9	- 1·6 + 5·6	3 + 7· 0 + 4·	6 +	1.5 -	6.8	+ 6·1 - 2·7	- 2·8 - 1·6	+ 0.6	÷ 5.	5 + 7· 7 + 3·	3 - 5	$\begin{vmatrix} 9 & - & 0.4 \\ 3 & + & 3.1 \end{vmatrix}$	4 + 0.	7 + 1.0	$\begin{vmatrix} 0 & + & 3 \cdot 1 \\ 2 & + & 4 \cdot 3 \end{vmatrix}$	+ 13:	$\begin{vmatrix} -8.0 \\ -10.8 \end{vmatrix}$	- 1·8 + 1·5	- 6·2 - 5·8	- 6·1 - 5·1	- 4·3 - 2·6	- 8·1 - 9·1	+ 1.7 -	+ 7·8 + 7·8	- 3·5 - - 3·6 -	- 7·5 - 3·6	- 1·5 - 6·6	- 2·3 - 2·2	- 1·5 + - 2·6 +	2.4 -	2.1 40.6 5.6 40.7
11	- 3·1 - 1·4	+ 10 + 7	9 +	9·6 7·3	4·3 3·6	÷ 12·0 + 9·6	+ 4·7	- 4·8 - 1·9	$\begin{vmatrix} -5.9 \\ 2 - 9.3 \end{vmatrix}$	$\begin{vmatrix} 9 \\ + 5 \end{vmatrix}$	$\begin{vmatrix} 1 \\ + \\ 5 \end{vmatrix} + \begin{vmatrix} 1 \\ + \end{vmatrix}$	$\begin{vmatrix} 5.9 \\ + 6 \end{vmatrix}$	5.4 - 4.2 -	3.6	- 0·8 - 1·9	- 3·3 - 0·4	+ 0·1 - 0·4	+ 5	3 +	9.0 + 3.8 +	1·7 4·5	+ 4·5 - 2·6	- 7·8 - 9·6	+ 2·4 - 1·8	-14· - 4·	7 + 1· 7 - 2·	$\begin{vmatrix} 1 & - & 0 \\ 2 & + & 7 \end{vmatrix}$	$\begin{vmatrix} 9 & 3.8 \\ - & 4.8 \end{vmatrix}$	$\begin{vmatrix} -2 \\ -1 \end{vmatrix}$	$\begin{vmatrix} 2 & 1 & 1 \\ 8 & - & 3 & 2 \end{vmatrix}$	1 + 2·7 2 + 1·5	+ 8.4	$ \begin{vmatrix} 5 & -8.5 \\ 9 & 2.7 \end{vmatrix} $	- 8·2 - 6·4	- 7·2 - 4·9	- 9·8 - 6·9	+ 5.7	- 3·7 - 3·1	+ 0.9	+ 6·5 + 6·4	- 4·6 - 5·2 -	+ 4.9	- 4·6 - - 3·9 -	- 4·6 - 2·1	- 2·3 + - 6·1 +	4·3 5·6	5.6 41.2 6.0 41.4
13	- 1·5 - 2·0	÷ 7 + 5	·5 + 1 ·7 +	2·0 9·6 -	4·3 7·8	+ 34 + 3·7	+ 3.4	- 0·6 + 1·4	$\begin{vmatrix} 6 & -10.5 \\ 4 & -7.5 \end{vmatrix}$	$\begin{vmatrix} 3 & - & 0.3 \\ + & 1.3 \end{vmatrix}$	3 + 6 7 + 3	0·4 + 3 7·0 + 3	3·6 - 2·1 -	3.4 +	- 2·2 - 9·5	+ 3·2 + 5·9	+ 2.6	+ 3	7 + 3 +	4·5 + 3·6 +	2·5 - 7·3	- 4·0 0·0	-22.3 -17.2	+ 2.2	- 3·	$ \begin{vmatrix} 3 & - & 2 \\ 5 & - & 3 \end{vmatrix} $	$\begin{vmatrix} 6 \\ + 6 \end{vmatrix} + 6 \end{vmatrix}$	8 + 0.8	3 - 0.	$\begin{vmatrix} 8 & -2.6 \\ -2.6 & -2.6 \end{vmatrix}$	$\begin{vmatrix} 6 & + & 6.3 \\ - & 0.2 \end{vmatrix}$	+ 10.8	$\begin{vmatrix} 8 & - & 2.8 \\ 8 & - & 3.7 \end{vmatrix}$	- 6·6 - 6·6	- 3·5 + 2·9	+ 0.3	+ 9·1 + 7·2	- 3·4 - 3·5	- 5·3 - 1·4	+ 4·7	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	+ 4·0 + 6·5	- 3·0 - 6·1	9.4	-11:4 +	8·1 — 5·0 —	7·4 42·6 7·4 43·0
15	- 3·2 - 5·3	- 0 - 0	·8 + 1 ·3 + 1	$\begin{vmatrix} 1.4 \\ -2.6 \end{vmatrix}$ -	8·8 9·0	+ 1·0 + 2·9	+ 6·5 + 11·9	$\begin{vmatrix} - & 3.8 \\ - & 0.3 \end{vmatrix}$	$\begin{vmatrix} 8 & -5 \cdot 8 \\ -0 \cdot 1 \end{vmatrix}$	$\begin{vmatrix} 5 & - & 0.5 \\ 1 & - & 0.5 \end{vmatrix}$	$\begin{vmatrix} 9 \\ 4 \end{vmatrix} + \begin{vmatrix} 3 \\ 4 \end{vmatrix}$	$\begin{vmatrix} 1 \cdot 4 \\ 2 \cdot 2 \end{vmatrix} + \begin{vmatrix} 1 \\ - \end{vmatrix}$	1·0 — 1·9 —	4·0 + 5·4 -	- 0.7	+ 4·8 + 3·3	+ 0.2 - 4.3	$\begin{vmatrix} + & 5 \\ + & 6 \end{vmatrix}$	0 + 2 +	8.1 +	8·2 5·9 +	0·0 + 2·1	-12·3	+ 8.9	+ 6.	1 + 0.	6 + 7	$\begin{vmatrix} 3 & -6.6 \\ 4 & -6.7 \end{vmatrix}$	$\begin{vmatrix} 6 \\ - 3 \end{vmatrix} = 0$	$\begin{vmatrix} 8 & -2.9 \\ 4 & +1.9 \end{vmatrix}$	9 0.4	+ 5.6	$\begin{vmatrix} 6 & - & 3.0 \\ 4 & + & 0.5 \end{vmatrix}$	- 4·7 + 1·0	+ 0.8	+ 2·8 + 8·3	+ 3.0	- 4·1 + 0·9	+ 2.6 + 4.0 -	+ 1·0 - 1·0	- 1·5 - - 2·3 -	- 3·0 - 3·0	- 7·2 - - 8·0 +	- 2·8 - - 3·9 -		1	6·5 42·5 8·3 43·3
17	- 6·2 - 3·0	÷ 0	$\begin{vmatrix} \cdot 9 \\ \div 5 \\ + 1 \end{vmatrix}$	1·5 - 0·4 ÷	3.6	÷ 7.8 ÷ 10.0	+ 11.1	+ 3.0	$\begin{vmatrix} 0 & - & 4 & 2 \\ 0 & - & 3 & 2 \\ 0 & 0 & 0 \end{vmatrix}$	$\begin{vmatrix} 2 & -1 & 1 \\ 1 & -5 & 1 \end{vmatrix}$	0 + 4 5 - 9	$\begin{vmatrix} 1 \cdot 3 \\ -7 \\ -1 \end{vmatrix} + \begin{vmatrix} 1 \cdot 7 \\ -1 \cdot 7 \end{vmatrix}$	7·9 - 0·4 -	4·5 - 5·0 -	1.5	- 3·2 - 8·6	+ 0.4	+ 7	0 + + + + +	8.2 + + + + + + + + + + + + + + + + + + +	5·3 - 8·3 -	- 3·8 - 2·5	-13·0 - 7·5	- 4·4 - 6·0	+ 4"	9 - 2	$\begin{vmatrix} 7 & + & 2 \\ 4 & + & 1 \end{vmatrix}$	$\begin{vmatrix} 2 & - & 9 & 6 \\ 0 & - & 6 & 7 \\ 0 & - & 0 & 1 \end{vmatrix}$	$\begin{bmatrix} 5 \\ + 2 \end{bmatrix}$	$\begin{bmatrix} 7 & - & 0.3 \\ 2 & - & 3.7 \\ - & 1.4 \end{bmatrix}$	$\begin{vmatrix} -11.7 \\ -14.0 \\ -11.6 \end{vmatrix}$	- 2·3 + 1·3	$\begin{vmatrix} 3 & 0.0 \\ 1 & + 0.2 \\ 5 & 0.6 \end{vmatrix}$	+ 3.6	+ 9.8	+ 6.6	+ 6.8	+ 8.0 + 5.7	- 3·5 + ·	+ 1·1 + 0·5	- 3·4 - - 2·7 -	- 7·5 - - 3·0 -	- 3·1 + - 5·1 +	2.5 -	- 10.1 +	0.5	1.6 41.9
19	- 1·2	- 1 + 6 · •	·6 +	4.4 +	8.6	+ 7.5 + 5.2 + 10.3	+ 7.0	$\begin{vmatrix} + & 3 \\ + & 1 \end{vmatrix}$	$\begin{vmatrix} 3 & - & 6 & 6 \\ 7 & - & 3 & 6 \\ 2 & - & 5 & 6 \end{vmatrix}$	$\begin{vmatrix} 5 & -67 \\ 4 & -57 \\ 1 & -17 \end{vmatrix}$	$\begin{bmatrix} 2 & -1 \\ 5 & +1 \end{bmatrix}$	3·8 + 1 5·7 + 1	1.9 -	11.0 +	- 1.2	- 0.2 - 0.2 - 6.0	- 1·9 - 6·6	+ 1.	1 +	0.3 +	9.5 -	- 4·0 - 5·3		-	1.	· · ·	$\begin{bmatrix} 7 & + & 0 \\ -5 & - & 3 \end{bmatrix}$	' - `	$\begin{vmatrix} + & 4 & 6 \\ 3 & + & 6 \end{vmatrix}$	$ \begin{vmatrix} 7 & -1 \\ 7 & +2 \\ \hline \end{cases} $	$\begin{vmatrix} 3 & -110 \\ -8.1 \\ -7.5 \end{vmatrix}$	- 3% - 4% - 2%	$\begin{vmatrix} 2 & + & 2 & 6 \\ 2 & + & 1 & 8 \\ 5 & - & 3 & 5 \end{vmatrix}$	+ 3.5	+ 1.8	+ 8.8	+ 3.8	+ 4.1	$\begin{bmatrix} + & 0.2 & 4 \\ - & 1.5 & - \\ - & 4.3 & - \end{bmatrix}$	- 7·2 - 6·5	+ 7.1 -	- 3·6 - - 0·7 -	- 13·2 - 10·8	- 3.4 -	- 7·9 + - 5·9 +	3.5 -	0.6 42.8 4.4 43.0 3.0 42.7
				- 1			1		8 - 6.3	7 + 2	5 -	0.3 +	3.2	11:4	- 6.1	+ 4.3	- 2.1	+ 5.	8 _	2.8 + 1	11.5	÷ 0·8	+ 3.5	- 1.0	+ 4	2 + 3	1 - 2	2 - 2.0) + 3.	3 + 9.6	6 - 8.4	- 0.5	9 - 8.3	- 1.3	- 6.4	+ 0.9				•	+ 4.7	- 0.9	- 7:0 -	- 4.6 _	- 3.0 +	6.1	2·3 42·7 6·5 42·6
	- 4·1	÷ 8	3·1 -	4.4	5.2	+ 9.4	- 4.9	2.	5 - 5	5 + 0	8 -	1.9 +	2.6	10.4	- 0.9	+ 7.6	- 6:6	5 + 4·	2 -	1.4 + 1	10.9	+ 0.3	+ 2.4	+ 0.4	+ 1	3 + 4	3 - 6.	7 - s·3	3 + 3	5 + 3.8	9 -12.2	+ 0.3	1 - 9.6	- 3.7	- 0.6	+10.0	+ 6.8	- 0.6	+ 7.2	+ 8.4	+ 7.6	- 6.1	- 6.9	4.1 +	8.6 –	5.0	3·0 42·4 1·6 42·4
26 27	- 7:0	÷ 1	·2 +	1.5	- 1.5	+ 9.6	+ 9.4	4 + 3	5 - 8	1 + 5	3 +	0.2 -	3.0	8.1	- 0.9	+ 5.0	- 6.8	÷ 3·	6 +	1.9	3.9	+ 6.7	+ 8.9	- 0.1	+ 6	4 + 5	2 - 4	0 -12.2	2 + 5%	8 - 7.2	2 - 4.6	- 1.0	0 - 4.8	- 6.8	+ 0.3	0.0	+ 6.0	- 0.4	+ 5.7	6.3	+ 2.4 -	- 7:1 -	- 11·3 ÷	5.0 +	+ 1.9 +	3.2	1.6 42.9 8.8 44.4
28 29	- 0.8	_ 1	1.2 -	5.6 +	0.3	+ 8.8	- 2.6	5 + 0	2 + 0	5 + 0	4 -	5.2 -	0.7	1.4	- 5.5	- 1.9	- 1.6	3 + 5	6 +	9.0	0.2	+ 2.1	+ 0.3	+ 0.6	- 5	5 + 3	7 - 2	7 - 5.2	2 + 1.5	9 + 4.5	7.0	+ 3.5	5 - 8.4	8.7	+ 3.7	+ 2.4	+ 4.0	+ 6.8	+ 1.4 +	- 0.7	+ 6.3 -	- 6.9 -	- 8.8 +	12.3	- 0.8 -	1.3	7·6 44·6 7·6 44·6
31		ı	- 1		1		1	4	- 1	- 1	- 1	- 1	I	- 1	- 1		1	ļ	Ť		- 1				1			1	1		1	1	1	1	1 7	,				Ĺ			. 1			,	7.0 44.4 4.3 45.1
3	+ 1.0	+ 3	3.0 ÷	3.0	- 1.5	+ 6.1	+ 4.	+ 0	3 - 3.	5 + 3	+	0.4 +	2.4 _	4.8	- 0.1	- 0.8	- 3:0	+ 4	5 +	3.2 +	1.4	+ 0.1	- 5.5	+ 1.7	- 1	0 + 1	4 + 0	7 - 2.7	+ 0.	7 - 1.4	4 - 3.8	+ 1.6	6 - 4.0	- 2.9	+ 0.1	- 0.0	+ 4.0	- 0.6	+ 1.4 +	1.5	+ 2.3	1:0	5.6	1.3	3.8 +	3.0	4.3

TABLE XIX. Excess or Defect of Temperature on every day in the month of April, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

APRIL.				*
DAY OF				40
MONTH 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 186	360 1861 1862 186	1864 .1865	1866 1.867 186	8 1869
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	3 -0.7 + 0.5	- 2·7 + 7·4 + 2·	8 - 4.9 45
$ \begin{vmatrix} 2 & + & + & + & + + + + +$		1 1 1	!	100
$ \begin{vmatrix} 4 & + $) i i		1 1
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	$2.7 \left -4.7 \right + 3.6 \right + 3$	0 -4.0 + 6.2	0.0 + 5.8 + 6	9 - 3.5 48
	4.6 - 8.0 - 3.8 + 1	$ \cdot 8 + 0.3 + 5.8 $	+ 0.9 + 0.8 - 1	9 + 6.8 4
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	7.1 - 5.9 - 0.5 + 8	··5 + 7·5 + 9·0	+ 0.7 +1.3 - 6	1 + 8.0 4
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	1 1		i • 1	
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		1 1 1	\	
$ \begin{vmatrix} 15 & +10\cdot4 & + 4\cdot5 & + 3\cdot0 & + 1\cdot4 & + 7\cdot9 & + 4\cdot9 & + 4\cdot1 & -5\cdot4 & -2\cdot6 & -1\cdot7 & - 3\cdot1 & - 6\cdot3 & + 0\cdot6 & - 0\cdot5 & + 2\cdot0 & - 2\cdot2 & - 4\cdot8 & + 4\cdot4 & + 6\cdot7 & - 6\cdot0 & + 3\cdot4 & - 7\cdot6 & - 1\cdot3 & - 6\cdot0 & + 2\cdot2 & - 3\cdot6 & + 1\cdot0 & - 2\cdot1 & + 3\cdot0 & + 5\cdot9 & - 1\cdot3 & - 8\cdot7 & + 7\cdot1 & - 9\cdot0 & - 1\cdot0 &$	1.4 - 3.1 - 15.1 + 0	+8.0 - 1.3	+ 3.5 + 3.0 + 0.	6 + 5.3 4
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	2.6 + 1.1 + 0.3 + 7	6 + 1.5 + 8.3	+ 2.8 + 6.6 + 5.	7 - 0.9 48
$ \begin{vmatrix} 18 & + & 1 \cdot 8 & - & 2 \cdot 1 & + & 1 \cdot 8 & + & 3 \cdot 1 & + & 6 \cdot 4 & - & 1 \cdot 2 & + & 3 \cdot 6 & - & 7 \cdot 6 & + & 1 \cdot 0 & - & 5 \cdot 0 & - & 2 \cdot 1 & - & 7 \cdot 0 & - & 1 \cdot 0 & - & 2 \cdot 1 & - & 7 \cdot 0 & - & 1 \cdot 0 & - & 2 \cdot 1 & - & 2 \cdot 0 & - & $	10.3 - 4.8 + 5.7 + 1	4 + 8.2 + 6.0	+ 5.2 + 9.7 + 2.	8 + 0.7 48
$ \begin{vmatrix} 20 & + $, , ,			
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	1 1	1 1 1	i I	
$ \begin{vmatrix} 24 & \begin{vmatrix} -3 \cdot 4 & \begin{vmatrix} -9 \cdot 1 & \end{vmatrix} + 3 \cdot 6 & \begin{vmatrix} -2 \cdot 5 & \end{vmatrix} + 3 \cdot 2 & \begin{vmatrix} -2 \cdot 8 & \end{vmatrix} + 1 \cdot 2 & \begin{vmatrix} -4 \cdot 3 & \end{vmatrix} + 3 \cdot 9 & \begin{vmatrix} -4 \cdot 6 & \end{vmatrix} + 2 \cdot 6 & \begin{vmatrix} -4 \cdot 1 & \end{vmatrix} + 2 \cdot 6 & \begin{vmatrix} -4 \cdot 8 & \end{vmatrix} + 2 \cdot 9 & \begin{vmatrix} -4 \cdot 8 & 4 & 4 & 4 & 4 & 4 & 4 & 4 & 4 & 4 &$	1.1 + 1.3 + 7.9 + 0	1 +0.2 + 5.6	+ 1.4 +5.2 + 3.	4 + 6.4 49
$ \begin{vmatrix} 26 & -2.8 & -7.8 & +1.4 & -4.8 & +5.7 & +5.7 & -6.3 & +3.8 & -2.7 & -8.2 & -3.1 & +2.3 & -6.0 & -3.2 & +10.8 & +9.1 & +3.5 & -5.6 & +9.2 & +4.5 & -8.4 & +0.2 & -6.8 & -2.1 & +1.0 & -1.1 & +0.3 & -7.9 & -2.3 & -4.7 & +3.8 & -9.7 & -1.2 & +4.4 & -6.2 & -6.2 & -4.2 & $	$6.5 \left -0.1 \right + 6.0 \right + 3$	0 + 0.7 + 10.2	+10.6 - 0.1 + 1.3	3 + 4.5 491
$ \begin{vmatrix} 27 & -7.0 & +0.7 & +5.2 & -2.4 & +6.0 & +5.7 & -4.5 & +5.8 & +8.7 & -9.5 & -7.1 & -3.9 & -8.1 & +1.5 & +11.2 & +14.6 & +3.4 & -2.3 & +2.1 & +3.4 & -4.6 & +2.9 & -3.9 & +1.3 & -4.1 & -7.4 & -5.6 & -4.8 & -2.3 & -4.6 & -8.8 & -8.4 & -1.2 & -2.3 & -6.9 & -8.4 & -1.2 & -2.3 & -6.9 & -8.4 & -1.2 & -2.3 & -6.9 & -8.8 & -8.4 & -1.2 & -2.3 & -6.9 & -8.8 & -8.4 & -1.2 & -2.3 & -6.9 & -8.8 & -8.4 & -1.2 & -2.3 & -6.9 & -8.8 & -8.4 & -1.2 & -2.3 & -6.9 & -8.8 & -8.4 & -1.2 & -2.3 & -8.1 & -1.2 & $	$5.2 \left -8.9 \right + 4.9 \right + 0$	6 - 4.5 + 8.3	+ 8.4 + 0.7 + 0.3	1 + 7.0 501
$ \begin{vmatrix} 29 & \begin{vmatrix} -9.4 & +9.7 & +16.1 & -10.5 & +12.1 & +5.9 & +0.1 & -5.4 & +7.2 & -6.2 & -10.7 & +0.6 & -7.2 & +3.2 & +10.7 & +7.3 & +6.7 & +10.0 & +0.5 & +7.6 & -2.5 & -1.7 & -6.3 & +4.7 & -2.6 & -5.9 & +5.5 & -4.7 & -5.8 & -4.4 & -5.4 & -4.9 & +1.2 & +5.5 & +0.2 & +3.2 & +10.7 & +3.2 & +10.7 & +3.2 & +10.7 & +3.2 & +10.7 & +3.2 & +10.7 & +3.2 & +10.7 & +3.2 & +10.7 & +3.2 & +10.7 & +3.2 & +10.7 & +3.2 & +10.7 & +3.2 & +3.2 & +10.7 & +3.2 & +$				
Means + 2·5 + 1·9 + 1·6 - 2·3 + 2·8 + 3·4 + 0·8 - 1·0 -0·6 + 0·8 - 2·6 - 6·1 - 3·9 - 3·5 + 2·6 0·0 - 0·6 + 1·0 +4·4 -0·1 -0·4 - 2·9 + 0·1 - 3·3 +1·5 -1·7 -1·4 - 1·1 + 1·6 - 1·2 -0·5 - 1·4 + 0·2 -0·6 - 4·6 -1·2 -1·4	4·4 - 3·5 + 1·1 +2	1 +1·3 + 4·6	+ 1.3 + 3.3 + 1.5	4 + 3.2
	A STATE OF THE STA	1 1 1	A	

TABLE XX. Excess or Defect of Temperature on every day in the month of May, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

MAY.		OF 44
1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1865 1865 1865 1865 1865 1866 1867 1866 1867 1866 1867 1866 1867 1866 1867 1866 1867 1866 1867 1866 1867 1866 1867 1866 1867 1866 1867 1866 1867 1866 1867 1866 1867 1866 1867 1866 1867 1866 1867 18	1866 1867 1868 1869	MEANS
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\begin{vmatrix} -13.6 \\ +1.5 \\ +7.2 \\ \end{vmatrix} = 7.1 \begin{vmatrix} 0.7 \\ -7.1 \end{vmatrix}$	21.0
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$		
	$\begin{vmatrix} -9.6 \\ 9.2 \\ +5.8 \\ +1.5 \\ -9.6 \end{vmatrix}$	22.5
	$\begin{vmatrix} -3.6 \\ -2.9 \end{vmatrix} + \begin{vmatrix} 6.8 \\ -3.6 \end{vmatrix} - \begin{vmatrix} 3.6 \\ -3.6 \end{vmatrix}$	52.2
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	+ 0.6 + 12.8 - 5.7 + 2.3	52.9
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	+ 1.1 + 12.4 - 1.4 + 3.4	52.4
	3 + 3.1 + 14.8 + 3.6 - 1.4	1 1
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	+ 2.6 + 10.3 + 5.8 + 0.6	52.4
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\begin{vmatrix} + & 36 & + & 122 & + & 36 & + & 45 \\ - & 0.8 & + & 6.9 & + & 4.5 & & 0.0 \end{vmatrix}$	52.8
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	- 5.4 + 1.2 + 5.4 - 1.7	53.0
	$\begin{vmatrix} -11.9 \end{vmatrix} - 5.2 \end{vmatrix} + 4.2 \end{vmatrix} - 1.1 \end{vmatrix}$	52.7
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\begin{vmatrix} -6.1 & -6.5 & +6.1 & -1.9 \end{vmatrix}$	23.1
$\begin{bmatrix} 3 & 3 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 &$	$\begin{vmatrix} -8.2 & -8.7 & +7.9 & -1.0 \\ -7.0 & -8.8 & +5.6 & -5.1 \end{vmatrix}$	54.1
$ \begin{vmatrix} 16 \\ + 2 \cdot 4 \\ + 5 \cdot 6 \\ + 6 \cdot 1 \end{vmatrix} + 3 \cdot 6 \begin{vmatrix} + 6 \cdot 9 \\ + 1 \cdot 2 \end{vmatrix} + 3 \cdot 6 \begin{vmatrix} + 6 \cdot 9 \\ + 1 \cdot 2 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 1 \cdot 2 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 4 \cdot 4 \end{vmatrix} + 3 \cdot 5 \begin{vmatrix} + 2 \cdot 9 \\ + 2 \cdot 6 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 3 \cdot 6 \begin{vmatrix} + 6 \cdot 9 \\ + 1 \cdot 2 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 1 \cdot 2 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot 4 \end{vmatrix} + 4 \cdot 4 \begin{vmatrix} + 6 \cdot 9 \\ + 2 \cdot $	$\begin{vmatrix} -70 \\ -4.0 \end{vmatrix} - 5.6 \begin{vmatrix} +3.2 \\ +3.2 \end{vmatrix} - 2.1 \end{vmatrix}$	54.0
$ \begin{vmatrix} 17 & + + + + + + + + + $		22.1
$ \begin{vmatrix} + 5 \cdot 2 & + 6 \cdot 3 & + 2 \cdot 4 & + 1 \cdot 8 & + 5 \cdot 3 & + 3 \cdot 3 & -1 \cdot 2 & + 3 \cdot 8 & -2 \cdot 3 & + 5 \cdot 4 & -3 \cdot 8 & -12 \cdot 3 & -2 \cdot 0 & + 4 \cdot 0 & -6 \cdot 0 & -3 \cdot 4 & -2 \cdot 8 & -3 \cdot 9 & -4 \cdot 7 & -7 \cdot 3 & + 0 \cdot 5 & + 1 \cdot 4 & -1 \cdot 4 & + 1 \cdot 1 & + 1 \cdot 9 & -5 \cdot 3 & + 3 \cdot 7 & + 2 \cdot 5 & -6 \cdot 6 & + 1 \cdot 6 & -1 \cdot 4 & + 5 \cdot 8 & -3 \cdot 9 & +1 \cdot 5 & -1 \cdot 2 & -7 \cdot 0 & + 4 \cdot 9 & -9 \cdot 2 & +10 \cdot 6 & + 0 \cdot 4 & -10 \cdot 6 & -1 \cdot 4 & -1 $	$\begin{vmatrix} + & 1.3 \end{vmatrix} + & 2.0 \end{vmatrix} + 16.1 \end{vmatrix} - 7.8$	55.8
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	+ 0.8 + 2.7 + 3.5 - 7.4	1 1
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\begin{vmatrix} -3.2 \\ 9.4 \end{vmatrix} - 7.4 + 1.8 \begin{vmatrix} -5.2 \\ 2.1 \end{vmatrix} - 5.2$	26.3
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\begin{vmatrix} -2.4 & -14.2 & +3.1 & -4.2 \\ -5.0 & -16.5 & -0.5 & -1.8 \end{vmatrix}$	22.3
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\begin{bmatrix} -9.8 \\ -12.4 \\ -1.8 \\ +1.3 \end{bmatrix}$	56.6
$ \begin{vmatrix} 25 & 28 & +34 & +10 & +62 & +68 & +42 & +75 & +36 & +55 & -62 & -100 & -36 & -84 & +47 & +79 & -38 & -04 & -25 & +34 & +10 & +62 & +68 & +42 & +75 & +36 & +55 & -62 & -100 & -36 & -84 & +47 & +79 & -38 & -04 & -25 & +34 & +47 & +79 & -38 & -04 & -25 & +34 & +47 & +79 & -38 & -04 & -25 & +34 & +47 & +79 & -38 & -04 & -25 & +34 & +47 & +79 & -38 & -04 & -25 & +34 & +47 & +79 & -38 & -04 & -25 & +34 & +47 & +79 & -38 & -04 & -25 & +34 & +47 & -69 & +46 & +33 & -03 & -20 & -78 & -15 & 000 & -254 & -38 & -21 & -103 & -08 & +77 & -12 & +04 & -51 & -65 & +70 & -07 & +58 & +45 & +02 & +31 & -100 & +51 & +47 & -69 & +46 & +33 & -03 & -20 & -78 & -15 & 000 & -20 $	$\begin{vmatrix} -4.2 & -9.5 & +2.1 & +3.8 \end{vmatrix}$	56.3
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	+ 1.1 - 0.9 + 2.5 + 2.6	30 3
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	- 24 + 01 + 23 - 47	3/ 4
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	- 0.6 + 3.6 + 0.6 -13.9	300
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	- 1·4 + 4·5 + 7·8 - 5·9	57.3
$ \begin{vmatrix} 30 \\ -31 \end{vmatrix} + \begin{vmatrix} 5 \cdot 0 \\ +6 \cdot 3 \end{vmatrix} + \begin{vmatrix} 6 \cdot 3 \\ +1 \cdot 6 \end{vmatrix} + \begin{vmatrix} 2 \cdot 5 \\ +1 \cdot 7 \end{vmatrix} - \begin{vmatrix} 2 \cdot 5 \\ -3 \cdot 1 \end{vmatrix} + \begin{vmatrix} 2 \cdot 5 \\ -3$	+ 1.6 + 3.6 + 2.0 - 9.1	57.6
Means - 1.5 + 1.9 + 2.9 + 1.4 + 2.5 + 0.1 - 1.2 + 6.6 + 3.4 - 0.3 - 1.4 - 4.9 - 1.1 - 1.2 + 2.2 + 4.5 + 0.6 - 1.3 - 0.7 - 4.2 + 2.3 + 2.9 + 4.6 + 1.3 - 2.5 - 1.9 - 1.7 - 1.9 - 2.6 - 4.6 - 3.8 + 0.5 - 1.3 - 0.6 - 0.2 - 1.8 + 2.4 - 1.5 + 0.4 + 2.2	- 3.3 + 0.3 + 4.1 - 2.9	

TABLE XXI. Excess or Defect of Temperature on every day in the month of June, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

DAY OF	JUNE.
	1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869
$\begin{vmatrix} -6.5 \\ -6.4 \end{vmatrix} = 1.4 + 5.9 + 0.8$	$ \begin{bmatrix} \circ & \circ$
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	$ \begin{vmatrix} \pm 2.8 \\ + 3.0 \end{vmatrix} \begin{vmatrix} \pm 2.6 \\ -0.7 \end{vmatrix} + \begin{vmatrix} \pm 1.2 \\ + 2.0 \end{vmatrix} + \begin{vmatrix} \pm 2.0 \\ + 3.4 \end{vmatrix} - \begin{vmatrix} \pm 2.0 \\ + 3.4 \end{vmatrix} + \begin{vmatrix} \pm 2.0 \\ + 3.4 \end{vmatrix} + \begin{vmatrix} \pm 2.0 \\ -0.7 \end{vmatrix} + \begin{vmatrix} \pm 2.0 \\ + 3.4 \end{vmatrix} + \begin{vmatrix} \pm 2.0 \\ -0.7 \end{vmatrix} + \begin{vmatrix} \pm 2.0 \\ + 3.4 \end{vmatrix} + \begin{vmatrix} \pm 2.0 \\ -0.7 \end{vmatrix} + \begin{vmatrix} \pm 2.0 \\ + 3.4 \end{vmatrix} + \begin{vmatrix} \pm 2.0 \\ -0.7 \end{vmatrix} + \begin{vmatrix} \pm $
7 $\begin{vmatrix} + & 1.6 & -1.8 & -5.6 & -6.3 & -2.6 \\ 8 & + & 0.3 & -2.3 & -2.4 & -7.4 & -4.7 \end{vmatrix}$	$\begin{bmatrix} -5 \cdot 2 & -3 \cdot 1 & +3 \cdot 5 & -1 \cdot 9 & +3 \cdot 4 & +0 \cdot 1 & -1 \cdot 7 & -7 \cdot 9 & +1 \cdot 4 & +4 \cdot 9 & -0 \cdot 3 & +3 \cdot 2 & -3 \cdot 8 & +3 \cdot 4 & -1 \cdot 9 & -3 \cdot 4 & -3 \cdot 8 & +3 \cdot 4 & -1 \cdot 9 & -3 \cdot 4 & -3 \cdot 8 & +3 \cdot 4 & -3 \cdot 9 & -3 &$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{vmatrix} +2\cdot2 & +2\cdot3 & +8\cdot8 & + & 0\cdot2 & +10\cdot5 & + & 2\cdot2 & +0\cdot3 & -1\cdot3 & + & 3\cdot4 & +0\cdot4 & -& 4\cdot3 & + & 6\cdot3 & -& 4\cdot1 & -& 0\cdot8 & +& 5\cdot8 & -& 8\cdot2 & -& 2\cdot3 & -& 10\cdot2 & + & 5\cdot4 & -& 9\cdot2 & -& 9\cdot7 & +& 6\cdot2 & -& 1\cdot7 & -& 1\cdot8 & +& 1\cdot7 & -& 4\cdot5 & +& 8\cdot6 & +& 1\cdot3 & -& 7\cdot2 & -& 4\cdot0 & -& 2\cdot5 & -& 1\cdot8 & -& 0\cdot6 & +& 3\cdot8 & +& 9\cdot7 & +& 5\cdot2 & -& 2\cdot6 & -& 5\cdot6 & -& 3\cdot5 & -& 7\cdot9 & +& 6\cdot9 & -& 1\cdot2 & -& 0\cdot8 & -& 0\cdot3 & -& 5\cdot9 & +& 3\cdot9 & +& 1\cdot2 & -& 2\cdot5 & +& 8\cdot8 & -& 0\cdot7 & +& 1\cdot2 & -& 2\cdot6 & +& 7\cdot8 & +& 3\cdot9 & +& 1\cdot8 & +& 10\cdot3 & +& 2\cdot8 & +& 2\cdot6 & +& 2\cdot2 & +& 7\cdot8 & -& 5\cdot9 & -& 0\cdot6 & -& 4\cdot1 & -& 8\cdot3 & -& 0\cdot9 & -& 3\cdot3 & +& 0\cdot9 & -& 1\cdot3 & -& 8\cdot0 & +& 5\cdot3 & -& 1\cdot8 & -& 0\cdot6 & -& 4\cdot6 & -& 4\cdot9 & -& 1\cdot4 & -& 7\cdot1 & -& 1\cdot8 & +& 10\cdot3 & +& 2\cdot8 & -& 3\cdot2 & -& 10\cdot2 & +& 5\cdot4 & -& 9\cdot2 & -& 9\cdot7 & -& 9\cdot6 & -&$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \begin{vmatrix} +2.6 & +3.1 & -6.2 & +0.3 & -0.1 & +4.4 & +5.5 & -3.1 & +8.6 & +0.5 & -10.7 & +10.1 & -8.9 & +7.6 & +8.4 & -1.5 & -7.2 & -5.6 & -1.9 & +0.9 & -5.3 & -8.6 & -6.5 & +0.1 & -1.7 & -9.1 & +7.9 & +3.9 & -7.2 & +5.9 & -4.1 & -5.7 & -5.5 & +1.0 & -4.2 & -0.5 & +5.3 & -0.8 & +0.5 & -0.3 & -0.8 & +0.5 & -0.8 & +0.4 & -0.8 & +0$
$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$	$ \begin{vmatrix} +2\cdot2 & +3\cdot1 & -0\cdot6 & -1\cdot2 & +8\cdot3 & +3\cdot5 & +5\cdot9 & +1\cdot6 & +1\cdot4 & +6\cdot3 & -4\cdot2 & +1\cdot6 & -1\cdot1 & -1\cdot9 & 0\cdot0 & +9\cdot8 & -6\cdot5 & +6\cdot6 & -1\cdot9 & -7\cdot6 & -1\cdot6 & -2\cdot7 & +3\cdot2 & -4\cdot7 & -6\cdot4 & -1\cdot7 & -0\cdot1 & +16\cdot7 & -0\cdot2 & -3\cdot0 & +4\cdot1 & -5\cdot3 & -1\cdot2 & -0\cdot3 & -1\cdot1 & -1\cdot6 & -7\cdot3 & +4\cdot4 & -11\cdot3 & +3\cdot1 & +3\cdot4 & +1\cdot6 & -3\cdot7 & +7\cdot6 & +3\cdot6 & +3\cdot$
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
26 +10·2 +3·4 +8·5 + 3·1 +3· 27 +13·1 +0·4 +7·9 +6·	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$\begin{vmatrix} 29 & + 7.9 & + 0.8 & + 4.3 & - 6.5 & -0.5 \end{vmatrix}$	$ \begin{vmatrix} -4 \cdot 8 & +4 \cdot 5 & +5 \cdot 2 & -0 \cdot 4 & -6 \cdot 9 & +7 \cdot 1 & -4 \cdot 6 & +0 \cdot 3 & -5 \cdot 9 & +0 \cdot 5 & -6 \cdot 5 & +3 \cdot 1 & -8 \cdot 7 & -1 \cdot 8 & -8 \cdot 1 & +2 \cdot 9 & +3 \cdot 5 & -3 \cdot 2 & -6 \cdot 7 & +2 \cdot 9 & +3 \cdot 5 & -3 \cdot 2 & -6 \cdot 7 & +2 \cdot 9 & +3 \cdot 5 & -3 \cdot 2 & -6 \cdot 7 & +2 \cdot 9 & +3 \cdot 1 & -6 \cdot 8 & -2 \cdot 4 & +6 \cdot 2 & -6 \cdot 5 & +3 \cdot 1 & -6 \cdot 8 & -2 \cdot 4 & +6 \cdot 2 & -6 \cdot 5 & +3 \cdot 1 & -6 \cdot 8 & -2 \cdot 4 $
Means + 3.5 -0.1 $+2.2$ -0.2 -2	7 + 0.9 + 0.5 + 0.6 + 1.4 + 0.7 + 2.1 + 0.3 -1.2 + 0.5 +

TABLE XXII. Excess or Defect of Temperature on every day in the month of July, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

DAT O								_							•							Jυ	LY.		. ,											<u> </u>			-		0F 44 RS
MONT	1826	182	7 1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1859	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851 18	52 1855	3 1854	1855	1856	1857	1858 185	9 1860	1861	1862	1863	1864	1865 18	366 186	7 1868	MEANS 1881
1	+ 8.5	+ 2	3 + 3.9		+ 3.5	-0.2	+5.2	-8.9	+ 1.5	+2.9	+ 12:6	-7·3	+3.6	-5·6	+ 0.8	+ 0.2	-2·7	- 0·4	+ 2.8	-0·4	+ 2.2	+ 0.6	-8·0	0 + 4·5	-0.9	+7.0 - 0	0.1 -4.	1 - 54	+ 5.3	- 4·5	-0.6	-3.8 + 0	0.3	+2.8	-4.2	+ 0.3	-8.2	-2·2 -	2.2 + 5	- 1.5	- 3.0 6i.3
3	± 10·3	+ 0·	7 + 10-9	3 −4 ·3	2.6	+ 0.7	-0.7	-6.3	÷ 1.0	+ 2.7	+ 5.9	+ 2.2	1.8	-1.3	- 3.2	+ 3.2	+1.1	+ 4.3	_ 2.9	+ 6.2	+ 1.8	- 0.8	-2.6	+1.6	-0.9	-3.6 + 3	1.9 -2.1	1 + 1.2	+4.3	- 5.6	÷0.3	-7.5 + 3	9 - 0.5	5 -0.7	-8.2	+ 2.8	-6.6	+ 0.2	6.5 + 0	.7 + 3.2	$\begin{vmatrix} -3.0 & 62.0 \\ -4.0 & 62.6 \end{vmatrix}$
5	+ 7.8	- 1.	1 + 3.4	1 - 1.8	-1.7	+ 3.0	+1.8	-1.0	+ 4.5	-0.7	+ 14.3	+ 4.2	+1.8	-0.1	- 4.5	+ 2·1	-5.6	+ 9.6	- 4.3	+0.8	+10.1	+ 4.3	+1.4	-2.4	-7.4	-3.6 $+16$	5.2 +1.6	0 - 6.9	-1.9	- 3·0 	-1.7	-5·9 + 0	.9 - 6.5	-4.9	-2.9	-0.4	-9.9	+ 3.6	6.1 - 1	.4 - 4.6	+ 1·0 63·5 + 1·9 64·0
7	÷ 8·1	+ 6.	1 + 4.5	5 -4.9	- 2.8	+ 1.8	+ 0.9	+ 1.0	+ 5.7	0.2	+ 1.9	+ 0.2	-1.6	÷ 4.8	- 3.4	-2.6	-6.7	- 1.8	- 2.5	+ 7.7	- 2.3	+ 2.0	+1.2	+ 6.2	- 8.0	+1.2 + 9	9.6 + 8.0	5 - 5.0	-1.3	- 6 ⋅3	-7 ·6	- 3·5 + 6	9 - 7.1	-0.3	-4.3	+ 4.9	-5.1	+ 1.6	5.3 - 3	0 + 2.7	+ 1·4 63·9 + 0·7 62·9
9	+ 7.3	+ 7.	6 0.0	$ -\bar{s}^{*} $	- 4.7	+ 9.6	+ 3.1	-4.4	- 0.7	+0.4	+ 5.3	4.6	+ 3.0	-2.9	- 4.7	4.3	-2.6	- 2.2	- 1.5	-1.2	+ 0.1	+ 3.2	-4.7	+4.2	-6.1	-2.3 + 9).7 + 4.6	6 - 2.4	+4'6	-10.0	- 5.0	-4.7 + 4	8 - 4.7	+ 0.1	-4.4	+ 5.2	-5.4	+1.1 +	4.8 - 0	.3 + 8.1	+ 5.2 62.5 - 0.5 62.5
11	+ 3.4	÷ 4.	2 + 1.0	-2.6	- 6.7	+4.1	+1.6	-1.9	+ 1.4	-3.2	+ 10.4	-0.2	+ 5.0	+ 4.1	- 6.7	-8 ·2	+2.3	- 6.2	+ 2.8	-4 ·9	- 1.6	+ 6.1	-2.5	+ 1.3	-2.1	-2.5 + 6	$6.4 \mid -3.1$	1 - 5.7	-2.7	+ 0.1	+0.8	+1.0 + 8	4 - 4.8	4.1	-9.1	+4.4	+3.1	-5.9 +	5.4 = 0.	3 + 5.3	+ 1.7 62.7 + 2.1 63.5 + 9.5 63.9
13 14	+ 0.7	+ 3.	8 - 5.5	6 + 0.3	- 3.2	-3.7	+4.3	-8.5	+ 2:3	-2.8	+ 1.3	-1.8	+ 7.9	+ 0.6	-11.1	-4.9	-2.4	- 2.9	- 1:8	-4.5	+ 7.1	+11.0	+ 3.4	+ 0.9	-0.9	-1.8 + 6	5.9 - 0.7	7 - 4.5	+ 3.2	- 1.9	+2.9	+ 0.8 + 9	·7 - ·3·2	+1.7	-1.8	+4.7	-6.9	-5.2 +	9.3 - 1.	5 + 3.3	+ 0.3 64.3 + 0.3 64.0
15 16	÷ 0.5	÷ 0·	8 - 4.0) + 2.1	- 1.2	0.2	-1.6	-2.9	+ 3.8	+1.7	- 5.3	-1.2	-3.7	-3.1	- 0.7	-6.2	-3.9	+ 2.2	- 3.2	-8.0	+ 1.1	+ 8.0	-5.7	-1.6	+8.8	-4.1 + 8	-7.8	3 - 4.0	+ 0.5	+ 0.3	+ 7.9	+ 9.6 + 6	2 - 3.4	-1.3	-5.5	+4.9	-0.4	+4.0	4.4 - 4.	4 + 6.6	+ 1·7 64·3 + 8·4 63·7
17 18	÷ 0.4	÷ 3·	8 + 1.4	4 - 4.8	- 2.7	+ 0.8	+4.7	+ 3.7	+12.6	÷ 1·6	- 2.3	$\left. \left\{ -0.7 \right\} \right.$	+ 0.2	+ 4'4	- 0.4	- 3.3	-1.3	+ 5.6	- 2.8	-1.5	- 2.6	- 1.8	-0.9	2.5	+ 4.4	-4.0 + 2	-5.8	3 - 2.6	-6.1	- 6.0	-0·2	+2.0 + 8	0 - 2.6	-1.6	-4.9	-6.4	-0.3	-0.8	1.1 - 2.	1 + 7.3	+10.6 64.4
19 20			$\begin{vmatrix} 9 & - & 0.8 \\ 3 & - & 2.3 \end{vmatrix}$	1	1	I	1	4 1	1		1													1	I .							1		1	1			,	- 1	r	+ 2·1 62·4 - 3·7 62·3
21	÷ 0.5	- 0	9 - 0.9	5 + 2.1	+ 4·1	-4.1	-5.7	-5.2	- 1.5	÷ 4.8	- 4.7	+ 0.7	-9.4	-0.1	- 4·7	-5.2	-7 ·9	- 4·1	+ 5.4	- 0.1	+ 2.5	- 1.8	+ 1.6	-0.8	+7.4	+ 2.3 + 2	8 -3.0	+ 5.6	+ 1.2	⊦ 6.2	+ 3.9	-0.4 + 5	4 - 6.1	-2.1	-3.4	-6.0	+0.7	+ 3.2	8.1 - 1.4	6 + 12.5	+ 3·2 62·5 + 12·4 63·2
	- 1.1	÷ 6	8 + 1-8	5 ÷ 4·0	6 + 3.3	0.0	-1.7	-2.2	+ 3.2	+ 5.2	- 3.1	+ 3.8	-5.5	+2.2	- 1.0	- 5.7	+2.3	− 8·5	+ 7.8	-4.3	- 2.9	+ 1.3	-1.7	-5.2	-0.8	-6.1 + 5	5.5 3.0	+ 9.8	-0.7	+ 2.8	+ 5.3	+1.6 - 3	7 - 8.1	-1.8	-4.2	-5.8	+ 3.9	+4.1 -3	3.8 - 1.5	2 + 4.4	+ 4·4 63·4 + 3·8 62·8
26	+ 0.7	÷ 1	7 - 20	0 -7:	3 + 12·4	+ 3.6	+ 0.4	+ 3.2	+ 1.6	+4.0	+ 4.0	+6.1	- 3.5	- 2.9	- 3.3	-0.0	-1.8	+ 1.5	+ 1.2	-2.3	+ 2.5	- 1.2	-2.1	-3.1	-1.1	-2.7 + 4	-1.9	+ 4.5	5.6	- 0.4	+ 0.8	-2.2 + 6	8 - 7.4	-5.7	+ 1.2	-7:4	+0.4	+4.4 + (9.8	3 + 6.5	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
28 29	- 0.6	÷ 7	7 - 3	$1 - 2^{-6}$) + 8·4	+ 8.3	-4.5	+7.3	+ 2.9	+ 7.0	+ 7.2	+ 4.3	-2:6	- 5.4	+ 1.6	-4.0	+0.4	- 0.7	+ 7:3	- 6.8	+ 6.2	+ 2.7	-0.3	-0.5	-5.1	-0.6 + 3	3·8	2 - 4.3	-2.5	⊦ 0.5	-0.4	- 6.8 + 6	8 - 6.5	-6.5	-6.0	-2.0	-1.0	-5.0 + 3	1:3 - 10:0	0 + 9.0	+ 0.7 63.3 - 7.7 63.2 - 0.1 63.2
31	÷ 7:5	÷ 7	3 - 7	6 -2	0 + 15.0	+6.2	-17	-1.3	+ 4.1	+ 5.3	- 6.2	2 -4.8	-5.6	-5.2	+ 0.7	-7:1	- 5.9	- 2.8	- 3.3	- 6.6	+ 12.5	+ 2.0	+ 0.7	-1.6	÷ 0.2	+1.5 - 0	0.3 -4.6	6 + 1.3	+ 1.5	+ 6.0	+ 5.0	-4.4 + 2	2 - 3.9	-2.3	-3.7	-1.1	+ 3.9	-1.4	6·2 - 4·3	3 + 4.5	+ 5.4 62.9 + 3.6 62.9
Mea	÷ 3·5	÷ 3	+ 0	2 -2	1 + 1.6	+1.8	-0.6	-0.9	+ 2.5	5 + 2.0	+ 1.1	+ 0.9	-0.9	-0.6	- 2.8	-3.4	-2.8	- 1.1	+ 0.1	-2.1	+ 2.7	+ 2.5	-0.7	-0.8	-0.7	-1.4 + 5	i·0 -1·5	j - 1·0	-0.1	- 1.0	+1.2	- 1.6 + 5	0 - 4.5	-1.4	-4.0	-1.0	-1.3	+ 0.8 - 1	1.3 - 2.0	+ 5.6	+ 2·3

TABLE XXIII. Excess or Defect of Temperature on every day in the month of August, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

																		·- <u>-</u>			_															•	·						
DAY OF																					A	υG	បន	T.																			3 or 44
MONTA	1826	1827	1828 182	9 1830	1831	1832	1833	1834	. 83	183	6 183	7 1838	8 18	39 184	10 18	841 18	842 1	1843 1	844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864 18	65 18	366 186	1 868	1869
1	° 7·1	+4.9	+0.1 - 3	9 ÷ 4·9	÷ 5·1	_°2·5	- °8·8	3 + 7.5	6 + 3·		4 - 3	7 -0:	1 -1	1.2 -3	- 3	-5·8 —	°2·5	- 3.9 -	-^7·1	$-4\cdot 1$	+ 11.0	+ 6.0	-3.3	-3.4	_ °0·8	3 + 6.3	+5.0	+1.6	- °2·4	-0.2	+ 9.3	+ 4.9	-°3·2	- 1·4	-3·2	~ °1·7	+ 0.1	o -1·4	+ 0.1 -	9.9 +	0.5 - 5	.3 + 6.6	+ 0.1 63.8
2	1	- 1	-2.6 + 0.0		1	1		1					1			ı			ľ			1		+ 0.9	_ 2.1	+ 5.6	+ 3.1	+ 0.5	- 0.1	~0.1	+ 10.2	+ 3.3	+ 0.2	- 1.2	-5.2	+ 3.0	-0.5	+ 1.1	_ 4.6 -1	1.2 +	0.1 -12	1 + 10.0	-4.6 63.6
3	+ 3.2	÷ 3·0	-2.3 - 6	8 + 0.7	+ 3.2	+ 0.2	- 3·0	+ 2.8	3 - 2	5 + 4.	7 + 0	5 + 1.0	6 +7	7·2 + 3	·6 +	+ 0.9 +	7.7	- 5:4	-3 ⋅7	-3.2	+ 0.5	-4.5	-3.2	-4.9	+ 1.2	+ 6.4	0.0	0.6	- 9.8	-0.8	+ 9.7	+ 7.6	+ 4.0	+ 3.6	-3.0	- 3.8	-2.0	+ 3.2	- 0.6 -1	2.0 -	2.9 - 4	8.9	-4.4 63.8
4			-2.8 - 4	I	1	1		1				h .	ı	1			- 1					1	1	1			1	1	1							- 0.6						- 1	+2.2 63.8
5	1 1		-1.6 - 5	I .	1	1	1						. I	ľ				I		L			1	1	1		1	1		1 1		I .								- 1	I		
7			-0.2 + 1																																			- 1	I		l l		
8			+1.1 + 3 +0.7 + 5																																				+ 0.6 +		4.4 - 3		
9			$\begin{array}{c ccccccccccccccccccccccccccccccccccc$																																				+ 4·4 - :				1 1
10	÷ 2·3	1 1	$\begin{vmatrix} -1 & 0 & 7 & 1 \\ -2 & 2 & -2 \end{vmatrix}$	1	1	1	1	_ I	- 1			1											1	1	1	1	1	1	1										I	- 1	5.9 - 3	2 + 5.6	-5.7 61.2
11	-2.6		-1.9 - 1		1	1	L	I							4	1		1				,	1	1	1		1	1										I	,		2.4 + 0	6 + 4.6	-8.0 63
12	-3.8			I .	1	- 1	1			- 1					- 1	I							,	1	1		1	1							- 1	1 1		1	I	,	2.7 + 4	.3 - 0.9	-5.7 63.5
13	$ \begin{vmatrix} -3 \cdot 8 & -1 \cdot 6 & -5 \cdot 7 & +2 \cdot 0 & -6 \cdot 7 & +2 \cdot 8 & -3 \cdot 0 & -3 \cdot 9 & +7 \cdot 8 & +0 \cdot 1 & +1 \cdot 4 & +2 \cdot 7 & +0 \cdot 2 & -2 \cdot 2 & -2 \cdot 6 & +3 \cdot 9 & +3 $															—3·8 63·o																											
14	$ \begin{vmatrix} -3 \cdot 8 & -1 \cdot 6 & -5 \cdot 7 & +2 \cdot 0 & -6 \cdot 7 & +2 \cdot 8 & -3 \cdot 0 & -3 \cdot 9 & +7 \cdot 8 & +0 \cdot 1 & +1 \cdot 4 & +2 \cdot 7 & +0 \cdot 2 & -2 \cdot 6 & -2 \cdot 2 & +3 \cdot 6 & +3 \cdot 9 & -4 \cdot 6 & -6 \cdot 4 & -4 \cdot 9 & +3 \cdot 4 & -3 \cdot 9 & -2 \cdot 0 & -1 \cdot 7 & +7 \cdot 9 & -2 \cdot 5 & -3 \cdot 0 & +6 \cdot 1 & -3 \cdot 7 & +5 \cdot 6 & +6 \cdot 5 & +0 \cdot 9 & +4 \cdot 7 & -4 \cdot 2 & +3 \cdot 1 & +1 \cdot 9 & +3 \cdot 3 & -0 \cdot 7 & -0 \cdot 5 & -0 \cdot 9 & +5 \cdot 3 & +1 \cdot 2 & -3 \cdot 8 & +3 \cdot 9 & -4 \cdot 6 & -6 \cdot 4 & -4 \cdot 9 & +3 \cdot 4 & -3 \cdot 9 & -2 \cdot 0 & -1 \cdot 7 & +7 \cdot 9 & -2 \cdot 5 & -3 \cdot 0 & +6 \cdot 1 & -3 \cdot 7 & +5 \cdot 6 & +6 \cdot 5 & +0 \cdot 9 & +4 \cdot 7 & -4 \cdot 2 & +3 \cdot 1 & +1 \cdot 9 & +3 \cdot 3 & -0 \cdot 7 & -0 \cdot 5 & -0 \cdot 9 & +5 \cdot 3 & +1 \cdot 2 & -3 \cdot 8 & +3 \cdot 9 & -4 \cdot 6 & -4 \cdot 9 & +3 \cdot 4 & -3 \cdot 9 & -2 \cdot 0 & -1 \cdot 7 & +7 \cdot 9 & -2 \cdot 5 & -3 \cdot 0 & +6 \cdot 1 & -3 \cdot 7 & +5 \cdot 6 & +6 \cdot 5 & +0 \cdot 9 & +4 \cdot 7 & -4 \cdot 2 & +3 \cdot 1 & +1 \cdot 9 & +3 \cdot 3 & -0 \cdot 7 & -0 \cdot 5 & -0 \cdot 9 & +5 \cdot 3 & +1 \cdot 2 & -3 \cdot 8 & +3 \cdot 9 & -4 \cdot 6 & -4 \cdot 9 & +4 \cdot 9 $																																										
15	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$															+1.0 62.3																											
16	$ \begin{vmatrix} \pm 3 \cdot 4 \\ \pm 2 \cdot 4 \end{vmatrix} - 8 \cdot 8 \\ \pm 4 \cdot 2 \end{vmatrix} - 5 \cdot 9 \\ \pm 1 \cdot 5 \end{vmatrix} - 6 \cdot 5 \\ \pm 4 \cdot 2 \end{vmatrix} - 5 \cdot 9 \\ \pm 1 \cdot 5 \end{vmatrix} - 6 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} - 5 \cdot 9 \\ \pm 1 \cdot 5 \end{vmatrix} - 6 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 6 \cdot 2 \\ \pm 2 \cdot 5 \end{vmatrix} + 5 \cdot 1 \\ \pm 2 \cdot 5 \end{vmatrix} - 5 \cdot 5 \\ \pm 1 \cdot 5 \end{vmatrix} + 2 \cdot 5 \end{vmatrix} +$																																										
17	$\begin{array}{ c c c c c c c c c c c c c c c c c c c$															1 1																											
18	$ \begin{vmatrix} \div 1 \cdot 5 \\ + 5 \cdot 4 \\ + 1 \cdot 3 \end{vmatrix} = 2 \cdot 0 \begin{vmatrix} \div 1 \cdot 5 \\ - 3 \cdot 3 \end{vmatrix} = 3 \cdot 1 \begin{vmatrix} - 5 \cdot 9 \\ - 5 \cdot 9 \end{vmatrix} + 2 \cdot 8 \begin{vmatrix} + 2 \cdot 1 \\ - 4 \cdot 0 \end{vmatrix} + 4 \cdot 6 \begin{vmatrix} + 6 \cdot 7 \\ + 1 \cdot 7 \end{vmatrix} + 5 \cdot 6 \begin{vmatrix} + 0 \cdot 5 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 4 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 6 \end{vmatrix} + 4 \cdot 8 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 6 \end{vmatrix} + 4 \cdot 6 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 6 \end{vmatrix} + 4 \cdot 6 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 6 \end{vmatrix} + 4 \cdot 6 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 6 \end{vmatrix} + 4 \cdot 6 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 6 \end{vmatrix} + 4 \cdot 6 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 6 \end{vmatrix} + 4 \cdot 6 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 6 \end{vmatrix} + 4 \cdot 6 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 6 \end{vmatrix} + 4 \cdot 6 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 6 \end{vmatrix} + 4 \cdot 6 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 6 \end{vmatrix} + 4 \cdot 6 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 6 \end{vmatrix} + 4 \cdot 6 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 6 \end{vmatrix} + 4 \cdot 6 \begin{vmatrix} + 5 \cdot 6 \\ + 5 \cdot 6 \end{vmatrix} +$																																										
19	÷ 6.8		$\begin{vmatrix} -1.9 \\ -1 \end{vmatrix} = 1$		1			- 1		1 -				9.4 -(1		1 -	1	1	1	-3.2		ľ	1			+ 4.4	,				1	- 1	- 4.5 - 6		0.4 + 6	1	
20	+ 9.0	2.2	-0.4 - 5	$\begin{vmatrix} 4 & -7.7 \\ 1 & 0.0 \end{vmatrix}$	+0.	1 + 5.8	8 + 3.	$4 \mid +2.8$	8 + 8	0 - 3	1.2 + 5	8 + 2	1 -	$7.9 \mid +4$	ŀ·9	+2.1 +	2.6 +	+ 2·1	+ 2.6	-6.1	- 0.8	-1.9	-4.0	+ 0.8	- 5.8	+ 3.9	-0.8	+ 2.2	+ 0.9	-0.7	- 2·0	+ 3.4	-2.2	+ 4.5	-2.6	- 3.9	- 0.7	-5.0	- 3.9 - ().4 +	1.1 + 2.	1 - 1.7	3.0 61.4
22			$\begin{vmatrix} -2.0 \\ -4.5 \end{vmatrix}$																																								
23			$\begin{vmatrix} -3.6 & + 1 \\ -4.2 & - 6 \end{vmatrix}$																																								
24			+ 5.5 - 4																																								
25			+6.0 - 6																																								
26			+ 2.5 - (
27			+1.5 = 4																																								
28			+ 2.5																																								
29	+ 7.7	-1.7	+4.5 -	$2 \cdot 2 \mid -4 \cdot 1$	7 + 5.	5 -6.	1 + 4	·5 + 0·	8 - 0	·4 -2	2.0 - 4	9 -5	·9 +	4.0 +	4.0	+ 5.3 +	4.3	+ 5.5	_1.1	→3.7	+ 2.0	0.0	+ 0.4	+7.1	- 8.2	-7.5	+ 6.2	-4.1	+ 6.3	-0.6	+ 0.4	+ 0.1	-3.0	_ 0.3	_ 0·8 ·	+ 4.3	-4.9	-0.1	+ 2.7 - 7	·7 -8	5.3 + 5.6	0 - 1.4	-3.0 go.1
30	+ 9.6	-2.2	+3.0 -	$2.5 \mid -5.6$	4 + 7	$7 \mid -5$	9 - 2	·5 + 3·	1 + 0	·6 + 2	2.0 - 7	-6	.3 +	1.6 +	8.8	+ 4.8 +	2.0	+ 8.0	-3.3	-1.1	- 0⋅3	-0.7	-3.1	+8.1	- 8.7	-6.8	-0.2	-1.7	+ 8.1	2.5	- 0.7	+ 6.1	-5.1	_ 6.7 -	_ 1.7	- 0.8	-1.8	+ 2.1	+ 5.4 - 3	·7 -3	1.4 + 1.7	7 + 3.6	-5.4 60.4
31	+ 5.5	-0.1	-0.7 - 3	-2.9	$2 \mid -0$	6 -0.	7 -10	.8 +1.	4 - 0	·4 +1	1.2 - 7	-1	·7 -	2.9 +	4.3	+ 2 • 4 -	-3.6	+ 7.6	+1.2	+ 2.9	+ 5.3	-4.3	-3.3	+5.2	- 5.3	-2.6	-3.1	-1.0	+ 2.8	+0.2	+ 3.0	+ 6.4	-2.8	_ 8.1	1·5 ·	+ 0.7	+ 1.0	-1.9	+ 1:6 + 5	2 +	0.3 + 8.6	6 + 3.9	-5.7 .60.1
Mesi	18 ± 2.0		0:0	0.4				_	1-	_		_	_									-	 -	-		-		<u> </u>							-		-	[-		_			0.9
	700	+0.1	-0.9	-1.		3 + 0.	5 - 2	3 + 1.	4 + 3	-0 -0	0.7 + 0	0.6 -0	4 -	0.5 +	1.6	-0.4 +	5.0	+ 1.3	-2.8	— 3·6	+ 1.9	+ 0.4	-3.5	+ 1.1	- 1:9	+ 1.4	+ 0.9	-16	- 1.0	+ 0.8	+ 1.6	+ 3.0	-0.1	+ 0.9 -	-4.0	+ 1.0	-2.1	+ 0.2 -	- 2.3 - 2	4 -	1.9 + 0.3	+ 2.0	-00

TABLE XXIV. Excess or Defect of Temperature on every day in the month of September, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

DAY OF										_										_			S: E:	РТ	EM	BEF	2.						•												or 44
AET HT/(O)	1826	182	182	28 18	29 18	30	1831	1832	1833	1834	18	35 18	36 1	837 1	1838	1839	1840	1841	1842	184	3 184.	1845	1846	5 18	347 184	8 1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	860 1	861 1	862 1	863 1	364 186	55 1866	5 1867	1868 1	MEANS COS
1	+5.1	1	4 + 1	-8	0.5 +	0.1	-8.0	-1·3	-8·5	+1.1	1 +	1.0 +	°1·6	5.5	-°1·3	-0.7	+9.1	- °4·0	+ 1.5	+11	1 + 3.	1 - 2.6	-0.5	5 -	3.6 - 3.	7 + 3.7	-1·1	+6.2	+0.5	-î·5	-1·8	-2·8	-1.1	+ 3.2	-0·5	-5·1 -	· 4·4 +	- 3.6	°1·4 -	0.6 -	0.5 - 0)·1 +0·6	3 +9.1	+ 3.8 -	-6·1 59·6
3	+ 2·6 + 3·7	+1	6 - 1	$\begin{bmatrix} \cdot 1 & - \\ \cdot 4 & - \end{bmatrix}$	1·9 +	0.8	-6.3	-2.3	$\begin{vmatrix} -7.7 \\ -6.3 \end{vmatrix}$	$\begin{vmatrix} +0.2 \\ +4.0 \end{vmatrix}$	2 + 0 +	3·0 - 6·4 -	7·3 - 2·4 -	5.8	0.0	-2.4 -3.6	+7.1	- 0·3 + 4·0	+ 4.0	+ 10.	$\begin{vmatrix} 1 & + 2 \end{vmatrix}$	$7 - 2.8 \\ 7 - 5.9$	$\begin{vmatrix} -0.6 \\ -0.1 \end{vmatrix}$	3 -	$\begin{vmatrix} 5.6 \\ 7.4 \end{vmatrix} + \begin{vmatrix} 0.5 \\ 0.5 \end{vmatrix}$	$\begin{vmatrix} 6 & +6.8 \\ 2 & +6.8 \end{vmatrix}$	$\begin{vmatrix} +3.0 \\ -2.0 \end{vmatrix}$	+ 5.8	+3.6	$\begin{vmatrix} -6.7 \\ -4.7 \end{vmatrix}$	+0.2	$\begin{bmatrix} -2.8 \\ 0.0 \end{bmatrix}$	$\begin{vmatrix} -5.0 \\ -4.4 \end{vmatrix}$	-4.9	+ 2.2	0.0	· 4·1 + · 3·1 +	+6·2 + +2·3 -	0·4 - + 4·8 +	- 1·8 - - 1·0 +	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} \cdot 4 & -3 \cdot 5 \\ \cdot 7 & -4 \cdot 6 \end{vmatrix}$	$\begin{vmatrix} 2 & +7.9 & +3.8 & +4.8 & +$	+ 2·0 - + 5·3 -	-6.8 59.8
4	+6.3	-1	.3 + 1	·6] —	2.9 -	0.2	+ 2.1	-2.1	-8.5	9.2	2 +	8.1 +	2.9	8-1	-2.1	+,1.0	-4·0]	12:0	+ 2.4	+ 0.	1 + 7.	1 - 6.2	+ 3.2	2 -	9.4 + 2.0	0 + 7.4	7.8	+1.9	+ 4.3	-1.8	-1.3	-1.4	-3.3	-3.0	+ 0.3	-2.1 -	- 5.8 +	- 4·1 -	2.0 -	-1.7 +	2.8 + 4	:8 + 1:4	+ 5.6	+ 6.3	+ 2·0 59·7 + 7·5 59·5
6	+1.1	-0	.3 + 5	8 -	0.4 -	1.7	+ 0.1	+ 0.8	-2.8	i	8 +	7.6 -	3.9	5.0	+ 3.3	+1.6	+ 0.9	-10.2	+ 1.0	+ 4.	8 + 6.	1 - 6.3	+8.3	3 -	9.0 - 0.8	9 + 2.8	9.7	-2.2	+1.5	-2.0	-2.1	-9.1	-1.2	+ 1.5	-2.0	-3.1	1.5 +	5.6 -	4.9 -	-1.4 +	6.3 + 5	·5 + 1·3	+ 2.0 -	+ 11·2	+ 4.1 59.5
7	$\begin{vmatrix} -5.7 \\ -1.3 \end{vmatrix}$	$\begin{vmatrix} -1 \\ -2 \end{vmatrix}$	·9 + 6	7 -	$egin{array}{c c} 0.9 & - \ 1.3 & - \ \end{array}$	· 2·1 · 3·8	$ \begin{array}{c c} -5.0 \\ -2.4 \end{array} $	-1.6 + 0.7	$\begin{vmatrix} -1.6 \\ -1.6 \end{vmatrix}$	$\begin{vmatrix} -2.5 \\ -3.0 \end{vmatrix}$	5 +	5.1 -	6·2 + 2·9 +	1·9 0·5	+ 0·8 - 8·3	+ 0.7 + 5.3	-0.2 -1.8	- 4·9 + 0·4	+ 4.0	+ 7.	$\begin{vmatrix} 1 & +5 \\ 8 & +6 \end{vmatrix}$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} +7.9 \\ +4.1 \end{vmatrix}$	-	$ \begin{vmatrix} 5 \cdot 3 & - & 2 \cdot 3 \\ 1 \cdot 3 & + & 2 \cdot 3 \end{vmatrix} $	$\begin{bmatrix} -2.8 \\ 2 \end{bmatrix} - 4.4$	-8.1	$\begin{vmatrix} -1.7 \\ -5.0 \end{vmatrix}$	+ 2.3	-4·5 -4·5	+ 2.3	$\begin{vmatrix} -7.5 \\ -5.6 \end{vmatrix}$	-1·0 -2·1	0.0	+1.8	-0.7 - +3.8 +	0.4	-1.1 -	3.9 -	-0·4 +	7·6 + 5 8·6 + 11	·1 + 0·5	+1.8	+ 11·5 +	+ 6.2 60.0
9	-3.8	. + 2	·7 + 6	+ 0:	0.6	2.6	-5.0	+ 1.0	-0.7	-0.9	9 -	1.9	7.4 +	4.3	−8 ·7	+4.2	+ 2.7	+ 1.9	+ 0.5	+ 7	$2 \mid +0$	2 - 1.5	+7.0	-	2.2 + 0.9	-0.4	-4.7	-5.7	+ 3.8	-3.8	-3.9	-4.2	-1.0	+ 3.5	+ 2.8	+ 1.0	7.3	-1.4 +	3.8	-2.0	2.5 + 6	0 + 0.7	+ 2.9	+ 0.2 4	+6.2 59.6
31	-3.0	+6	5 + 10)·5 —	0.1 -	1.6	-0.1	-3.9	-1.1	+ 1.4	4 -	4.0 -	4.7 +	2.5	-5.1	+7.2	-2.0	+ 7.2	+ 2.5	+ 7	6 + 0	1 - 0.6	+ 7:3	+	1.5 - 5.6	6 -0.9	-3.5	-4.5	+0.2	-0.3	-2.6	-1.1	+ 3.5	-2.7	+ 2.5	-4.3 -	9.8	-4.6 _	2.0 _	4.1 -	9.8 + 12	1 -1.5	+5.5	+ 4·1 +	+ 1·4 58·5 + 3·0 57·4
12																																													-2.4 57.5
14																50 56.8																													
15	$ \begin{vmatrix} -4 \cdot 9 & +5 \cdot 0 & -3 \cdot 7 & +1 \cdot 2 & +0 \cdot 6 & -6 \cdot 7 & -3 \cdot 3 & -0 \cdot 8 & +2 \cdot 3 & -1 \cdot 1 & -5 \cdot 6 & +2 \cdot 5 & +0 \cdot 3 & -8 \cdot 4 & +7 \cdot 0 & +5 \cdot 8 & +9 \cdot 1 & +7 \cdot 8 & -7 \cdot 5 & +5 \cdot 7 & -3 \cdot 4 & -8 \cdot 4 & +0 \cdot 1 & +4 \cdot 5 & -3 \cdot 7 & -3 \cdot 9 & +7 \cdot 0 & +4 \cdot 9 & -2 \cdot 5 & -0 \cdot 7 & -2 \cdot 0 & +5 \cdot 6 & -1 \cdot 8 & -2 \cdot 4 & +10 \cdot 5 & -1 \cdot 6 & +0 \cdot 1 & +0 \cdot 6 & +1 \cdot 1 & 57 & -2 \cdot 4 & +10 \cdot 5 & -1 \cdot 6 & +2 \cdot 5 & -1 \cdot 6 & +2 \cdot 5 & +0 \cdot 3 & -1 \cdot 6 & +2 \cdot 5 & +0 \cdot 3 & +2 \cdot 6 & +1 \cdot 9 & +7 \cdot 6 & +2 \cdot 3 & +2 \cdot 6 &$																																												
17	$ \begin{vmatrix} -4^{+9} \\ -4^{+4} \\ +6^{+0} \\ -7^{+0} \end{vmatrix} - \begin{vmatrix} -3^{+0} \\ -6^{+1} \\ -3^{+0} \end{vmatrix} - \begin{vmatrix} -3^{+0} \\ -6^{+1} \\ -3^{+0} \end{vmatrix} - \begin{vmatrix} -3^{+0} \\ -6^{+1} \\ -3^{+0} \end{vmatrix} + \begin{vmatrix} -3^{+0} \\ -6^{+1} \\ -3^{+1} \end{vmatrix} + \begin{vmatrix} -3^{+1} \\ -3^{+1} \\ -3^{+1} \\ -3^{+1} \end{vmatrix} + \begin{vmatrix} -3^{+1} \\ -3^{+1} \\ -3^{+1} \\ -3^{+1} \end{vmatrix} + \begin{vmatrix} -3^{+1} \\ -3^{+1} \\ -3^{+1} \\ -3^{+1} \end{vmatrix} + \begin{vmatrix} -3^{+1} \\ -3^{+1} \\ -3^{+1} \\ -3^{+1} \end{vmatrix} + \begin{vmatrix} -3^{+1} \\ -3^{+1} \\ -3^{+1} \\ -3^{+1} \\ -3^{+1} \end{vmatrix} + \begin{vmatrix} -3^{+1} \\ -3^{+1}$																																												
19	+9.1	_3	·4 + (8 –	2.9 +	1.5	-0.2	-8.8	-5.3	+ 8.6	6 +	5.2 -	4.2 +	10.2	+ 0.2	-1.0	-8.5	+ 2.8	+ 0.8	+ 8.	1 -3%	8 - 5.6	-0.2	:	4.7 - 4.4	-4.4	+4.1	+ 0.7	+ 0.7	+1.4	+7.6	+3.1	-7.6	0.8	-0.3	-5.2 -	6.2 -	0.7 +	3.1 +	4.5	3.0 + 3.	5 + 0.4	+ 2.8 4	· 2·4 –	-1.8 56.7
20 21	ll .	1	- 1						1		1						1			1			1			1	1			1						I .	,		- 1		ı	1	1		-4·2 56·2 -3·3 55·9
22	11		_ I						1	1					I	1	1			1	1		1 1		l l		1															1		I	· 0·9 56·4 .4·7 56·5
24	+ 3.5	-0	r7 + 7	·0 -	3.3	- 3·3	+ 6.1	+4.2	+ 2.7	-2.2	2 -	0.8 +	4.6	4.0	-3.7	+ 0.1	-3.4	+ 1.1	- 1.2	+ 0,	9 -2	9 - 7.2	+ 3·1	- ;	3.7 + 3.3	+ 0.2	+ 2.0	+ 2.2	-0.7	-7 ·5	+1.2	-1.7	-1.4	+ 5.9	-2.1	+8.7	7.7	3.2 +	1.4	7.2 +	1.7 + 4.4	4 -3.3	-4.9	2.1 +	9.5 56.0
26	ll .			- 1	L		i		1	1)								i i	1										I	- 5										! !		7·1 55·7 2·5 55·6
27 28	÷ 5·4	+ 6	8 + 1	·2 –	0.8 +	0.4	+ 6.5	+ 3.8	-2.1	+ 4.1	ı _	1.6 +	3.4	ს∙6	-5.5	-0.2	+0.2	+ 3.9	- 3.5	- 9.	3 -4	0 - 1.5	+ 2.3	-10	0.5 + 2.4	+ 5.9	+1.8	4·1	-1.1	-1.1	-2.1	+ 3.2	-4·5	+ 5.6	+ 2.2	-0.2 +	0.2	5.0 +	3.0	8.5	2:0 + 3:	5 + 1.5	-2.8 +	1.8 +	0·9 55·8 2·6 55·5
29	+ 7:3	3 + 2	2·4 + 4	l·8 —	9.8 -	-1.8	+7.6	+8.8	-2.2	+ 0.1	1 +	1.9	2.9	4.4	+ 0.4	-4.4	-4.9	+ 3.2	- 3.0	- 4	8 -5.	9 - 2.8	4.4	- :	1.3 - 1.6	+ 6.2	-1.8	-6.6	-2.5	+0.4	-0.7	+7.0	-2.0	-1.9	+7.9	-1.0 -	4.0 +	0.2 +	6.2	8.0	0.4 + 1.	7 + 5.2	+ 0.2 +	2.7 +	9:6 55.8
30	+7.2	+5	5 + ().8	7.7 -	-5.5	+9.7	+ 4.2	-3.3	-1.8	8 +	5.1 -1	10.4 +	1.1	+ 3.5	-1·4	-3·1	+ 0.8	4.6	+ 5.	6 -6.	6 - 4.4	+4.8	- (0.8 + 1.8	+ 2.1	-4.6	-0·8	-4.1	-4·2	-0·3	+3.2	-1.8	+1.3	+1.5	+1.8 -	5.9 +	6.0	1.3 -	3.9	0.1 - 1.5	8 + 2.2	+ 2.2 +	1.0 +	5.2 55.2
Mean	+1:3	3 + 1	.9 + 5	2.6	2.5	- 2.0	+1.0	+ 0.1	-2.4	+ 2.2	2 +	1.6	2:7 -	0.7	-1.4	+ 0.2	-3.6	+ 1.7	+ 0.5	+ 4	2 + 0	9 - 3.0	+3.2	- :	3.3 - 0.8	+ 0.9	-1.9	-0.8	-0.3	-1.4	+ 0.3	-0.7	-2.3	+ 1.8	+ 2.9	-0.8	4.3	0.6 +	0.3	3.1	0.2 + 2.3	1 -0.9	+ 0.9 +	3.3 +	2.2

TABLE XXV. Excess or Defect of Temperature on every day in the month of October, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

The same of the sa	OCTOBER.	
DAY OF THE		1 - 9 - 9 - 9 - 9 - 9 - 9 - 9 - 9 - 9 -
	_	1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$0 \begin{vmatrix} -0.8 \\ -1.2 \end{vmatrix} = 0.2 \begin{vmatrix} -0.2 \\ -5.1 \end{vmatrix} + 0.0 \begin{vmatrix} +1.4 \\ -6.7 \end{vmatrix} = 0.5 \begin{vmatrix} -0.5 \\ -0.5 \end{vmatrix} + 2.8 \begin{vmatrix} -1.5 \\ -1.5 \end{vmatrix} = 0.2 \begin{vmatrix} -0.5 \\ -1.5 \end{vmatrix} = $	$ \begin{vmatrix} 3 & -3 & 3 & -3 & 3 & -3 & 3 & -3 & -$
		$egin{array}{c c c c c c c c c c c c c c c c c c c $
\div -6.8 $\div 0.3$ $\div 0.1$ $+0.1$ -1.8 $+4.3$ $\div 5.2$ -3.6 $+0.5$ -1.2 -10.4 $+5.1$ -3.6	$ 7 + 3 \cdot 0 - 3 \cdot 8 + 0 \cdot 9 - 6 \cdot 3 + 6 \cdot 1 = 0 \cdot 0 + 2 \cdot 8 + 4 \cdot 1 = 2 \cdot 1 + 8 \cdot 1 - 5 \cdot 1$	$0 \begin{vmatrix} -4.2 \end{vmatrix} + 1.7 \begin{vmatrix} -3.3 \end{vmatrix} - 4.5 \begin{vmatrix} -2.7 \end{vmatrix} + 4.7 \begin{vmatrix} +6.8 \end{vmatrix} + 0.7 \begin{vmatrix} +2.7 \end{vmatrix} + 9.8 \begin{vmatrix} -2.7 \end{vmatrix} + 4.1 \begin{vmatrix} -0.3 \end{vmatrix} + 4.6 \begin{vmatrix} -5.6 \end{vmatrix} + 0.6 \end{vmatrix} + 0.6 \end{vmatrix} + 4.5 \begin{vmatrix} -11.6 \end{vmatrix} - 3.1 \begin{vmatrix} +0.2 \end{vmatrix} 5$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} 2 & -4.0 & -2.9 & +0.7 & -8.2 & +8.2 & +1.8 & -5.8 & +6.6 & -3.1 & +8.1 & -5.8 \\ -6 & -2.4 & -12.0 & -1.3 & -3.2 & +8.1 & -0.3 & -4.9 & +5.1 & +2.6 & +9.7 & -4.9 \end{vmatrix}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
	$ -5 $ $ -1\cdot1 $ $ -11\cdot3 $ $ -0\cdot1 $ $ -0\cdot4 $ $ +8\cdot0 $ $ -7\cdot3 $ $ -6\cdot3 $ $ +3\cdot3 $ $ -1\cdot2 $ $ +8\cdot2 $ $ +2\cdot7 $	$2 \begin{vmatrix} -1.5 \end{vmatrix} - 1.3 \begin{vmatrix} -8.3 \end{vmatrix} - 2.4 \begin{vmatrix} -2.4 \end{vmatrix} + 0.9 \begin{vmatrix} +1.6 \end{vmatrix} + 1.9 \end{vmatrix} + 0.8 \begin{vmatrix} +9.7 \end{vmatrix} + 2.1 \end{vmatrix} + 7.8 \end{vmatrix} - 0.9 \begin{vmatrix} +3.2 \end{vmatrix} - 2.6 \end{vmatrix} + 1.6 \begin{vmatrix} +3.4 \end{vmatrix} - 7.7 \begin{vmatrix} -3.8 \end{vmatrix} + 4.4 \begin{vmatrix} 5.4 \end{vmatrix} + 3.4 \begin{vmatrix} -7.7 \end{vmatrix} - 3.8 \end{vmatrix} + 4.4 \begin{vmatrix} 5.4 \end{vmatrix} + 3.4 \begin{vmatrix} -7.7 \end{vmatrix} - 3.8 \end{vmatrix} + 4.4 \begin{vmatrix} 5.4 \end{vmatrix} + 3.4 \begin{vmatrix} -7.7 \end{vmatrix} - 3.8 \end{vmatrix} + 4.4 \begin{vmatrix} 5.4 \end{vmatrix} + 3.4 \begin{vmatrix} -7.7 \end{vmatrix} - 3.8 \end{vmatrix} + 4.4 \begin{vmatrix} 5.4 \end{vmatrix} + 3.4 \begin{vmatrix} -7.7 \end{vmatrix} + 3.4 \begin{vmatrix} -$
$ \begin{vmatrix} 3 & \div & 4 \cdot 2 & \div & 2 \cdot 5 & & +1 \cdot 8 & & -12 \cdot 0 & & \div & 4 \cdot 0 & & \div & 1 \cdot 0 & & -2 \cdot 9 & & -0 \cdot 8 & & +7 \cdot 0 & & +0 \cdot 6 & & -0 \cdot 7 & & +1 \cdot 1 & & -0 \cdot 9 & $	$\begin{vmatrix} 3 & +5 \cdot 3 & -9 \cdot 1 & -1 \cdot 0 & +0 \cdot 1 & +5 \cdot 2 & -6 \cdot 4 & -4 \cdot 0 & +0 \cdot 8 & +2 \cdot 8 & +5 \cdot 5 & -4 \end{vmatrix}$	$ \begin{vmatrix} 5 & 5 & 5 & 5 & 5 & 5 & 5 & 5 & 5 & 5$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$0 + 6 \cdot 1 - 9 \cdot 5 + 1 \cdot 7 + 1 \cdot 4 - 3 \cdot 4 + 1 \cdot 8 - 5 \cdot 1 + 2 \cdot 8 + 4 \cdot 5 - 0 \cdot 7 - 11$	$6 \begin{vmatrix} -5.7 \end{vmatrix} + 9.8 \begin{vmatrix} -6.0 \end{vmatrix} - 1.8 \begin{vmatrix} +4.3 \end{vmatrix} + 4.3 \begin{vmatrix} -5.5 \end{vmatrix} + 0.7 \begin{vmatrix} -1.4 \end{vmatrix} - 3.9 \end{vmatrix} + 2.8 \begin{vmatrix} -6.6 \end{vmatrix} + 7.6 \begin{vmatrix} +5.2 \end{vmatrix} + 5.1 \begin{vmatrix} -1.9 \end{vmatrix} + 5.7 \begin{vmatrix} +0.6 \end{vmatrix} - 10.5 \begin{vmatrix} -10.5 \end{vmatrix} - 1.2 \end{vmatrix} + 9.0 \end{vmatrix}$
		$ \begin{vmatrix} 8 & -10.6 & + 6.6 & - 5.1 & - 1.0 & -0.3 & -1.0 & + 2.3 & + 4.2 & - 8.9 & + 1.2 & - 9.8 & + 4.9 & + 5.1 & + 3.2 & -1.4 & + 3.9 & - 1.0 & - 8.3 & - 4.0 & + 6.7 & + 8.6 & + 1.0 & $
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$ \cdot 7 = 0.8 $ $ - 6.4 + 1.6 = 3.0 - 9.1 + 4.8 + 1.1 - 4.9 + 4.7 - 0.9 - 8 $	$1 \begin{vmatrix} -7.3 \end{vmatrix} + 7.2 \begin{vmatrix} -5.3 \end{vmatrix} + 2.6 \begin{vmatrix} -3.1 \end{vmatrix} - 2.5 \begin{vmatrix} +3.2 \end{vmatrix} + 3.2 \begin{vmatrix} +4.7 \end{vmatrix} + 4.4 \begin{vmatrix} +0.9 \end{vmatrix} - 3.8 \begin{vmatrix} +9.9 \end{vmatrix} + 2.6 \begin{vmatrix} +5.9 \end{vmatrix} + 6.1 \begin{vmatrix} -3.4 \end{vmatrix} - 3.9 \begin{vmatrix} -5.6 \end{vmatrix} - 0.8 \begin{vmatrix} +6.4 \end{vmatrix}$
		$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
$16 -0.8 \pm 6.5 \pm 1.3 \pm 0.5 -6.0 \pm 3.6 \pm 0.7 -4.3 \pm 4.0 \pm 3.8 \pm 3.6 -1.8 \pm 6$	-2.0 + 0.1 + 2.7 + 1.7 -13.7 -0.4 + 0.4 + 3.3 + 5.5 - 1.9 - 4	$1 \begin{vmatrix} -5.9 \end{vmatrix} - 7.0 \begin{vmatrix} -2.4 \end{vmatrix} - 3.6 \begin{vmatrix} -3.5 \end{vmatrix} - 3.2 \begin{vmatrix} +1.3 \end{vmatrix} + 3.9 \begin{vmatrix} +4.0 \end{vmatrix} + 6.4 \begin{vmatrix} +0.6 \end{vmatrix} - 0.5 \begin{vmatrix} +3.0 \end{vmatrix} + 6.0 \begin{vmatrix} +0.5 \end{vmatrix} - 1.2 \begin{vmatrix} -10.6 \end{vmatrix} + 5.5 \begin{vmatrix} -0.5 \end{vmatrix} - 0.5 \begin{vmatrix} -0.5 \end{vmatrix}$
		$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} 1.5 \\ -1.9 \end{vmatrix} + \begin{vmatrix} 1.9 \\ + 0.8 \end{vmatrix} = \begin{vmatrix} 2.5 \\ -13.8 \end{vmatrix} = \begin{vmatrix} 2.0 \\ -2.0 \end{vmatrix} + \begin{vmatrix} 5.4 \\ +1.5 \end{vmatrix} + \begin{vmatrix} 6.3 \\ -6.3 \end{vmatrix} = \begin{vmatrix} 5.7 \\ +6 \end{vmatrix}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} 0.5 \\ +1.4 \\ -5.6 \\ -2.3 \\ -13.5 \\ -8.2 \\ -2.4 \\ +0.6 \\ +0.2 \\ -0.7 \\ -4.4 \\ +7 \\ -2.8 \\ +0.6 \\ +0.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ +10.5 \\ -8.4 \\ -8.$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
22 + 7.5 + 5.8 + 5.5 - 2.3 + 10.6 + 4.9 - 7.2 + 6.8 + 1.8 - 2.6 - 4.0 + 3.2 + 7.2	7.6 + 2.3 - 3.9 - 8.5 - 9.1 + 1.5 - 5.7 - 1.1 - 3.8 - 0.4 - 3.0 + 0.4	-4 - 7.6 + 3.1 + 5.7 + 8.0 - 0.9 + 5.5 + 2.5 - 5.3 - 1.6 - 14.2 - 0.0 + 2.8 - 0.3 + 2.8 + 2.2 - 2.8 - 1.2 + 9.2 - 8.2 - 5.2
$\begin{bmatrix} 23 & + 6.7 & \div 5.4 & \div 0.3 & - 7.4 & + 3.1 & + 5.4 & - 2.0 & + 3.7 & -3.6 & - 2.2 & - 2.4 & \div 4.8 & + 4.8 $	$ 4\cdot 8 + 1\cdot 8 = 3\cdot 9 + 2\cdot 2 = 5\cdot 0 + 1\cdot 5 + 9\cdot 3 + 7\cdot 6 + 6\cdot 5 + 1\cdot 1 + 0\cdot 5 + 6\cdot 6 $	-8 $\left -6.7 \right + 3.9 \left +0.2 \right + 8.7 \left -6.3 \right + 2.6 \left +4.8 \right -0.3 \left +1.8 \right -18.6 \left +5.8 \right + 2.9 \left +0.4 \right +3.2 \left +1.5 \right -0.6 \left -1.6 \right + 4.5 \left -5.2 \right -0.7 \left -1.6 \right + 4.5 \left -5.2 \right -0.7 \left -1.6 \right + 4.5 \left -5.2 \right -0.7 \left -1.6 \right + 4.5 \left -5.2 \right -0.7 \left -1.6 \right + 4.5 \left -5.2 \right -0.7 \left -1.6 \right + 4.5 \left -5.2 \right -0.7 \left -1.6 \right + 4.5 \left -5.2 \right -0.7 \left -1.6 \right + 4.5 \left -5.2 \right -0.7 \left -1.6 \right + 4.5 \left -5.2 \right -0.7 \left -1.6 \right + 4.5 \left -1.6 \right $
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$4.5 \begin{vmatrix} +0.2 - 7.9 - 4.3 - 5.5 - 5.0 - 1.7 - 5.6 - 1.0 - 7.2 + 2.7 + 9.5 - 1.5$	$ \begin{vmatrix} -8 & -9 \cdot 4 & +5 \cdot 2 & -0 \cdot 7 & +6 \cdot 3 & -4 \cdot 1 & -3 \cdot 9 & +1 \cdot 8 & +6 \cdot 3 & +2 \cdot 6 & -18 \cdot 6 & +5 \cdot 9 & +8 \cdot 2 & -1 \cdot 4 & -4 \cdot 6 & -4 \cdot 3 & +4 \cdot 1 & +2 \cdot 1 & +4 \cdot 4 & -0 \cdot 6 & -19 & +2 \cdot 2 & -2 \cdot 1 & +0 \cdot 9 & +2 \cdot 2 & -9 \cdot 0 & +8 \cdot 9 & +9 \cdot 2 & -5 \cdot 7 & -4 \cdot 3 & +2 \cdot 8 & -2 \cdot 2 & -2 \cdot 8 & +2 \cdot 3 & +2 \cdot 2 & -3 \cdot 3 & +2 \cdot 8 & -2 \cdot 2 & -2 \cdot 8 & +2 \cdot 3 & +2 \cdot 3 & +2 \cdot 3 & -2 \cdot 2 & -2 \cdot 8 & +2 \cdot 3 & +2 \cdot 2 & -3 \cdot 3 & +2 \cdot 8 & -2 \cdot 2 & -2 \cdot 8 & +2 \cdot 3 & +2 \cdot 2 & -3 \cdot 3 & +2 \cdot 8 & -2 \cdot 2 & -2 \cdot 8 & +2 \cdot 3 & +2 \cdot 2 & -3 \cdot 3 & +2 \cdot 2 & -2 \cdot 2 & -2 \cdot 8 & +2 \cdot 3 & +2 \cdot 2 & -2 \cdot 2 & -2 \cdot 8 & +2 \cdot 3 & +2 \cdot 2 & -2 \cdot 2 & -2 \cdot 8 & +2 \cdot 3 & -2 \cdot 2 & -2 \cdot 8 & +2 \cdot 3 & +2 \cdot 2 & -2 \cdot 2 & -2 \cdot 8 & +2 \cdot 3 & +2 \cdot 2 & -2 \cdot 2 & -2 \cdot 8 & +2 \cdot 3 & +2 \cdot 2 & -2 \cdot 2 & -2 \cdot 8 & +2 \cdot 3 & +2 \cdot 3 & +2 \cdot 4 & -2 \cdot 2 & -2 \cdot 3 & +2 \cdot 2 & -2 \cdot 2 & -2 \cdot 8 & +2 \cdot 3 & +2 \cdot$
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$4\cdot4 \begin{vmatrix} -1\cdot4 \end{vmatrix} - 4\cdot3 \begin{vmatrix} -1\cdot1 \end{vmatrix} - 6\cdot6 \begin{vmatrix} -7\cdot6 \end{vmatrix} - 7\cdot6 \begin{vmatrix} -1\cdot1 \end{vmatrix} - 5\cdot2 \begin{vmatrix} -2\cdot9 \end{vmatrix} - 3\cdot2 \begin{vmatrix} +1\cdot2 \end{vmatrix} + 5$	-9 - 8.1 + 3.4 - 6.4 + 10.8 - 6.8 + 0.9 - 7.3 + 4.2 + 2.5 - 5.0 + 5.9 + 3.2 + 2.1 - 2.5 + 6.9 + 1.9 - 1.0 + 5.8 - 0.5 - 7.3 + 4.2 + 2.5 - 5.0 + 5.9 + 3.2 + 2.1 - 2.5 + 6.9 + 1.9 - 1.0 + 5.8 - 0.5 - 7.3 + 6.9
22 + 0.1 - 3.2 + 0.6 - 3.7 + 8.7 + 9.0 + 3.8 + 8.6 + 3.5 - 3.3 - 12.3 - 2.1 + 5	$5.6 \begin{vmatrix} -1.0 \end{vmatrix} - 2.8 \begin{vmatrix} -0.4 \end{vmatrix} - 3.9 \begin{vmatrix} -1.7 \end{vmatrix} - 7.3 \begin{vmatrix} +6.3 \end{vmatrix} - 8.1 \begin{vmatrix} +5.1 \end{vmatrix} + 5.1 \begin{vmatrix} +0.6 \end{vmatrix} + 8$	$ \begin{vmatrix} -3 & -5 & 2 & +3 & 1 & -3 & 5 & +11 & 6 & -6 & 9 & -6 & 0 & -6 & 9 & +5 & 0 & +0 & 5 & -13 & 0 & +4 & 8 & +3 & 5 & +2 & 0 & -3 & 5 & +7 & 5 & -1 & 5 & -2 & 4 & -0 & 7 & -5 & 5 & -12 & 1 \\ -7 & -3 & 8 & +2 & 1 & +1 & 8 & +8 & 6 & +0 & 5 & -0 & 8 & -8 & 2 & +3 & 9 & +0 & 4 & -3 & 5 & +7 & 5 & +0 & 9 & -2 & 1 & +1 & 6 & +4 & 9 & -6 & 3 & +0 & 4 & -4 & 0 & -3 & 6 & -9 & 5 \\ -7 & -3 & 8 & +2 & 1 & +1 & 8 & +8 & 6 & +0 & 5 & -0 & 8 & -8 & 2 & +3 & 9 & +0 & 4 & -3 & 5 & +7 & 5 & +0 & 9 & -2 & 1 & +1 & 6 & +4 & 9 & -6 & 3 & +0 & 4 & -4 & 0 & -3 & 6 & -9 & 5 \\ -7 & -3 & 8 & +2 & 1 & +1 & 8 & +8 & 6 & +0 & 5 & -0 & 8 & -8 & 2 & +3 & 9 & +0 & 4 & -3 & 5 & +7 & 5 & +0 & 9 & -2 & 1 & +1 & 6 & +4 & 9 & -6 & 3 & +0 & 4 & -4 & 0 & -3 & 6 & -9 & 5 \\ -7 & -3 & 8 & +2 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & $
$\begin{vmatrix} 29 & \div & 4.7 & & -4.5 & & -1.3 & & -2.4 & & + & 1.7 & & + & 6.2 & & + & 5.2 & & + & 10.9 & & + & 2.9 & & + & 2.0 & & -13.0 & & -2.5 & & + & 2.0 & & -2.5 $	$2.0 \begin{vmatrix} -3.3 \end{vmatrix} - 5.4 \begin{vmatrix} + 1.9 \end{vmatrix} - 7.8 \begin{vmatrix} - 3.5 \end{vmatrix} + 0.8 \begin{vmatrix} + 2.6 \end{vmatrix} + 1.4 \begin{vmatrix} + 6.5 \end{vmatrix} - 0.8 \begin{vmatrix} + 5.6 \end{vmatrix}$	-2 $\left[-2, \frac{1}{2}, \frac{1}{2},$
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{vmatrix} 1.7 & -4.0 & -1.3 & +0.1 & -5.1 & +7.3 & -4.4 & +6.1 & -1.6 & +5.6 & -1.5 & +3.2 \\ 2.8 & -7.4 & -0.6 & +2.9 & -0.7 & -0.6 & -0.8 & -0.3 & -5.2 & +9.5 & -3.4 & -1.2 \end{vmatrix}$	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$
	_	
$ 3 \cos + 2 \cdot 6 + 2 \cdot 5 + 0 \cdot 7 - 1 \cdot 9 + 1 \cdot 4 + 6 \cdot 5 + 1 \cdot 0 + 0 \cdot 9 + 1 \cdot 2 - 1 \cdot 4 + 2 \cdot 0 + 0 \cdot 5 + 0 \cdot 7 + 0 \cdot 9 + 0 \cdot $	$0.7 \mid +0.2 \mid -4.5 \mid -0.2 \mid -4.1 \mid -1.8 \mid -0.7 \mid -1.2 \mid -0.3 \mid +2.0 \mid -0.2 \mid -$	$ \begin{vmatrix} -3 & -5 & 0 & -3 & 4 & -5 & -1 & 4 & -1 & -1 & -1 & -1 & -1 & -1 $

DAY OF				_		W - 10 - 10 - 10 - 10 - 10 - 10 - 10 - 1											-				_			,				ı	10	V E	M	ВE	R.			_						· <u>-</u> · ·		_												OF 44
THE MONTH	1826	1827	1828	8 18	29 1	830	1831	183	32 1	833	183	34 1	835	183	36 1	837	183	8 1	839	184	.0 18	341	1842	2 18	343	1844	1 18	345	1846	184	7 18	48 1	849	1850	185	1852	2 18	853 1	854	1855	1856	185	185	8 18	59 1	860 1	861	1862	1863	1864	1865	186	6 186	7 186	8 1869	MFANS YEAJ
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	$-2.3 \\ +2.5 \\ -0.2 \\ +0.3 \\ -2.9 \\ -7.3 \\ -2.9 \\ +5.0 \\ +1.2 \\ 0.0 \\ -0.6 \\ -5.1 \\ -2.8 \\ +0.6 \\ +3.2 \\ +2.0 \\ +1.7 \\ -0.9$	- 1.9 + 0.4 + 4.7 + 4.4 + 5.9 + 4.7 + 6.7 + 7.7 + 1.6 + 10.9 + 1.3 + 4.3 + 4.3 + 4.3 + 5.4 + 7.5 - 5.7	- 5·1 - 7·1 - 11·7 - 13·2 - 0·9 + 4·6 + 8·4 + 7·9 + 1·0 + 4·8 + 8·2 + 11·4	5 - 1	3·2	+ 8·1 + 8·2 + 8·5 + 8·5 + 9·9 + 3·4 - 3·4 - 1·5 + 9·3 + 4·5 - 0·8 + 6·0 + 7·6 + 8·7 + 2·1 - 3·2 - 4·3 + 4·3 + 5·4	+ 3.9 - 4.7 - 5.6 - 0.1 + 3.9 + 2.6 + 2.6 - 4.6 - 3.6 - 7.9 - 10.6 - 10.1 + 0.1 + 11.9	2 + 7 + 5 5 - 3 6 - 2 1 - 6 - 2 3 - 5 - 2 1 - 1 1 -	7·7 5·2 3·5 6·4 2·7 3·6 5·1 2·8 2·9 2·9 1·8 1·8 1·3 1·4 2·7	+ 4.2 $- 1.3$ $- 4.9$ $+ 2.6$ $+ 4.5$ $- 3.8$ $- 3.7$ $+ 4.7$ $+ 0.1$ $- 4.1$ $- 1.0$ $+ 8.3$ $+ 4.0$ $+ 7.1$ $+ 7.0$	+ 5 + 4 + 12 + 12 + 12 + 13 + 5 + 7 + 1 - 1 - 0 + 4 + 6 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7 - 7	·9 - ·8 - · · · · · · · · · · · · · · · ·	3·3 0·4 3·5 6·6 8·1 2·3 4·9 5·9 2·9 1·6 1·0 0·7 4·4 4·7 0·9 7·2 8·5	+ 0 + 0 - 1 - 6 - 8 - 10 - 7 + 6 + 3 + 2 + 0 + 8 - 1 + 5 + 3 - 2 - 3 - 7	0.6	6·0 6·7 6·1 5·0 8·1 10·8 15·0 6·5 2·5 3·2 0·9 1·4 5·5 8·9 7·7 4·3 6·4 1·1 0·2	$ \begin{array}{r} -6 \\ -3 \\ +2 \\ -0 \\ +2 \\ +9 \\ +5 \\ +0 \\ -4 \\ -7 \\ -4 \\ -5 \\ -3 \\ -0 \\ +3 \\ +1 \\ -2 \\ -3 \\ +0 \\ \end{array} $	9 - + + + + + + + + + + + + + + + + + +	2·3 2·5 2·1 4·1 2·3 4·7 6·3 8·6 9·9 2·9 6·1 4·9 7·0 9·6 9·9 11·5 9·9 6·2 0·5 0·7	+ 3 + 4 + 3 + 2 + 3 + 4 + 4 + 0 - 0 + 1 + 7 + 1 + 0 + 15 + 5 - 2 - 3 + 0	2 - + - + + + + + + + + + + + +	0·4 0·7 0·3 1·0 1·1 1·0 1·6 4·1 6·8 5·1 4·5 2·1 5·3 10·0 12·5 12·8 7·0 0·8 1·7 8·1	-3.7 -3.8 -6.9 -5.9 -4.1 -1.9 +1.8 +3.7 +8.6 +7.1 +8.6 -2.9 -5.9 +5.9 -4.9 -4.9	7 - + + + +	1.6 5.6 2.9 0.5 4.2 4.7 3.8 5.8 3.3 7.0 6.7 0.1 4.5 5.3 5.5 0.3 0.0 1.5 2.6 9.7	- 4·6 - 4·9 - 2·7 - 4·6 - 6·1 + 0·5 + 5·6 + 3·4 - 0·1 + 9·5 + 8·4 + 4·9 + 12·1 + 8·8 + 9·1 + 10·5 + 8·7 - 4·6	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4·4	- 3·7 - 5·9 - 7·0 - 6·1 - 1·7 - 2·4 - 0·5 - 2·2 - 0·7 - 1·7 - 2·9 - 2·5 - 1·7 - 0·6 - 5·5 - 9·1 - 10·6 - 8·0 - 4·3	+ 3· + 1· + 2· + 4· + 7· + 11· + 12· + 2· - 0· + 8· + 5· + 3· + 7· + 10· - 6· - 10· - 3·	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2·2 + 1·6 + 7·9 - 0·1 - 5·9 + 1·2 + 9·7 - 5·6 - 3·1 - 1·6 + 4·1 + 7·4 + 2·2 -	0·8 4·1 1·8 2·1 4·4 4·0 11·9 10·7 5·2 8·2 3·9 5·6 2·6 1·1 2·6 4·8 5·9 3·9 2·6 · 0·2	+ 5·3 + 4·7 + 4·0 + 4·5 + 6·6 + 0·1 + 10·2 + 10·1 + 1·3 - 4·9 - 6·1 + 0·7 - 3·2 + 6·3 + 5·5 - 0·8	- 7: - 9: - 8: - 8: - 2: - 3: - 0: - 0: - 0: - 0: - 1: - 2: - 11: - 7: - 10: - 8: - 10: - 6: - 3:	4 + 6.2 1 + 9.3 3 + 12.3 3 + 12.3 3 + 12.3 4 + 13.3 4 + 3.4 1 + 7.3 4 + 10.3 4 + 9.3 5 + 5.3 6 + 5.3 6 + 5.3 6 + 5.3 7 + 3.4 1 + 12.3 4 + 9.3 5 + 5.3 6 + 5.3 6 + 5.3 6 + 5.3 6 + 5.3 7 + 3.4 1 + 12.3 4 + 9.3 6 + 5.3 6 + 5	9 + 9 + 9 + 9 + 9 + 9 + 9 + 9 + 9 + 9 +	$ \begin{array}{r} 6 \cdot 6 \\ 2 \cdot 7 \\ \hline 3 \cdot 1 \\ 1 \cdot 9 \\ \hline 4 \cdot 3 \\ \hline 4 \cdot 7 \\ \hline 4 \cdot 9 \\ \hline 3 \cdot 6 \\ \hline 0 \cdot 0 \\ \hline 3 \cdot 1 \\ \hline 4 \cdot 3 \\ \hline 4 \cdot 3 \\ \hline 0 \cdot 0 \\ \hline 3 \cdot 1 \\ \hline 4 \cdot 3 \\ \hline 4 \cdot 3 \\ \hline 0 \cdot 0 \\ \hline 3 \cdot 1 \\ \hline 4 \cdot 3 \\ \hline 4 \cdot 3 \\ \hline 0 \cdot 0 \\ \hline 3 \cdot 1 \\ \hline 4 \cdot 3 \\ \hline 0 \cdot 0 \\ \hline 3 \cdot 1 \\ \hline 4 \cdot 3 \\ \hline 0 \cdot 0 \\ 0 \cdot 0 \\ \hline 0 \cdot 0 \\ 0 \cdot 0 \\ $	2·4 2·3 0·2 3·1 5·0 4·8 1·5 7·6 3·6 0·3 4·8 4·8 4·2 0·7 2·2 2·1 1·0 2·8 3·8 6·2	- 7·0 - 5·5 - 4·4 - 6·1 + 4·5 + 3·3 0·0 + 4·6 + 7·7 + 4·3 + 0·2 - 9·0 - 8·4 + 1·0 + 2·2 0·0 - 1·5 - 4·1	+ 2·8 - 0·7 - 3·1 - 5·5 - 8·9 - 1·5 - 2·9 - 1·0 - 4·8 - 3·9 - 7·4 - 8·3 - 7·3 + 1·2 + 4·1 + 2·6	+ 9° + 11° + 10° + 9° + 7° + 6° + 6° + 6° - 0° + 3° + 1° + 1° + 4° - 1° + 2° + 3°	$ \begin{bmatrix} $	·7 + ·3 - ·3 + ·9 + ·1 + ·0 - ·7 - ·51 - ·1 - ·4 ·7 ·7	0.4 - 1.6 - 3.5 - 3.4 - 7.3 - 6.1 - 6.5 -	-6·7	8·9 10·5 3·5 1·5 0·1 6·7 7·5 4·8 0·7 3·1 4·3 2·2 2·1 8·6 10·3 12·1 17·7 12·6 2·0 6·0	+ 4·0 + 4·6 + 3·5 + 0·8 - 5·1 - 5·7 - 4·2 + 4·5 + 0·2 - 10·3 - 7·2 - 11·6 - 8·5 - 0·6 - 2·2 - 1·3 - 2·7 - 3·1	- 1.5 + 2.6 + 11.5 + 4.1 - 5.3 + 1.1 + 3.5 - 3.1 - 7.8 - 7.4 - 3.6 + 4.0 + 7.4 + 8.9 + 9.3 + 7.2 + 4.3 + 1.0 + 3.9	- 3.5 - 2.5 - 8.1 - 3.2 - 4.6 - 11.2 - 5.8 - 10.9 - 10.8 - 4.4 + 3.7 + 2.6 + 5.1 + 5.7 + 2.6	- 6.7 - 6.5 - 6.9 - 3.2 - 4.1 + 2.0 + 1.3 - 0.8 + 0.6 - 1.9 + 6.8 + 1.5 - 0.1 + 9.0 + 1.7 + 7.3 + 10.0 + 7.4	+ 7 + 5 + 3 + 9 + 5 + 6 + 9 + 7 + 0 + 1 + 7 + 2 + 2 + 6 + 9 + 6 + 9 + 6 + 9 + 6 + 9 + 7 + 6 + 9 + 6 + 9 + 7 + 6 + 9 + 6 + 9 + 7 + 6 + 9 + 6 + 9 + 7 + 6 + 9 + 6 + 9 + 7 + 9 + 6 + 9 + 9 + 9 + 9 + 9 + 9 + 9 + 9	4 - 6. 7 - 4. 4 + 2. 0 - 4. 7 - 9. 2 - 7. 3 - 4. 4 + 2. 7 - 5. 3 - 1. 3 + 2. 3 + 2. 3 - 1. 6 - 2. 5 - 5.	9 + 2· 0 + 5· 7 - 6· 0 - 11· 5 - 10· 3 - 9· 1 - 3· 2 - 2· 0 - 0· 8 - 1· 3 - 1· 4 - 2· 4 - 2· 3 + 0· 3 - 7· 4 - 3· 2 - 3· 6 - 3·	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	4 46'3 6 45'2 8 44'9 1 45'6 0 45'0 3 44'6 3 43'6 42'5 6 42'8 4 42'8 5 42'2 3 42'6 6 42'1 3 42'2 6 42'2 9 41'3 6 41'4 2 41'7 4 42'8
21 22 23 24 25 26 27 28 29 30	+ 0·4 + 4·6 + 0·1 - 7·1 - 9·0 - 8·2 - 0·5 + 3·6 + 3·3	- 14·6 - 12·1 - 11·8 - 4·0 - 2·5 - 1·7 - 0·9 + 4·3 + 5·8	+ 3:4 + 4:5 + 5:5 + 6:5 + 10:5 + 10:5 + 11:5 + 8:5	4 -	3.6 - 1.8 - 5.4 - 8.5 - 3.9 - 2.0 - 1.1 - 0.3 - 1.5	-1·4 -0·8 -8·9 -1·9 +3·5 +2·4 +1·6	+ 11.7 + 11.7 + 10.9 + 11.7 + 5.0 - 5.0 - 7.0 + 0.0	7 + 6 7 + 5 1 + 10 1 + 5 7 + 3 7 + 3 1 + 2 1 + 2 1 + 3	0·7 5·1 0·1 5·3 3·8 1·1 2·1 0·4 1·8	+ 9·2 + 0·8 + 1·1 - 6·7 - 8·6 - 1·8 + 2·4 + 1·3 + 3·3	3 + 1 3 - 3 1 + 2 7 - 1 5 - 2 3 - 1 4 + 3 1 + 4	·9 + ·8 + ·2 + ·2 + ·3 + ·4 + ·1 + ·1 +	9·7 9·3 10·6 10·9 12·9 10·5 4·1 6·5	- 0 + 0 - 5 - 6 + 2 + 12 + 12 + 8 + 0	0.4 + 0.1 + 0.5 + 0.5 + 0.2 + 2.3 + 2.4 - 3.3 - 0.2 +	10·6 7·3 2·1 5·9 1·7 0·3 2·2 7·0 4·2	+ 1 + 0 - 6 - 8 - 9 - 3 + 3 + 6 + 6	·3 - ·8 - ·0 + ·3 + ·3 - ·5 - ·8 + ·3 +	2·8 4·2 6·5 11·6 2·4 10·7 3·0 4·8 3·2	- 2 + 1 + 6 - 4 - 8 - 11 - 14 - 11 + 7	·8 + ·1 - ·2 - ·4 - ·6 - ·8 + ·0 + ·0 +	7·8 1·5 4·6 6·2 5·9 6·9 6·3 12·4 9·2	-7.3 +0.6 +3.8 +2.5 +1.3 +6.5 +7.5 +4.7 -1.8	3 + 6 + 8 - 9 + 1 + 1 2 + 1 2 + 5	8·0 5·0 2·5 2·0 12·3 11·9 8·0 2·4 1·5	- 4·2 - 4·2 - 2·0 - 1·9 - 8·3 - 7·0 - 3·6 - 5·6	2	7·0 -4 7·9 -4 6·3 -4 10·9 -4 11·3 - 7·2 - 2·9 - 1·1 -	- 0·7 - 6·2 - 11·6 - 8·9 - 2·1 - 1·8 - 7·1 - 11·9 - 13·0	+ 3· + 6· + 8· + 1· + 5· + 3· - 1· + 12·	5 + 4 + 0 - 1 - 4 + 0 + 4 + 8 +1 1 +	7·1 — 5·0 + 2·3 — 2·5 — 7·9 — 3·0 — 8·1 — 1·5 —	2·8 3·4 4·3 5·7 10·5 12·2 14·4 3·9 1·2	+ 7·9 + 6·0 + 9·5 + 4·0 - 1·2 - 2·9 - 6·8 - 9·2 - 7·1	- 2.1 - 3.3 - 2.1 - 7.1 - 8.3 - 5.1 - 4.4 - 10.4	7 + 1.3 3 - 2.3 + 0.6 1 + 0.6 2 + 11.6 0 + 3.6 7 - 0.3 7 - 4.5 5 - 5.9	8 - 1 5 - 5 - 6 - 5 - 8 - 1 + 9 +	13·3 - 12·7 - 5·9 - 1·6 - 1·1 - 2·7 - 0·7 - 2·4 + 8·1 -	8·4 8·7 5·2 5·2 8·4 11·2 0·7 2·1 0·6	- 4·7 - 6·7 - 2·0 - 2·5 - 4·5 + 2·0 + 0·7 - 1·3 - 5·0	+ 5·1 + 11·1 + 9·0 - 5·2 - 6·0 - 2·3 - 8·1 - 14·4 - 15·2	+ 13 + 63 - 23 - 13 - 03 + 23 - 13 - 03 - 23	3 -16 -21 -13 2 + 3 3 + 8 4 + 6 + 1 3 + 6 3 + 1	77 - 75 + 77 + 72 + 70 + 71 - 71 - 71 - 72 - 73 - 74 - 75 - 76 -	4·5 - 1·0 - 3·7 - 0·6 - 4·5 - 4·5 - 2·3 + + 5·8 +	-2·7 - -1·0 - -1·7 -1 -2·7 + -1·1 +1 2·3 - -0·5 - 1·5 +1 1·2 +	2·1 - 5·7 - 11·6 - 5·3 - 10·0 - 4·6 - 1·0 - 12·1 - 7·3 -	- 7·3 -15·1 - 4·4 - 5·4 - 2·8 - 1·9 + 3·4 - 2·4 - 2·2	+ 3·7 + 6·9 + 10·1 + 8·1 + 8·2 + 4·1 + 0·9 - 4·9 - 6·7	+ 1·4 + 1·1 - 1·4 - 0·9 - 2·2 + 1·7 + 6·6 + 0·1 + 1·4	+ 7·5 + 8·5 + 7·6 + 9·9 + 1·6 - 1·7	+1· +2· +1· +6· +1· +4· -6· -1·	7 - 3.3 4 - 1.6 6 - 3.3 1 - 2.3 6 + 1.6 1 - 7.3 8 - 12.3 8 - 8.3 9 + 0.3	2 + 2·3 3 + 2·3 5 - 1·3 6 + 1·3 9 + 0·3 - 5·3 0 - 5·3 0 - 6	9 + 1·0 0 - 1·3 4 - 1·0 3 + 0·2 6 + 3·2 7 + 0·4 1 - 3·3 0 - 8·5	0 42.5 9 41.8 0 40.7 2 40.2 2 41.1 7 40.2 4 41.4 9 41.2 5 41.5

TABLE XXVII. Excess or Defect of Temperature on every day in the month of December, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869; above or below the Mean of that day for all the years.

DAY OF	DECEMBER.				
Month	1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 185	859 1860 1861	1862 1863 18	54 1865 186	6 1867 1868 186
ı	$- \circ \circ$	°5·8 + °5·7 - °2·5	- 1.7 -0.7 -	5.1 + 1.7 - 7	4 + 6.6 + 1.5 -11
2	+ $1.4 +$ $5.6 4.1 +$ $1.0 2.6 +$ $4.0 $ $+$ $7.9 +$ $4.4 +$ $2.8 +$ $2.5 +$ $6.8 7.4 +$ $9.1 3.2 +$ $0.1 +$ $8.1 +$ $9.7 2.9 4.4 +$ $3.9 7.9 +$ $4.0 2.8 +$ $5.5 +$ $1.7 5.3 +$ $1.9 8.9 0.0 2.2 13.6 +$ $9.8 +$ $3.3 -$	8.4 + 4.2 - 7.0	+ 4.1 + 2.6 -	4.9 + 0.9 - 2	-8 - 12.4 + 4.2 - 9.
3	$- \ \ 1 \cdot 5 \ \ + \ \ 4 \cdot 8 \ \ + \ \ 5 \cdot 2 \ \ + \ \ 0 \cdot 6 \ \ + \ \ 2 \cdot 9 \ \ + \ \ 2 \cdot 3 \ \ + \ \ \ 8 \cdot 1 \ \ + \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \$	11.2 + 2.9 - 11.8	+ 2.5 + 3.0 +	5.7 + 1.3 + 6	0 - 8.0 + 5.5 - 10
4	$-6.1 \left +7.7 \left +8.3 \left +2.2 \right -3.9 \right +7.2 \left -0.3 \right +10.3 \left -0.2 \right -1.3 \left +11.7 \left -12.1 \right -0.0 \right -8.6 \left -10.6 \right +2.8 \left +4.0 \right +4.6 \left -7.1 \right -2.1 \left -10.8 \right +3.9 \right +4.0 \left -8.6 \right -4.6 \left +11.3 \right -3.1 \left +1.7 \right -0.3 \left -10.7 \right +0.7 \left +5.6 \right -10.6 \left +3.9 \right +3.9 \left +3.9 \right +3.9$	1 .	i I I		
5	$-\frac{5\cdot7}{9} + \frac{7\cdot8}{9} + \frac{4\cdot2}{9} + \frac{3\cdot0}{9} - \frac{4\cdot7}{9} + \frac{2\cdot8}{9} - \frac{2\cdot9}{9} + \frac{1\cdot5}{9} - \frac{4\cdot4}{9} - \frac{1\cdot4}{9} + \frac{8\cdot9}{9} - \frac{5\cdot9}{9} - \frac{0\cdot8}{9} - \frac{5\cdot9}{9} - \frac{0\cdot8}{9} + \frac{3\cdot4}{9} + \frac{2\cdot4}{9} + \frac{6\cdot6}{9} - \frac{1\cdot3}{9} + \frac{2\cdot3}{9} - \frac{5\cdot6}{9} + \frac{2\cdot9}{9} + \frac{1\cdot5}{9} - \frac{2\cdot2}{9} + \frac{4\cdot6}{9} - \frac{3\cdot5}{9} - \frac{5\cdot1}{9} + \frac{3\cdot4}{9} + 3$	1 1	1 1		
	$-\frac{2\cdot 6}{9} \left -\frac{0\cdot 7}{9} \right + \frac{4\cdot 8}{9} \left -\frac{6\cdot 3}{9} \right + \frac{5\cdot 1}{9} \left +\frac{6\cdot 3}{9} \right -\frac{1\cdot 2}{9} \left -\frac{0\cdot 6}{9} \right + \frac{3\cdot 2}{9} \left -\frac{3\cdot 6}{9} \right + \frac{9\cdot 4}{9} \left -\frac{3\cdot 7}{9} \right -\frac{7\cdot 2}{9} \left -\frac{7\cdot 2}{9} \right + \frac{4\cdot 4}{9} \left -\frac{7\cdot 2}{9} \right + \frac{4\cdot 8}{9} \left +\frac{4\cdot 8}{9} \right + \frac{4\cdot 8}{9} \left +\frac{4\cdot 8}{9} \right + \frac{4\cdot 8}{9} \left +\frac{4\cdot 8}{9} \right + \frac{4\cdot 8}{9} \left -\frac{3\cdot 4}{9} \right +$, i			1 1 1
	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	1 1			
	$+$ $\frac{7\cdot8}{8}$ $+$ $\frac{1\cdot4}{8}$ $+$ $\frac{0\cdot5}{8}$ $ \frac{7\cdot5}{8}$ $+$ $\frac{2\cdot5}{8}$ $+$ $\frac{11\cdot5}{8}$ $+$ $\frac{2\cdot8}{8}$ $+$ $\frac{4\cdot5}{8}$ $ \frac{0\cdot4}{8}$ $ \frac{2\cdot1}{8}$ $+$ $\frac{0\cdot6}{8}$ $ \frac{1\cdot8}{8}$ $+$ $\frac{1\cdot9}{8}$ $ \frac{1\cdot8}{8}$ $ \frac{1\cdot9}{8}$ $+$ $\frac{1\cdot9}{8}$ $+$ $\frac{1\cdot9}{$	1 1			
	$+\frac{4\cdot 4}{1000} - \frac{2\cdot 6}{1000} - \frac{6\cdot 4}{1000} - \frac{10\cdot 1}{1000} + \frac{4\cdot 1}{1000} + \frac{9\cdot 1}{1000} + \frac{6\cdot 9}{1000} + \frac{11\cdot 3}{1000} - \frac{2\cdot 2}{1000} - \frac{4\cdot 9}{1000} - \frac{10\cdot 2}{1000} - \frac{6\cdot 7}{1000} - \frac{7\cdot 3}{1000} - \frac{11\cdot 5}{1000} - \frac{11\cdot 5}{1000$				
10	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$				
11	$+\frac{10\cdot1}{9\cdot5} + \frac{5\cdot4}{9\cdot5} + \frac{7\cdot5}{9\cdot2} + \frac{2\cdot0}{9\cdot2} + \frac{3\cdot2}{9\cdot2} + \frac{12\cdot0}{9\cdot2} + \frac{9\cdot8}{9\cdot2} + \frac{10\cdot4}{9\cdot2} + \frac{9\cdot8}{9\cdot2} + \frac{10\cdot4}{9\cdot2} + \frac{9\cdot8}{9\cdot2} + \frac{10\cdot4}{9\cdot2} + \frac{9\cdot8}{9\cdot2} + \frac{10\cdot4}{9\cdot2} + \frac{10\cdot4}{9\cdot2$				
12	$+ \frac{9 \cdot 5}{7 \cdot 9} \begin{vmatrix} + \frac{5 \cdot 4}{7 \cdot 9} \begin{vmatrix} + \frac{6 \cdot 2}{7 \cdot 9} \end{vmatrix} + \frac{6 \cdot 2}{7 \cdot 9} \begin{vmatrix} + \frac{10 \cdot 4}{7 \cdot 9} \end{vmatrix} + \frac{6 \cdot 2}{7 \cdot 9} \begin{vmatrix} + \frac{10 \cdot 4}{7 \cdot 9} \end{vmatrix} + \frac{2 \cdot 4}{7 \cdot 9} \begin{vmatrix} - \frac{1}{2} \cdot 4 \end{vmatrix} - \frac{9 \cdot 0}{7 \cdot 9} \begin{vmatrix} + \frac{3}{2} \cdot 6 \end{vmatrix} + \frac{3}{2} \cdot 6 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}{2} \cdot 9 \end{vmatrix} + \frac{1}{2} \cdot 9 \begin{vmatrix} + \frac{1}$	I I		1 1	1 1 1
	$\left + \frac{7 \cdot 9}{5 \cdot 1} \right - \frac{0 \cdot 9}{5 \cdot 1} \right + \frac{8 \cdot 0}{5 \cdot 1} - \frac{1 \cdot 0}{5 \cdot 1} - \frac{1 \cdot 0}{5 \cdot 1} - \frac{1 \cdot 6}{5 \cdot 1} - \frac{1 \cdot 9}{5 \cdot 1} - \frac{1 \cdot 6}{5 \cdot 1} - \frac{1 \cdot 9}{5 \cdot 1} - \frac{1 \cdot 6}{5 \cdot 1} + \frac{1 \cdot 1}{5 \cdot 1} - \frac{9 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 1}{5 \cdot 1} - \frac{9 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 1}{5 \cdot 1} - \frac{9 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 1}{5 \cdot 1} - \frac{9 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 1}{5 \cdot 1} - \frac{9 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 1}{5 \cdot 1} - \frac{9 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 1}{5 \cdot 1} - \frac{9 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 1}{5 \cdot 1} - \frac{9 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 1}{5 \cdot 1} - \frac{9 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 1}{5 \cdot 1} - \frac{9 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 1}{5 \cdot 1} - \frac{9 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 1}{5 \cdot 1} - \frac{1 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 1}{5 \cdot 1} - \frac{1 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 1}{5 \cdot 1} - \frac{1 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 2}{5 \cdot 1} - \frac{1 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 2}{5 \cdot 1} - \frac{1 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 2}{5 \cdot 1} - \frac{1 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 2}{5 \cdot 1} - \frac{1 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 2}{5 \cdot 1} - \frac{1 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 2}{5 \cdot 1} - \frac{1 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 2}{5 \cdot 1} - \frac{1 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 2}{5 \cdot 1} - \frac{1 \cdot 2}{5 \cdot 1} + \frac{1 \cdot 2}{5 \cdot 1} +$	I I			
14	$\begin{vmatrix} \div & 5 \cdot 1 & & + & 1 \cdot 7 & & + & 3 \cdot 9 & & - & 9 \cdot 7 & & - & 6 \cdot 3 & & + & 3 \cdot 2 & & + & 2 \cdot 4 & & + & 6 \cdot 0 & & - & 3 \cdot 4 & & - & 3 \cdot 9 & & + & 0 \cdot 9 & & - & 4 \cdot 7 & & - & 0 \cdot 9 & & + & 3 \cdot 2 & & + & 2 \cdot 8 & & + & 4 \cdot 8 & & + & 5 \cdot 6 & & + & 8 \cdot 9 & & + & 4 \cdot 9 & & - & 3 \cdot 1 & & + & 9 \cdot 9 & & - & 2 \cdot 8 & & + & 1 \cdot 7 & & + & 2 \cdot 9 & & - & 3 \cdot 3 & & - & 2 \cdot 9 & & - & 3 \cdot 3 & & - & 2 \cdot 9 $				
16	$ \begin{vmatrix} + & 4 \cdot 2 & & + & 8 \cdot 6 & & - & 5 \cdot 2 & & - & 4 \cdot 6 & & + & 9 \cdot 7 & & 0 \cdot 0 & & - & 3 \cdot 7 & & - & 4 \cdot 1 & & - & 4 \cdot 6 & & - & 5 \cdot 4 & & - & 3 \cdot 3 & & - & 18 \cdot 1 & & + & 3 \cdot 5 & & + & 6 \cdot 6 & & + & 8 \cdot 6 & & + & 9 \cdot 4 & & + & 5 \cdot 7 & & - & 3 \cdot 5 & & + & 7 \cdot 0 & & - & 9 \cdot 1 & & + & 8 \cdot 3 & & + & 1 \cdot 4 & & - & 6 \cdot 7 & & + & 6 \cdot 3 & & - & 3 \cdot 8 & & - & 18 \cdot 0 & & - & 18 \cdot 0 & & + & 18 \cdot 0 & & & 18 \cdot 0 & & & 18 \cdot 0 & & & & 18 \cdot 0 & & & & & & & & & & & & & & & & $				
17	$ \begin{vmatrix} + & 6 \cdot 0 & & + & 5 \cdot 3 & & + & 8 \cdot 9 & & - & 3 \cdot 8 & & - & 10 \cdot 0 & & + & 3 \cdot 4 & & - & 4 \cdot 6 & & + & 7 \cdot 9 & & + & 2 \cdot 3 & & - & 2 \cdot 8 & & - & 2 \cdot 8 & & - & 11 \cdot 5 & & - & 2 \cdot 8 & & - & 11 \cdot 5 & & - & 2 \cdot 8 & & - & 11 \cdot 5 & & - & 2 \cdot 8 & & - & 11 \cdot 5 & & - & 2 \cdot 8 & & - & 11 \cdot 5 & & - & 2 \cdot 8 & & - & 11 \cdot 5 & & - & 2 \cdot 8 & & - & 11 \cdot 5 & & - & 2 \cdot 8 & & -$				
18	$\begin{vmatrix} + & 4 \cdot 1 & & + & 3 \cdot 6 & & + & 1 \cdot 2 & & - & 7 \cdot 8 & & + & 4 \cdot 3 & & + 7 \cdot 5 & & + & 6 \cdot 7 & & + & 2 \cdot 5 & & - & 2 \cdot 0 & & + & 0 \cdot 7 & & + & 7 \cdot 2 & & - & 5 \cdot 7 & & - & 3 \cdot 0 & & - & 1 \cdot 3 & & - & 0 \cdot 3 & & + & 6 \cdot 7 & & - & 3 \cdot 3 & & - & 0 \cdot 2 & & + & 8 \cdot 8 & & - & 1 \cdot 4 & & - & 1 \cdot 9 & & - & 2 \cdot 6 & & - & 7 \cdot 4 & & + & 1 \cdot 5 & & - & 1 \cdot 3 & $				
10	$\begin{vmatrix} + & 1.7 & & + 13.7 & & + 10.6 & & - & 4.7 & & - & 5.6 & & + & 3.1 & & - & 1.0 & & + & 9.5 & & - & 1.5 & & + & 0.2 & & + & 8.8 & & + & 9.6 & & - & 5.6 & & - & 1.4 & & - & 9.7 & & - & 13.8 & & + & 0.5 & & + & 2.2 & & + & 1.7 & & + & 3.5 & & - & 12.5 & & + & 8.7 & & - & 4.3 & & - & 1.6 & & + & 1.0 & & - & 9.8 & & - & 3.3 & & - & 7.8 & & + & 2.3 & & + & 7.9 & & + & 3.4 & & - & 1.8 & & + & 1.1 & & + & 11.7 & & + & 8.7 & & - & 8.7 & $	19.7 - 12.5 + 2.9	+ 1.0 -2.4 -1	5.77	5.6 + 0.1 + 6
20	$ \begin{vmatrix} + & 1 \\ + & 1 \\ + & 1 \\ - & 5 \\ -$				
21	$ \begin{vmatrix} + & 1 \cdot 8 \\ + & 5 \cdot 0 \end{vmatrix} + \begin{vmatrix} 13 \cdot 3 \\ + & 3 \cdot 1 \end{vmatrix} + \begin{vmatrix} 13 \cdot 3 \\ + & $	0.5	_ 1.8 +9.2 +	1:01 + 8:4 - 4:	0 - 30 + 92 + 2
22	$ \begin{vmatrix} + & 0.02 & + & 3.4 & + & 13.3 & - & 11.3 & + & 0.6 & - & 0.8 & + & 3.4 & + & 2.9 & + & 2.6 & - & 10.2 & + & 3.0 & + & 2.8 & - & 4.4 & + & 10.0 & - & 5.2 & - & 8.5 & + & 11.9 & + & 6.6 & - & 5.8 & - & 4.8 & + & 4.4 & - & 5.9 & - & 11.2 & - & 7.7 & + & 5.9 & + & 4.0 & - & 4.7 & + & 0.2 & - & 19.5 & + & 5.4 & + & 11.0 & + & 9.3 & - & 4.2 & + & 11.0 & + & 9.3 & - & 4.2 & + & 11.0 & + & 9.3 & $	4.5 10.2 10.6	- 1.0 + 2.2 +	3:0 + 0.5 - 1:	1 + 1.4 + 8.1 - 1
	$ \begin{vmatrix} + & 9 & 3 & & + & 9 & & & 1 & & 1 & 1 & 1 & 1 & 1 & 1 &$				
24	$ \begin{vmatrix} +7.5 \\ +10.5 \\ +8.7 \end{vmatrix} + 8.7 \begin{vmatrix} -9.9 \\ -9.9 \end{vmatrix} - 19.6 \begin{vmatrix} -7.4 \\ +8.4 \\ +8.7 \begin{vmatrix} -5.0 \\ -7.2 \end{vmatrix} + 8.4 \begin{vmatrix} +8.4 \\ +8.7 \begin{vmatrix} -5.0 \\ -7.2 \end{vmatrix} + 9.9 \begin{vmatrix} +3.3 \\ +13.5 \end{vmatrix} - 7.2 \begin{vmatrix} +7.7 \\ -1.0 \end{vmatrix} + 12.0 \begin{vmatrix} -5.8 \\ -4.2 \begin{vmatrix} -6.5 \\ -0.7 \end{vmatrix} - 6.1 \begin{vmatrix} -6.9 \\ -6.2 \end{vmatrix} - 6.2 \begin{vmatrix} -6.5 \\ -0.7 \end{vmatrix} + 2.8 \begin{vmatrix} +3.5 \\ -2.7 \end{vmatrix} + 2.8 \begin{vmatrix} +3.5 \\ -2.9 \end{vmatrix} + 9.8 \begin{vmatrix} +2.4 \\ +3.5 \end{vmatrix} + 2.4 \begin{vmatrix} +3.5 \\ -2.9 \end{vmatrix} + 3.8 \begin{vmatrix} +2.4 \\ +3.5 \end{vmatrix} + 3.8 \begin{vmatrix} -2.4 \\ -2.4 \end{vmatrix} + 3.8 \begin{vmatrix} -$	1:6 - 15:60:5	+ 6.5 +5.5 -	$\frac{3}{3} = \frac{3}{5} = \frac{3}$	7 + 0.5 + 6.0 - 3
25	$ \begin{vmatrix} + & 9 \cdot 9 & & + & 12 \cdot 2 & & + & 2 \cdot 7 & & - & 7 \cdot $	2.8 - 18.1 - 4.3	+ 9.1 + 4.1 -	1.4 + 3.1 + 1.	6 - 14 + 38 - 4
26	$\begin{vmatrix} + & 4.5 & & + 10.7 & & - & 2.2 & & - & 11.0 & & - & 4.8 & & + 0.8 & & + & 2.6 & & + & 0.9 & & - & 15.0 & & - & 6.4 & & + & 9.4 & & - & 2.9 & & + & 1.4 & & - & 9.7 & & - & 6.4 & & + & 11.5 & & + & 6.5 & & - & 2.5 & & + & 5.5 & & - & 8.6 & & - & 2.6 & & + & 13.2 & & - & 10.0 & & + & 1.7 & & + & 10.5 & & - & 7.1 & & + & 3.9 & & + 6.7 & & + & 10.5 & & - & 10.0 & &$	2.7 - 12.5 - 8.9	+ 9.9 +7.9	3.6 + 7.7 + 7.	4 - 6.7 + 7.7 - 11
27	$ \begin{vmatrix} + & 6 & 3 & & + & 5 & 6 & & + & 1 & 0 & & - & 1 & 1 & 6 & & - & 1 & 1 & 6 & & - & 1 & 1 & 6 & & - & 1 & 1 & 6 & & - & 1 & 1 & 6 & & - & 1 & 1 & 6 & & - & 1 & 1 & 1 & & - & 1 & 1 & 1 & & - & 1 & 1 & 1 & & - & 1$	1.8 - 7.0 - 4.6	+ 6.4 +1.4 -	+8 + 0.7 + 7	$4 \begin{vmatrix} - & 1 & 1 \\ - & 1 & 1 \end{vmatrix} + 11 \cdot 5 \begin{vmatrix} -10 & 1 \\ - & 1 & 1 \end{vmatrix}$
28	$ \begin{vmatrix} -1.8 & -2.0 & +3.3 & -10.6 & -3.6 & +2.8 & -1.2 & +7.3 & -1.4 & +5.2 & -5.6 & +11.0 & -4.2 & -1.3 & -8.5 & +4.0 & -2.0 & +8.6 & +6.9 & +4.6 & -7.5 & -2.9 & +5.0 & -12.8 & +2.2 & +1.5 & +3.6 & -9.3 & -5.8 & +11.4 & -13.0 & -1.3 & +4.0 & +1.4 & -13.0 & -1.3 & +4.0 & +1.4 & -13.0 & -1.3 & +4.0 & +1.4 & -1.4$	7.2 -15.1 - 0.4	+13.4 -1.1 + 2	2.5 + 7.8 + 11.	$2 \begin{vmatrix} -5.0 \end{vmatrix} + 6.1 \begin{vmatrix} -13. \end{vmatrix}$
29	$\left + \ 5.0 \right - \ 5.9 \left - \ 0.7 \right - 11.8 \left - 10.5 \right + \ 0.8 \left - 0.2 \right + 12.6 \left + \ 1.4 \right + \ 0.5 \left - \ 6.7 \right + \ 8.7 \left + \ 4.4 \right - \ 7.3 \left - \ 9.9 \right + \ 3.8 \left + 10.8 \right + \ 3.7 \left + \ 5.1 \right + \ 1.5 \left - \ 4.2 \left - \ 3.9 \right + \ 0.6 \left - \ 9.0 \right + \ 5.7 \left - \ 0.3 \right + 11.9 \left - 15.7 \right - \ 3.0 \left + \ 8.4 \right - \ 4.8 \left + \ 1.5 \right - 2.8 \left + \ 1.5 \right + \ 1.5 \left - 3.8 $	10.0 - 13.9 - 10.2	+ 7.7 + 6.7 +	7 + 9.0 + 10	$2 \begin{vmatrix} -3 \cdot 1 \end{vmatrix} - 1 \cdot 3 \begin{vmatrix} -5 \cdot 1 \end{vmatrix}$
30	$+ 8.3 \begin{vmatrix} -1.6 \end{vmatrix} + 0.8 \begin{vmatrix} -9.3 \end{vmatrix} + 0.5 \begin{vmatrix} -9.3 \end{vmatrix} + 0.5 \begin{vmatrix} -3.4 \end{vmatrix} + 10.6 \begin{vmatrix} +12.5 \end{vmatrix} - 0.6 \begin{vmatrix} -9.6 \end{vmatrix} + 8.2 \begin{vmatrix} +7.7 \end{vmatrix} - 6.5 \begin{vmatrix} -7.6 \end{vmatrix} - 1.8 \begin{vmatrix} +12.5 \end{vmatrix} + 1.2 \begin{vmatrix} -1.6 \end{vmatrix} + 9.4 \begin{vmatrix} -7.3 \end{vmatrix} - 2.4 \begin{vmatrix} -3.0 \end{vmatrix} - 5.1 \begin{vmatrix} +7.3 \end{vmatrix} - 6.2 \begin{vmatrix} +9.4 \end{vmatrix} - 8.0 \begin{vmatrix} -3.3 \end{vmatrix} - 0.4 \begin{vmatrix} +2.4 \end{vmatrix} - 2.4 \begin{vmatrix} -1.4 \end{vmatrix} + 1.4 \begin{vmatrix} -1.4 \end{vmatrix} +$	10.2 - 1.4 - 8.9	+ 58 -12 -	$2.3 \left + 3.5 \right - 1$	$2 \left -6.4 \right -2.1 \left -0.6 \right $
31	$ \begin{vmatrix} \div 8 \cdot 1 \\ + 2 \cdot 0 \\ + 3 \cdot 7 \\ - 8 \cdot 6 \\ + 2 \cdot 8 \\ - 6 \cdot 6 \\ - 2 \cdot 9 \\ + 7 \cdot 8 \\ + 12 \cdot 3 \\ - 9 \cdot 7 \\ - 8 \cdot 9 \\ + 6 \cdot 0 \\ - 2 \cdot 8 \\ + 5 \cdot 6 \\ + 17 \\ - 1 \cdot 8 \\ + 4 \cdot 7 \\ + 6 \cdot 1 \\ - 0 \cdot 1 \\ + 4 \cdot 2 \\ - 14 \cdot 4 \\ - 4 \cdot 2 \\ - 2 \cdot 2 \\ - 5 \cdot 8 \\ + 11 \cdot 9 \\ - 5 \cdot 9 \\ + 7 \cdot 6 \\ - 11 \cdot 1 \\ + 2 \cdot 4 \\ - 0 \cdot 6 \\ + 8 \cdot 7 \\ - 3 \cdot 0 \\ + 2 \cdot 8 \\ + 4 \cdot 7 \\ - 3 \cdot 0 \\ + 2 \cdot 8 \\ + 4 \cdot 7 \\ - 1 \cdot 8 \\ + 4 \cdot 7 \\ - 1 \cdot 8 \\ - 1 \cdot 7 \\ - 1 \cdot 8 \\ $	13.4 - 1.1 - 3.3	$+ 3.3 \left -3.7 \right - 6$	$[.8]_{+}$ $[.8]_{-10}$	1 - 11.4 - 1.4 + 3
				_	
Mean	$ \begin{vmatrix} + & 3 \cdot 8 & & + & 4 \cdot 7 & & + & 5 \cdot 8 & & - & 6 \cdot 4 & & - & 4 \cdot 1 & & + & 2 \cdot 6 & & + & 1 \cdot 8 & & + & 5 \cdot 7 & & + & 0 \cdot 9 & & - & 5 \cdot 0 & & + & 0 \cdot 3 & & + & 1 \cdot 1 & & - & 1 \cdot 2 & & + & 0 \cdot 2 & & - & 7 \cdot 6 & & + & 2 \cdot 1 & & + & 2 \cdot 4 & & - & 2 \cdot 0 & & - & 0 \cdot 8 & & + & 0 \cdot 1 & & + & 7 \cdot 2 & & - & 6 \cdot 2 & & - & 0 \cdot 1 & & - & 4 \cdot 4 & & - & 0 \cdot 5 & & + & 4 \cdot 2 & & 0 \cdot 0 & & - & 0 \cdot 1 & $	4.3 - 4.6 - 0.5	+ 3.5 + 2.3 - 2	3.0 + 2.5 + 3.4	0 = 3.2 + 5.7 - 2.4
	The state of the s				<u> </u>

In the preceding Tahles I. to XII., the mean temperature of the air is shown for every day in 44 years, and in the forty-sixth column of these Tahles the mean temperature of every day is determined. By taking the differences between the mean temperature of every day, from the average of the same day as found from all the years, the excess or deficiency of every day is shown; and in this way Tahles XVI. to XXVII. were formed, those days of excess of temperature being distinguished by the sign plus (+), and those of defect of temperature being denoted by the sign minus (-).

A glance at these Tables shows that the differences from day to day are very great, and that the temperature of the same day is very different in different years. At times it will he seen there have heen long periods together with one or other sign prevailing, but that there have been hut few months in which on every day of the month it has been either always above or below the average; the only instances are February 1853, July 1857, and August 1860, during which months every day was cold and of lower temperature than the average; and October 1831, in which every day was warm and of higher temperature than the average. There are, however, a few having hut one with other a + or — sign and all the remainder affected with the opposite sign; they are:—

January, 1830 and 1834 February, 1855 April, 1844 June, 1860 November, 1851 December, 1852

been wholly of high or wholly of low temperature. This will be more dearly shown by the following Table:—

20

TABLE XXVIII.

Showing the Greatest Daily Excess and Deficiency in each Month of the Years 1826-69.

	TANE	14.00	Property	TADV	MARCH	HOR	APRIL	TI.	MAY	<u> </u>	TIME	H	ТШХ)	Argust	TSL	SEPTEMBER	IBER	ОСТОВЕВ	ER	November	IBER	DECEMBER	IBER
YEAR	O.A.N.	ANUARX	FEBR	T T T T T T T T T T T T T T T T T T T	T T	H _Q	4	7	7	-	9	9	•	;										
	+	1	+	1	+	1	+	1	+	1	+	ı	+	ı	+	ı	+	ı	+	ı	+	1	+	1
1826	5.4	18.2	10.8	3.4	14.7	0.2	10.4	011:11	9.2	10.1	13:1	6.5	11.3	~i.	9.6	0 000	9.1	9.9	11.7	11.3	5.0	6.6	10.0	6.1
1827	13.9	13.8	8.5	14.4	10.4	6.5	15.0	10.5	12.4	8.8	5.8	1.1	12.1	1:1	8.1	4.9	7.5	4.7	9.1	8.1	10.9	9.11	13.7	5.9
1828	16.0	6.4	13.4	7.8	12.6	7.5	16.1	9.2	0.7	5.8	8.8	9.0	10.9	9.2	0.9	8.8	11.1	0.2	0.9	7.5	13.3	13.2	13.3	4.1
6281	9.9	15.9	7.2	12.7	9.8	0.6	5.3	11.3	6.5	6.3	2.6	10.3	4.6	8:5	5.5	10.8	3.3	8.6	8.5	14.5	12.8	12.6	3.0	13.9
1830	2.4	15.8	11.9	20.6	12.0	2.5	12.1	12.1	13.5	5.5	6.5	5.6	15.0	7.1	5.5	0.6	3.4	8.1	10.6	2.2	6.6	6.8	5.1	19.6
1831	9.2	12.5	16.9	9.9	1.9	6.4	11.6	3.3	7.3	12.8	4.8	6.3	9.6	4.1	8.5	1.6	2.6	0.8	11.9	:	11.9	10.1	12.0	4.2
1832	10.4	10.6	10.5	9.9	8.2	9.4	10.0	6.3	2.6	9.6	9.9	6.5	5.5	6.7	8.8	6.1	8.8	8.8	10.3	7.5	10.1	6.4	6.6	5.2
1833	8.2	11.5	13.2	4.0	2.0	10.8	9.9	9.2	16.9	3.4	9.3	8.0	4.2	6.8	5.5	10.8	3.3	8.5	11.0	6.5	9.5	8.5	12.6	4.1
1834	15.8	6.3	9.6	9.1	12.1	6.5	2.8	2.2	16.2	5.3	13.1	6.9	12.6	4.1	8.2	6.4	6.6	3.8	8.5	8.3	12.9	7.4	12.5	6.1
1835	12.7	13.3	8.6	2.9	2.0	1.9	13.7	10.8	7.1	7.1	10.0	13.5	9.8	5.1	10.5	4.0	8.1	0.0	2.2	10.1	12.9	8.1	8.1	15.0
1836	111.3	12.8	9.5	6.8	11.9	0.9	3.5	10.2	4.1	6.3	11.5	3.0	14.3	12.1	4.7	6.4	2.6	11.1	0.6	14.2	12.4	10.4	11.7	9.6
1837	10.7	11.3	10.3	6.9	2.4	11.4	5.3	13.0	9.8	13.7	6.9	9.5	2.6	7.3	10.1	8.3	10.2	8.1	9.1	7.5	9.01	15.0	11.0	12.1
1838	8.4	29.6	4.8	13.1	9.5	8.6	10.3	11.9	8.4	11.6	9.9	2.8	6.2	9.4	8.2	6.3	5.5	2.8	9.5	15.7	9.5	9.3	9.1	10.5
1839	10.4	12.8	11.8	2.6	8.0	11.5	6.5	13.6	9.1	12.9	9.8	11.1	4 8	0.9	7.5	9.4	8.4	4.4	9.6	4.2	11.6	10.2	13.3	9.8
1840	12.8	12.7	8.2	10.5	2.0	8.1	12.0	0.9	8.4	9.5	6.8	8.2	1.6	11.1	6.8	9.9	9.1	9.2	1.9	15.0	15.2	14.0	2.2	18.1
0 P	9.0	0.0	1 h x		-	2	(: 0	4 1 0 . N	17.0	0.12	1	8:4	8-1-	11.9	3.0	H-2	0.0	10.01	0.0	0.0 18/9	7. 2.	W	19.0	7.6

													41												
2000	1.01	18.0	5.0	11.2	12.8	8.5	2.8	4.1	15.7	9.5	19.5	15.5	$5 \cdot 1$	2.6	19.7	18.1	11.8	4.1	4.4	16.8	0.9	10.1	17.8	3.5	13.0
0.0	7.4	6.3	12.9	12.1	11.2	11.9	10.8	13.4	5.8	11.6	11.4	13.9	13.1	9.3	13.4	2.3	9.8	13.4	6.5	7.1	0.6	11.2	10.1	11.3	11.0
0.0	17.4	13.0	10.0	13.4	14.4	9.5	11.5	5.0	13.3	11.2	10.1	15.2	3.5	21.5	18.0	9.4	17.2	15.1	8.2	11 2	8.5	0.6	12.8	11.7	9.8
10.1	6.11	11.6	12.7	11.5	11.9	10.2	0.5	15.9	8.1	3.1	2.2	11.1	11.1	8.0	7.3	4.0	12.1	4.8	11.5	7.5	10.0	6.6	6.6	5.3	11.6
0.0	2.8	8.1	7.5	11.6	11.6	10.6	0.2	13.5	13.1	9.2	0.9	8.5	5.3	10.9	18.6	12.5	1.7	9.3	4.6	2.2	8.5	10.6	12.2	11.4	12.1
1.1	6.0	9.9	9.5	2.6	10.3	3.5	10.6	0.2	11.6	0.8	5.5	8.9	6.9	8.9	8.6	6.8	10.2	8.8	0.2	2.2	0.2	9.2	9.5	5.1	9.0
6.6	0.11	4.8	10.5	10.3	7.4	2.6	9.9	9.4	2.2	5.5	9.1	9.7	8.9	3.3	6.3	12.1	9.9	10.4	8.5	8.6	1.8	2.2	7.1	1.5	8.9
1.0	2.2	2.8	6.4	9.1	7.4	2.4	8.9	5.4	5.3	9.2	8.3	3.5	7.1	6.2	2.8	5.4	6.2	6.5	4.5	9.8	12.1	5.5	9.1	9.11	9.6
1.0	0.6	4.9	8.2	8.0	7.3	10.9	2.5	8.9	2.9	8.01	4.3	5.5	4.5	8.9	8.1	8.4	4.8	8.5	8.4	11.3	12.0	9.2	12.1	4.7	8.0
0.0	5.8	11.0	8.0	3.5	8.1	2.8	8.5	6.5	9.9	8.1	0.2	10.2	12.2	7.4	10.3	:	11.1	2.8	5.8	9.1	5.5	5.8	13.9	10.5	9.5
0.0	9.8	2.9	5.1	8.0	5.5	8.0	9.9	1.2	9.1	10.7	7.1	16.2	9.2	2.2	÷.	12.5	6.5	9.1	9.2	6.6	6.9	8.1	10.5	4.6	7.2
1001	1.1.	13.5	11.8	8.8	$6.\tilde{5}$	9.5	0.2	15.2	9.8	11.9	2.9	9.5	6.2	9.6	11.9	.:	9.8	1.5	0.9	0.6	7.4	9.3	5.3	15.4	12.4
1.0	7.9	3.2	8.7	7.5	10.5	15.5	6.6	2.6	0.3	8.0	14.5	9.5	9.1	4.8	3.8	2.6	7.5	0.6	2.9	8.1	8.3	8.3	7.3	5.6	27.2
1 1.0	7.6	14.9	5.3	9.9	11.7	8.3	10.6	÷.e	0.2	10.1	11.4	10.2	12.5	16.7	7.1	1:3	9.4	5.1	5.5	5.5	9.5	2.6	10.3	8.4	12.3
6.11	10.01	5.3	2.9	3.4	9.8	12.3	10.8	8.6	14.5	6.7	13.9	11.9	8.1	7.8	9.0	8.4	13.8	4.2	9.5	10.0	5.1	13.6	16.5	2.9	13.5
10.0	1.0	8.3	9.21	12.3	11.1	3.2	5.3	0.2	6.5	4.5	14.3	6.4	9.3	9.11	8.9	2.0	9.3	12.6	7.5	9.01	12.8	9.8	14.8	16.1	4.9
0.0	1.7	8.4	10.8	6.2	13.3	5.1	9.4	0.6	12.1	8.5	10.4	8.8	10.1	9.2	11.0	11.4	16.8	15.2	9.8	5.6	9.6	9.6	3.0	10.0	7.1
0.0	1.8	9.8	0.2	12.3	2.4	2.2	6.5	6.5	8.2	14.1	6.8	2.2	9.5	12.0	14.9	4.6	3.1	10.4	8.5	2.8	14.8	14.0	2.6	6.9	15.3
0.1	.27.2	9.1	14.7	3.0	2.9	12.5	9.6	9.3	14.0	7.5	10.8	2.8	8.3	10.0	10.4	9.1	5.3	12.6	5.5	2.2	13.2	10.0	12.0	0.0	8.8
0.4	8.8	11.0	7.1	10.8	9.2	2.9	2.9	9.6	8.1	13.9	4.8	3.6	8.6	10.0	14.2	8.0	2.5	12.3	10.7	2.2	3.0	12.3	9.8	10.5	4.5
10.01	2.77	7.1	18.1	5.8	5.4	4.1	11.8	8.1	13.1	10.5	22.4	0.9	13.0	10.2	9.2	13.0	7.4	13.9	6.5	15.0	15.7	9.5	6.4	4.1	5.8
4.0	3.3	13.5	11.8	12.1	8.4	13.0	6.5	12.6	:	12.3	2.4	12.9	9.9	4.7	11.5	4.5	7.4	13.7	9.1	9.5	5.0	12.2	11.8	10.5	12.0
7.K	c.8	8.9	2.6	15.7	11.7	2.6	9.2	3.5	4.0	13.3	15.2	10.3	15.4	10.5	4.1	0.9	21.3	11.8	0.5	19.0	12.5	5.5	26.1	0.8	2.6
18.5	0.11	14.5	6.5	11.5	13.5	4.5	14.9	14.8	12.5	11.7	11.8	10.4	9.6	8.6	11.8	13.5	8.5	13.2	10.0	10.4	10.1	12.4	13.6	11.3	14.2
1000	1845	846	1847	848	849	1850	851	1852	1853	1854	1855		1857	1858	1859	0981	1981	2981	863	864	865	9981	1867	8981	6981
-	-	I	-		I	_		-	-	-	-		-	r4		_	_							114	

On looking over this Table the first thing that strikes one is the the largest numbers are those generally under the — sign, ar particularly so in the months of winter. There are but four bland in the Table, viz., February 1853, July and August 1860, and Octobe 1831, showing, as before, that these are the only four months of or temperature throughout, three being cold and one warm.

By picking out under each month the largest number with a + sig and the largest number with a - sign, the extreme departures in each

month in 44 years will be shown, and are as follows:-

In January the	greatest excess	on any one day was	s 16∙0 ir	the ye	ear 1828
,, February	,,	"	16.9	,,	1831
,, March	,,	,,	14.7	,,,	1826
,, April	,,	**	16.1	,,	1828
,, May		* 9	17.6	,,	1847
,, June	,•	٠,	16.7	,,	1858
,, July	,,	,•	15.4	,,	1868
,, August	,,	**	14.5	,,	1842
., September	,,	,,	12.1	,,	1865
,, October	,,	,,	11.9	,,	1831
,, November	,,	,,	15.9	**	1852
,, December	*,	,,	13.9	3 7	1856

And

		•		•
e greatest deficiency	on any one day	was 29.6 in	the :	year 1838
"	,,	22.4	,,	1855
23	,,	$22 \cdot 3$,,	1845
,,	,,	16.8	,,	1861
,,	,,	16.5	,,	1867
,,	2.7	27.2	,,	1869
,,	, ,,	16.2	,,	1856
٠,,	,,,	12.1	,,	1867
,,	,,	12.1	,,	1860
٠,	,,	18.6	; ,	1859
.,	,,	21.5	,,	1858
,,	,,	20.5	,,	1844
	" " " " " " " " " " " " "	"" "" "" "" "" "" "" "" "" "" "" "" ""	" " " " " " " " " " " " " " " " " " "	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

In every month, with the exception of May and August, the extreme deficiency of temperature is larger than the extreme excess, and verlargely so in many months.

The greatest excess of temperature during the 44 years was 17°; this took place on May 28, 1847; and the greatest deficiency was 29°, on January 20, 1838.

These extremes of temperature affect vegetation greatly, but the seldom occur alone; it is very necessary for the operations of open-contribution to know for what lengthened periods these departures from averages may extend. By looking over Tables XVI. to XXVII.

will be seen that very often there are long groups of + or — quantities, and that frequently several of the numbers are very large to which these signs are attached; and it is the accumulation of these departures, more than in isolated cases, which requires the attention of the horticulturist. These periods are variable in length, frequently of a week's duration, and less frequently of a fortnight; taking the latter as a limit, the following numbers show all the periods of excess of 14 days' or more than 14 days' continuance.

By taking the periods of excess above the average in each month, in which the number of days extend to 14 or more, and entering them opposite the month in which the period commences, we have the following:—

1828	January	17 to February	8.	equal	23 days
1835	,,	23 ,, ,,	8	,,	17 "
1840	,,	14 "January	29	,,	16 "
1846	,,	13 ,, February	7	"	26 ,,
1849	"	13 "January	28	,,	16 ,,
1863	,,	18 ,, February	8	,,	22 ,,
1866	,,	26 " "	12	,,	18 "
1869	,,	28 " "	21	,,	25 "
1828	February	19 " March	4	,,	15 "
1831	,,	24 ,, ,,	13	"	18 "
1834	,,	18 ,, ,,	12	"	23 "
1835	"	11 ,, February	27	"	17 ,,
1837	,,	8 ", "	23	,,	16 ,,
1846	,,	16 ,, March	11	,,	24 ,,
1848	**	3 " February	16	,,	14 ,,
1859	71	9 " "	22	, ,,	14 "
1863	,,	19 " March	8	,,	18 ,,
1867	"	1 " February	26	,,	26 ,,
1868	,,	17 ,, March	7	,,	19 "
1828	March	8 ,, ,,	21		14
1830		0 ,, ,,	31	"	0.4
1841	"	~ ″ ^ ″·1	1	"	.00 "
1842	"	- 7/	20	"	14 "
1843	,,		$\frac{20}{26}$	"	16 "
1848	,,	,, ,,	20 5	"	15 "
1850	"	,, 1	19	"	99
1857	"	00 "	10	"	10
1862	,,	0.4	7	"	15 "
1002	,,	24 ,, ,,	'	,,	10 ,,
1826	April	2 ,, ,,	23	,,	22 ,,,
1827	"	2 ,, ,,	17	,,	16 ,,
1830	"	20 ,, May	8	,,	19 ,,
1831	,,	19 ,, ,,	4	,,	16 ,,
1834	,,	27 ,, ,,	16	"	20 ,,
1840	,,	20 ,, ,,	16	,,	27 ,,

1844	April	8 to May	14	equal	37 days
1863	,,	8 ,, April	28	, ,	21 ,,
1867	,,	1 ,, ,,	20	,,	20 ,,
1868	,,	15 ,, May	4	,,	20 ,,
1828	May	6 ,, ,,	19	,,,	14 ,,
1833	,,	1 ,, _,,	25	,,	25 ,,
1841	,,	21 ,, June	5	,,	16 ,,
1846	,,	29 ,, ,,	22	,,	25 ,,
1848	,,	3 ,, May	18	,,	16 ,,
1858	,,	29 ,, June	17	,,	20 ,,
1859	,,	24 ,, ,,	13	,,	21 ,,
1868	,,	8 ,, May	22	,,	15 ,,
1826	June	6 ,, June	20		15
1826		T 1	15	,,	20
1828	,,		11	"	90
1831	"	- " - "	23	,,	1.5
	"	" - 1	13	"	10
1836	,,	T	25	"	1.4
1837	,,		17	**	1.5
1842	,,	", "	23	"	0.1
1859	,,	30 ,, July	20	"	24 ,,
1827	July	6 ,, ,,	20	,,	15 ,,
1831		26 ,, August	17	,,	23 ,,
1834	,,	28 ,, ,,	21	,,	25 ,,
1835		15 ,, July	30		1.0
1852	,,		29	"	07
1856	,,		16	,,	90
1868	,,	a T 1	28	"	0.0
1000	,,	6 ,, July	20	,,	20 ,,
1826	August	14 ,, Septeml	oer 6	22	24 ,,
1837	,,	9 ,, August	23	• • • • • • • • • • • • • • • • • • • •	15 ,,
1842	,,	12 ,,, ,,	30	**	19 ,,
1831	September	· 23 ,, Novemb	per 2	,,	41 ,,
1843	,,	6 ,, Septeml	ber 24	,,	19 ,,
1846	,,	4 ,, ,,	18	,,	15 ,,
1859	,,	30 ,, October	20	,,	21 ,,
1861	٠,	28 ", ",	15	,,	18 ,,
1865	,,	2 ,, Septem	ber 21	,,	20 ,,
1868	,,	1 ,, ,,	15	,,	15 ,,
	0 . 1				
1826	October	18 " October		٠,	14 ,,
1849	• •	17 ,, ,,	30	,,	14 ,,
1852	,,	30 ,, Novemb		,,	24 ,,
1853	,,	21 ,, ,,	8	,,	19 ,,
1856	23	2 ,, October		,,	17 ,,
1863	,,	10 ,, ,,	23	,,	14 ,,
1007	Voresul:	. 9 N 1	ban 00		1.0
1827	November	1.1		"	18 ,,
1828	,,	14 ,, ,,	30	22	17 ,,

1831	${\bf November}$	30 to	$. \\ December$	20	equal	21	days
1832	,,	14 ,,	November	28	,,	15	,,
1839	,,	3 ,,	,,	20	,,	18	,,
1846	,,	10 ,,	,,	26	,,	17	,,
1863	**	14 ,,	,,	28	,,	15	,,
1826	December	7 ,,	December	21	,,	15	,,
1827	,,	14 ,,	,,	27	,,	14	,,
1828	,,	10 ,,	,,	25	,,	16	,,
1833	,,	14 ,,	1834 Jan.	28	,,	46	,,
1837	,,	17 ,,	1838 Jan.	4	,,	19	,,
1843	,,	14 ,,	December	31	,,	18	,,
1848	,,	3,,	,,	16	,,	14	,,
1852	,,	2,,	1853 Jan.	16	,,	46	,,
1863	,,	2,,	December	21	,,	20	,,
1868	,,	1 ,,	,,	28	"	28	,,

During the 44 years, there were periods of excess of temperature, of a fortnight or more in duration, beginning: -

					_					
In January	in	8 y	ears	1]	[n	July	$_{\rm in}$	7	years
"February	,,	11	,,			,,	August	,,	3	,,
,, March	,,	9	,,			,,	September	,,	7	,,
" April	,,	10	,,			,,	October	,,	6	,,
" May	,,	8	,,	1		,,	November	,,	7	,,
" June	,,	8	,,			,,	${\bf December}$,,	10	,,
				or 94 instances	in all:					

By taking the periods of defect below the average in each month in vhich the number of days extend to 14 or more, and entering hem opposite the month in which the period commences, we have the ollowing :--

1829	January	5 to January	25	equal	21 days
1830	,,	8 ,, February	6	,,	30 ,,
1838	,,	5 "January	28	,,	24 ,,
1842	,,	17 ,, ,,	30	,,	14 ,,
1844	,,	31 ,, February	14	,,	15 ,,
1845	,,	28 ,, ,,	24	,,	28 ,,
1847	,,	9 ,, January	23	,,	15 ,,
1850	,,	5 ,, ,,	18	,,	14 ,,
1853	,,	31 ,, March	4	,,	33 ,,
1855	,,	13 ,, February	24	,,	43 ,,
1857	,,	22 ,, ,,	5	**	15 "
1865	,,	16 "January	31	,,	16 ,,
1827	February	2 ,, February	25	,,	24 ,,
1838	,,	10 ,, ,,	24	,,	15 ,,
1840	,,	18 " March	9	,,	20 "
1845	,,	28 ,, ,,	21	,,	22 ,,
1858	,,	14 ,, ,,	12	;,	27 ,,
1866	,,	26 ,, ,,	15	,,	18 ,,
1867	••	27 ,, ,,	22	**	24

1837	March	11 to April	24	equal	45 days
1850	"	14 ,, March	29	,,	16 ,,
1853	,,	14 ,, ,,	30	,,	17 ,,
1865	"	3 ,, ,,	31	,,	29 ,,
1869	"	20 " April	4	"	16 ,,
1826	April	24 ,, May	9	,,	16 ,,
1838	,,	16 " April	30	,,	15 "
1842	,,	1 ,, ,,	19	"	19 "
1849	,,	10 ,, ,,	24	>>	15 ,,
1854	,,	22 " May	6	"	15 ,,
1855	,,	25 " "	9	,,	15 ,,
1857	,,	22 ,, ,,	10	,,	19 ,,
1860	,,	9 " April	28	,,	20 ,,

There are no instances in May in which the periods extend to 1 days, but there are several periods of 13 days.

		_ T						
1860	May	26	to	June	23	equal	29	days
1830	June	7	,,	23	23	,,	17	,,
1847	,,	13	,,	,,	26	,,	14	,,
1854	,,	2	,,	,,	21	"	20	12
1856	,,	11	,,	,,	24	,,	14	,,
1860	,,	25	,,	September	7	,,	75	,,
1862	,,	8	,,	July	7	,,	30	,,
1869	,,	9	,,	June	26	,,	18	,,
1840	July	2	,,	July	27	,,	26	"
1848	,,	31	,,	August	25	,,	26	,,
1849	,,	17	,,	,,	1	,,	16	,,
1850	,,	1	.,	July	14	,,	14	,,
1853	**	10	,,	,,	26	,,	17	,,
1862	"	9	,,	"	25	,,	17	,,
1863	,,	16	,,	August	1	,,	17	,,
1867	**	22	,,	,,	7	,,	17	,,
1828	August -	9	,,	"	23	,,	15	,,
1829	,,	24	,,	September	8	,,	16	,,
1845	,,	6	,,	August	24	,,	19	,,
1853	,,	3	٠,	,,	18	"	16	,,
1866	"	3	,,	,,	18	,,	16	,,
1829	September	11	٠,	October	2	,,	22	,,
1836	"	5	,,	${\bf September}$	22	,,	18	"
1840	,,	11	,,	,,	26	,,	16	"
1840	,,	28	,,	October	15	,,	18	"
1850	,,	28	,,	,,	17	,,	20	,,
1852	,,	29	,,	"	14	"	16	,,
1863	,,	4	,,	September	17	,,	14	,,
1842	October	18	,,	${\bf November}$	8	,,	22	,,
1869	"	16	,,	October	31	,,	16	,,
1835	November	1	,,	${\bf November}$,,	16	,,
1844	,,	21	,,	${\bf December}$		"	27	,,
1846	,,	27	,,	٠,	18	,,	22	,,
1851	,•	11	,,	,*	4	,,	24	٠,

1853	November	14 to	November	28	equal	15	days
1855	,,	29 ,	December	14	,,	16	,,
1856	,,	3 ,,	November	17	,,	15	,,
1858	,,	6,,	,,	24	,,	19	,,
1859	,,	8 ,,	,,	22	,,	15	,,
1862	,,	11 "	- "	27	,,	17	,,
1829	December	13 "	1830 Jan.	6	,,	25	,,
1835	,,	4 ,,	${\bf December}$	17	,,	14	,,
1837	,,	1,,	,,	16	"	16	;,
1840	,,	3,,	,,	30	,,	28	,,
1841	,,	30 "	1842 Jan.	15	,,	17	,,
1853	,,	14 "	1854 Jan.	6	,,	24	,,
1859	,,	10 ,,	December	23	,,	14	,,
1860	29	10 ,,	1861 Jan.	19	,,	41	,,

During the 44 years there were periods of deficiency of temperature f a fortnight or more in duration, beginning

In	January th	ere are	12	time	s	1	In	July	the	re are	8	times
,,	February	,,	7	,,			,,	August		,,	5	,,
,,	March	,,	5	,,			,,	Septemb	er	"	7	,,
,,	April	,,	8	,,			,,	October		,,	2	,,
,,	May	,,	1	,,			,,	Novemb	er	,,	10	,,
,,	June	"	7	,,			,,	Decemb	\mathbf{er}	,,	8	"

r 80 instances in all, being 14 less in number than in similar periods f excess of temperature.

From the above groups we find that the largest periods of excess and eficiency above or below the average in each month are as follows:—

In January, o	of ex	cess	26	days in	1846;	and of	deficiency	43	days in	1855
" February	,,	,,	26	,,	1867	,,	"	27	,,	1858
" March	,,	,,	28	,,	1841	,,	,,	45	,,	1837
,, April	,,	,,	37	,,	1844	,,	,,	20	,,	1860
" May	,,	,,	25	,,	1833	and 46	,,	29	,,	1860
" June	,,	,,	24	,,	1859	,,	,,	75	,,	1860
,, July	,,	,,	27	,,	1852	,,	,,	31	,,	1860
" August	,,	,,	24	,,	1826	,,	,,	31	,,	1860
" September	,,	,,	41	,,	1831	,,	,,	22	,,	1829
" October	,,	,,	24	,,	1852	,,	,,	22	,,	1842
"November	,,	,,	21	,,	1831	,,	,,	27	,,	1844
" December	,,	,,	46	,,	1833	and 52	,,	41	,,	1860

Thus the longest period of excess above the average is 46 days, both ginning in December, in 1833 and 1852; and the longest period of ficiency below the average is 75 days, beginning in June 1860.

By taking the algebraical means of the values in each column of bles XVI. to XXVII., the following Table was formed.

By looking over this Table at the general distribution of the + and signs, the most remarkable fact is the preponderance of + signs in e month of January, towards the end of the series, over those at the

TABLE XXIX.

Showing the Departure above or below the Average of the Temperature of each Month.

+3.8	7.1.+	+5.3	F-9 —	-4.1	+ 5.6	+1.8	2.9 +	6.0+	-9.0	+ 0.3	+1.1	-1.5	+ 0.5	9.1 -	+ 0.3	9.4+	+ 3.9	
- 1.4	+1.2	+ 2.7	-2.1	+ 2.7	2.0+	+1.6	6.0+	+ 2.0	+1.9	-0.1	-2.5	-1.0	+ 3.5	9.0+	1.0+	9.0+	9.0+	7.0+
+ 2.6	+ 2.5	2.0+	-1.9	+1.4	9.9+	+ 1.0	6.0+	+1.2	-1.1	-2.0	9.0 +	2.0+	+0.5	6.4.	7.0-	1.1	8.1-1	8,0
+1.3	+1.9	+2.6	-2.5	-2.0	+1.0	+ 0.1	-2.4	+ 2.2	+1.6	-2.7	2.0-	-1:4	+ 0.2	9.6	+1.7	9.0+	+ 4.9	+ 0.0 0.0
° +	+0.1	6.0-	-2.4	-1.9	+ 3.3	4.0.5	-2.3	+1.4	+3.0	2.0-	9.0+	-0.4	9.0-	+ 1.6	1.0-	0.9+	+ 1 - 3 : 3	# I+
+3.5	+3.4	+ 0.5	-2.1	+1.6	+ 1.8	9.0-	6.0 -	+2.5	+ 2.0	+1.1	6.0+	6.0-	9.0-	-2.8	-3.4	-2.8	1.1	2.0
+3.5	-0.1	+ 2.5	-0.5	2.2	6.0+	9.0+	9.0+	+1.4	2.0+	+2.1	+ 0.3	-1.5	9.0+	6.0+	- 3:1	+ 3.1	3.9	1-1-1
-1.5	+1.9	+ 2.9	+1.4	+2.5	+0.1	-1.5	9.9+	+3.4	-0.3	-1.4	6.4-0	-1:1	-1.5	+22	+4.5	9.0+	7.7	1.0
+2.5	+1.9	+1.6	-2.3	+ 2.8	+3.4	8·0 +	-1.0	9.0-	8.0+	-2.6	-6.1	- 3.9	-3.5	+ 2.6	0.0	9.0-	414.	1 3.3
+1.0	+ 3.0	+ 3.0	-1.5	+6.1	+ 4.4	+ 0.3	-3.5	+ 3.0	+0.4	+2.4	-4.8	-0.1	8.0-	-3.0	4.5	+3.5	+ 1.4	+ + 1
+4.4	- 5.5	+ 2.6	+0.4	2.6	+3.5	-1.5	+4.3	+1.8	9.6+	-1.5	+1.6	1.0-	8.0+	-0.3	-2.4	+1.8	9:6	- + + - 01 - - 01 - - 01 -
0.9	-1.7	+4.3	-4.4	- 5.5	-1.8	9.0-	-2.5	+8.2	+1.3	9.0-	6.0+	9.8-	+0.3	+ 2.2	-2.9	-4.1	1.9.7	12.0 - 4.0
1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1841	1849 1849
	$-\overset{\circ}{5} \cdot 0 +\overset{\circ}{4} \cdot 4 +\overset{\circ}{1} \cdot 0 +\overset{\circ}{2} \cdot 5 -\overset{\circ}{1} \cdot 5 +\overset{\circ}{3} \cdot 5 +\overset{\circ}{3} \cdot 5 +\overset{\circ}{3} \cdot 8 +\overset{\circ}{1} \cdot 3 +\overset{\circ}{2} \cdot 6 -\overset{\circ}{1} \cdot 4 -\circ$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$											

1845	+ 1 2 2 4	- 6.8	0.0 T	1.0	6.0	3. 6.	1.2.	0.8-	0.6 –	2.1	+ 1.00	0.0 +
1947	0.7-	9.6-	- 1.0	-2.9	+2.9	-2.5	+ 2.2	+0.4	1 3:3	+ 2.0	+3.5	+2.1
1848	-3.0	+4.4	+1.4	+0.1	+ 4.6	-1:1	2.0-	-3.2	8.0-	-0.5	-1:1	+2.4
1849	+ 2.5	+ 2.5	2.0+	- 3.3	+1.3	2.0-	8.0-	+1.1	6.0+	-0:3	+0.5	-2.0
1850	-4.0	+ 4.5	2.2	4.1.5	-2.5	+ 0.9	2.0-	-149	-1.9	- 5.0	+ 2.0	8.0-
1851	+ 4.7	+ 0.3	2.0+	-1.7	-1.9	-0.1	-1.4	+1.4	8.0-	+ 2.0	9.9	+ 0.1
1852	+3.0	2.0+	-1.4	-1.4	-1.7	-2.5	0.9 +	6.0+	-0.3	-3.4	+ 5.8	+ 7.5
1853	+4.8	6.9 —	8.8	-1:1	-1.9	-1.1	-1.5	-1.6	-1.4	4.0.5	-1.7	-6.5
1854	+1.3	†.0 –	+1.6	+1.6	-2.6	-2.9	-1.0	-1.0	+ 0.3	-1.4	- 3.1	-0.1
1855	-3.2	-10.6	0.1-	-1.5	9.4-0	-2.5	-0.1	+ 0.8	2.0-	+0.1	-1.8	+.+ –
1856	+1.4	+ 2.4	-2.9	-0.5	- 3.8	2.0-	-1.0	+1.6	-2.3	6.0+	-2.6	9.0-
1857	-1.5	-1.6	+ 0.1	-1.4	40.5	+1.9	+1.2	+3.0	+1.8	0.7	+3.1	+ 4.2
1858	-1.3	g.+-	0.0	+ 0.5	- 1.3	+ 5.3	-1.6	-0.1	+2.9	9.0-	0.9-	0.0
1859	+2.4	+2.4	+ 4.0	9.0-	9.0-	+2.4	+ 5.0	6.0+	8.0 -	6.0-	-2.4	- 4.3
0981	+ 1.6	-4.2	9.0-	4.4	-0.5	- 5.5	-4.5	0.4-	- 4.3	†.0-	-3.0	9.4-
1861	-4.8	+2.1	+1.4	-3.5	-1.8	-0.1	-1-	+1.0	9.0-	+ 4.3	9.6 –	-0.9
1862	+1.1	+2.1	+1.5	+1.1	+ 2.4	-3.1	-4.0	-2.1	+ 0.3	+1.5	-2.8	+3.5
1863	+ 4.2	+ 2.9	+ 2.3	+2.1	-1.5	9.0-	-1.0	ç.0 +	-3.1	+1.7	+ 2.1	+ 2.3
1864	-2.2	-3.7	-1.0	+1.3	+0.4	-2.1	-1.3	-2.3	9.0-	+ 0.5	-1.1	- 5.0
1865	-1.3	-2.2	9.6-	9.1+	+ 2.5	6.0-	8.0+	-2.4	$+\ \tilde{b}$.1	-0.1	+1.4	+ 2.5
9981	+ 5.3	+1.2	- 1:3	+1.3	- 3.3	+1.8	-1.3	-1.9	6.0	9.0+	+ 2.0	+ 3.0
1867	- 4.2	+ 5.5	- 3.8	+ 3.3	+ 0.3	-0.4	-2.6	+ 0.3	6.0+	-1.1	-2.3	-3.2
1868	+ 0.1	+4.0	+3.0	+1.4	+4.1	+3.1	9.9+	+ 2.6	+ 3.3	-2.6	-1.4	4.6 +
1869	+3.2	+ 5.8	-4.9	+3.5	-2.9	6.8-	+ 2.3	6.0-	+ 2.2	6.0-	+ 0.3	-2.4
						A.T	Acres of Alan and other	or / / had	Jorn the over	0.00		

Note.—The sign plus(+) signifies above the average, and the sign minus(-) below the average.

beginning of the series; it is a fact well worthy the thoughth attention of all horticulturists; the same thing is also shown i February, but to a less degree. Then, on the contrary, in the month of May, June, and July, the + signs seem to be more frequent at the beginning of the series than towards the end; particularly this shown in the month of July, implying that our winter months at somewhat warmer, and our summer months somewhat colder, that formerly.

It will be seen that the same months have frequently been either above or below the average for three or four years in succession.

By selecting under each month the largest number with the + sig and the largest number with the - sign, the warmest and coldest the several months are shown, and are as follows:—

			2					c
In January the	greatest	excess	was 8.2	in	1834,	and greatest	deficiency	was 8.6 in 18;
,, February	,,	,,	5.8	,,	1869	,.	,,	10.6 ., 18
,, March	,,	,,	6.1	,,	1830	,,	,,	5.6 ,, 180
" April	,,	,,	4.6	,,	1865	,,	,,	6.1 ,, 18
,, May	,,	,,	6.6	,,	1833	,,	**	4.9 ., 18;
" June	,,	,,	6.3	,,	1846	,,	,,	5.2 ,, 180
,, July	,,	,,	5.6	,,	1868	٠,	,,	4.5 ., 18
" August	,,	,,	5.0	,,	1842	,,	,,	4.0 ,, 180
"September	,,	,,	5.1	,,	1865	**	,,	4:3 ,, 18
" October	,,	,,	6.5	,,	1831	***	,,	5.0 ., 18
" November	,,	,•	5.8	,,	1852	,,	* 9	5.6 ., 18
" December	,,	**	7.2	,,	1852	• ••	,,	7.6 ,, 18

Therefore the largest monthly excess of temperature was 8°·2 i January 1834, and the largest deficiency was 10°·6 in February 1855

By taking the means of the numbers in each horizontal line in Table XXIX., the departure from the average of each year's temperature will be shown, divided into two groups of warm and column are as follows:—

	Wan	rm Years				C	old Y	ears	
In	1826 to	oo high	by 1°5		In	1829	too	low	by 2.0
٠.	1827		1.1		,,	1836		,,	0.5
,,	1828		2.3	-	49	1837		,,	1.1
,,	1830	3*	0.1		٠,	1838			2.1
٠,	1831	••	$2 \cdot 2$,,	1840		,,	1.0
٠,	1832	,.	0.2		,,	1841		, .	0.1
٠,	1833		0.5		.,	1844		4.4	0.4
,,	1834	,.	2.3		,,	1845	•		1.8
,,	1835	.,	0.7		,,	1847		,,	0.2
,,	1842	,,	0.7		,,	1850		,.	0.9
,,	1843		0.4		٠,	1851		,,	0.2
٠,	1846		1.8		,	1853		,,	1.8
2.5	1848	,,	0.2		••	1854			0.6

Warm	Years		C	old Years	
In 1849 too	high by 0.2	In	1855	too low	by 2°7
,, 1852	,, 1.0	,,	1856	,,	0.7
,, 1857	,, 1.1	,,	1858	,,	0.5
,, 1859	,, 0.7	,,	1860	,,	2.8
,, 1862	,, 0.1	,,	1861	,,	0.6
., 1863	,, 1.0	,,	1864	,,	1.2
,, 1865	,, 0.4	,,	1867	,,	0.7
,, 1866	,, 0.5	}			
,, 1868	,, 2.4				
,, 1869	,, 0.1				

The year 1839 was of the average temperature.

The warm years 1828, 1831, 1834, and 1868 were all $2^{\circ}\frac{1}{4}$ above the average: the year of greatest excess was 1868.

The cold years 1829, 1838, 1855, and 1860 were from 2°0 to 2°8 below the average: the year of greatest deficiency was 1860.

Thus in 44 years, the temperature of 23 have been above; 20 below,

and one of the average value.

It is remarkable that from 1826 to 1835, with the single exception of 1829, every year was above the average; and those from 1836 to 1841, with the exception of 1839, which was just the average, all were below; and since then the only group of four or five years together of the same charácter in this respect were those from 1850 to 1856 (with the exception of 1852), which were below their averages. Since the year 1856, warm and cold years have been almost alternate.



ON THE

DAILY RANGES OF TEMPERATURE

ON EVERY

DAY OF THE YEAR

FROM ALL

THE MAXIMUM AND MINIMUM READINGS

OF

THERMOMETERS

TAKEN AT THE

HORTICULTURAL GARDENS

AT

CHISWICK

FROM THE YEAR 1826 TO THE END OF 1869



DAILY RANGES OF TEMPERATURE.

r is found that animal life is best preserved when the temperature f each season is that of its average, and when the range of temperature is also that of the average, and that sickness and death follow ay great departure from these averages.

The occasional destruction of shrubs and fruit-trees by the cold of inter is very distressing and very annoying, and this sometimes takes lace when the mean temperature of the air is the same as the plant as previously endured without injury; but the mean temperature of a criod does not represent the actual temperature to which the plant as been subjected. The mean temperature may be based upon a mge of temperature corresponding to the average, or it may be from the much smaller or much larger than the average; and in the latter use the plant is subjected to the injurious effect of alternate very high and very low temperatures, and in winter time this would imply a riod, and perhaps a long one, in which the temperature was below 2° Fahr.

It is very important that the agriculturist and out-door horticulturist ould know the ranges of temperature to which plants are exposed in e open air. This variation of temperature differs day by day and onth by month; and it is only after a long series of observations at we are able to determine the average daily range in every season. It is readings of the maximum and minimum thermometers have been ken continuously at Chiswick since 1826, and the difference between ese values gives the range of temperature on each day throughout e period comprised between the years 1826–1869. Collecting these noth by month and arranging them in parallel columns for different ars, we have at one opening the ranges of temperature on every day roughout that month for the whole forty-four years, and thus Tables XX. to XLI. were formed.

Looking over the numbers in these Tables we see that in any mont the range may be as small as 1° to 5°, and as large as from 30° to 40 in the winter months, and exceeding 40° by several degrees in th summer months. That frequently several days of small range com together, indicative of so many days of cloudy skies; and several day of larger range come together, indicating periods of clear skies.

By looking at the numbers on the same horizontal line, or the dail ranges of temperature on the same day of the month in different year similar large differences appear; for instance on January 1 in the year 1837 the range was 23°, whilst in 1851 and 1859 on the same day the year it was 3° only. Great varieties are thus shown on every day be comparing the results of different years together, or the numbers of the same horizontal line in the several Tables.

These results, being dependent on the different directions of the winthe more or less cloudy state of the sky, and the different conditions the weather generally, are as variable as the weather itself.

The maximum and minimum temperatures from which these resul have been obtained are not given in these series of Tables, but the may be found approximately on any day by adding one-half of the range to the mean temperature of the same day, Table I. to XII., for the maximum, and by subtracting one-half of the range from the mean temperature for the day for the minimum.

By selecting the smallest and largest range in each month in all to years Table XLII. has been formed.

This Table shows very clearly how variable the range of temperatural may be in twenty-four hours, and how very different in different year.

For instance, in the month of January under 'greatest' in the yet 1833, the largest range in any one day was 15°, whilstingeneral it excees 20°, and in some years it has been as large as 30°. On the contrainance 'least' in the years 1828 and 1854 the range has been as small as 1°, and by looking down the column it will be seen that ranges small as 2° or 3° are common, whilst in other years there has been as small as 2° or 3° are common, whilst in other years there has been as range less than 8° or 9°. As small daily ranges have taken place a January and December, as 1°; in February and November as 2°; and March, April, and October as 3°, in June and September as 4°; and in July and August as 5°. As large daily ranges as 32° have taken place in the months of January and December; of 34° in November, of 38° in February; of 39° in March; of 42° in June and October; for 44° in May; of 45° in July; of 48° in April, and one of 49° in August 1861, which is the largest in the Table.

· By taking the mean of all the daily ranges in each year, or the men of the numbers in every vertical column in Tables XXX. to XI., Table XLIII. is formed.

From these numbers we see that the mean monthly daily range from temperature has varied

TABLE XXX. Ranges of Temperature on every day in the month of January, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869.

DAY	lí	_								•			•			·					J	A N	U A	A R	Y.									•					<u>.</u>					
Mon	- 11	826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868 1869
I		° 9	0 17	 6	13°	° 7	13	10	15	ŝ	0 11	19	23	°6	1°1	9	1°1	13	16	12	11	16	° 6	13	° 4	0 16	° 3	14	5	15	° 7	9	13	22	3	13	20	9	10	17	0 16	20	20	0 0 6 15
2	1	.3	20	12	15	6	13	8	7	15	17	14	19	7	7	13	13	12	14	18	20	19	8	11	9	12	10	15	7	20	7	14	16	11	10	13	15	16	11	20	21	10	20	4 7
3		6	20	18	11	5	8	17	9	7	15	12	11	21	. 9	6	18	15	24	28	11	15	5	10	9	12	6	19	11	14	13	10	13	20	7	15	19	16	12	18	17	11	26	9 16
4		5	9	12	13	4	2	9	13	11	14	7	7	20	16	12	6	5	14	17	9	16	5	22	3	22	8	14	14	1	9	7	9	14	6	17	13	19	12	10	21	7	18	9 15
5		$_2$	9	4	11	18	9	10	12	4	22	10	12	4	12	16	11	6	10	10	11	18	13	22	8	21	18	16	12	5	11	6	7	9	9	12	11	24	14	23	15	11	26	3 18
6		3	s	8	5	6	16	5	12	14	13	18	12	3	21	19	9	4	7	16	11	7	3	14	16	17	14	14	17	10	6	13	11	14	7	12	18	20	16	11	8	20	19	10 17
7		6	4	5	7	13	19	S	11	11	9	6	17	8	15	20	21	7	10	23	22	5	5	13	13	22	10	12	23	5	7	10	7	16	10	15	22	25	15	20	19	15	9	10 9
8	:	8	5	8	5	10	8	7	7	9	8	12	16	8	5	16	14	6	12	13	4	9	5	9	8	14	17	17	17	15	7	11	14	16	15	17	31	23	27	19	9	9	16	5 8
9	1	0	14	. 9	6	5	3	9	8	6	14	6	7	3	15	8	22	3	15	7	7	9	14	10	10	4	16	15	15	5	15	4	8	21	12	15	25	11	11	15	12	16	12	4 12
10	10	0	6	13	10	11	8	7	9	8	13	5	14	10	17 ·	10	8	6	7	18	19	Б	9	4	11	6	16	15	9	6	12	15	13	12	15	12	14	11	5	20	11	17	7	5 6
11	18	8	6	3	2	8	7	9	9	5	5	10	10	16	8	22	6	4	9	16	7	10	13	13	8	7	4	8	9	7	8	13	11	20	5	11	16	11	9	20	10	9	14	6 4
12	13	3	14	3	4	. 7	7	9	9	10	13	11	18	15	12	20	17	7	20	9	5	5	9	15	2	5	4	18 -	8	11	9	10	16	31	7	15	9	12	17	8	14	15	20	11 4
13	13	8	14	3	6	11	6	10	3	5	13	14	16	5	11	11	6	4	9	9	21	13	17 .	8	4	9	5	11	8	14	11	19	9	29	10	8	12	24	14	5	18	22	32	15 7
14	11	7	10	9	5	3	8	13	8	8	9	8	9	19	12	10	4	4	11	9	15	13	16	9	24	5	8	12	13	19	22	18	20	25	10	8	6	13	9	3	12	12	26	10 10
15	13	3	9	5	8	8	2	14	4	14	5	14	9	22	13	5	8	19	14	20	3	13	15	22	14	6	13	12	7	8	14	20	13	14	15	15	10	18	14	8	15	15	16	15 20
16		9	4	1	6	7	10	17	4	13	16	13	6	8	15	10	12	11	11	17	16	11	9	13	20	5	14	15	12	7	18	10	19	18	16	22	4	21	7	7	18	8		11 15
17	10	6	12	5	12	16	12	10	8	9	20	14	5	12	15	7	7	21	5	10	5	15	3	15	15	8	14	11	8	3	12	15	20	18	6	23	7	16	12	11	12	12	14	$\begin{array}{c c} 13 & 12 \\ 10 & 2 \end{array}$
18		9	16	9	10	5	13	16	2	12	18	13	6	6	20	26	14	2	16	6	13	18	4	11	14	4	15	22	18	15	17	13	6	19	11	12	8	19	20	12	16	8	14	10 9
19		9		13	22	22	9	5	2	9	18	16	5	11	21	14	8	6	10	11	13	13	7	6	11	18	14	19	18	16	15	$\begin{bmatrix} 7 \\ 2 \end{bmatrix}$	18	15	15	17	11	5	11	7	14	12	19	11 12
20	1	7		13	10	7	4	13	10	15	17	11	4	22	15	14	12	4	10	20	11	11	11	6	10	3	10	11	12	16	15	8	15	19	9	21	12	1,1	10	10	14 13	9	<i>f</i>	14 19
21	1		13	15	7	6	5	7	9	9	17	10	11	18	13	9	13	5	7	13	28	11	6	2	11	8	1		17	1	12	14	16	11	6	15		11 25	10	13	22		12	14 8 13 14
22		- 1	11		8	7	4	4	1	10	1	9		17			12			23	18			5 6	12					20								22			13		28	7 8
23		- 1	7		10	5			13	5		12	1	13		5	11	10	5	10	9			6						15		13		29 27	17	1	ľ	19	1	1 1	16		1	14 10
24	-	4	14	7	9	12	1	1		8	1	14	•			16			9	15	12 22	12	9	8						24		15	i	24		1	l	19	ł	17	1	1 1	13	1 1
25	- 11	4	6	12	3	10	i	22	L.	17		14	1	1		16		18	1			10	10	7					7		14	15		1 1	12					20	7		10	1 1
26	ll l	ı	10	9	15	7		i		1			6		1	18		7			1	1		,	I		1	L			19				14		19	18		16		12	9	1 1
27	- 11	- 1			13			11		8		6	i	5		11	19 16			11	12	14	9						9	10		1 1			17			22		16			10	
28	-	- 1	17	6	16 18	3	L	1		1	1	15	l .	1		12	10	18	11	15	0.5	17	22	16								19			12		26				21		10	
29	- 11	- 1	- 1	18 22	72	1		11			1	11			,	11	14 3	14	14	10	20	17	17	12	10	19	10	24	8		1			14		1		10	!	24			18	
30		8	- 1	22 13	7	9	13	13		11		14			17 15							11	11/	16	25		12			13							26	7					13	1 1
31		°	9	19		9		13	3	14	11	9	13	3	19	11	14	¥ (19	10	11	20	10	20	10	12		20	10												1		

7

TABLE XXXI. Ranges of Temperature on every day in the month of February, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at

Chiswick in the years 1826-1869.

DAY	OF .		_	•	-	*									-						FI	B :	R U	A R	Y.																				
Mon	- 11-	26 18	827 1	828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	184.2	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869
1			0 2	12	23	<u>°</u>	10	12	° 7	16	10	10	° 7	o 4	16		 8	15	8	19°	11	12	100	ı°	16	8	0 14	18	0 4	18	16	9	21	16	12	200	21	10	120	0 14	10	13	11	21	0 14
2	6				21	7	16	18	13	10	16	5	9	18	16	10	13	10	8	11	19	13	5	17	7	15	8	8	14	14	5	10	14	5	15	9	23	9	7	7	20	18	13	12	23
3	5	5 1	1	11	18	9	14	20	13	14	14	6	20	14	16	7	14	8	21	17	9	13	7	13	6	32	19	17	5	12	16	19	11	21	15	18	15	14	27	14	18	17	21	18	9
4	10) 1	2	13	7	8	12	17	13	17	15	2	9	13	16	7	8	15	9	15	18	13	17	12	15	17	15	15	10	7	6	14	16	15	14	15	8	10	16	12	9	16	19	17	17
5	7	' 1	.5	7	11	17	10	9	15	20	17	8	13	-11	10	11	6	15	10	21	17	19	8	5	12	10 ·	17	12	10	11	9.	17	26 .	22	16	18	6	15	12	5	7	8	17	11	22
6	10) 1	10	14	5	11	23	16	10	21	13	15	16	15	8	16	·4	12	7	17	24	17	21	9	4	14	21	14	9	6	6	8	16	22	18	22	12	11	9	8	11	9	20	20	19
7	20) 1	1	11	9	12	8	22	13	15	9	17	16	10	5	13	3	9	5	14	21	21	18	12	10	15	14	19	11	19	9	9	13	18	20	18	17	10	16	16	12	15	9	8	6
8	23	1	8	17	11	11	3	21	15	12	12	14	13	12	4	15	3	18	3	18	17	17	7	9	19	12	11	8	14	7	5	8	12	20	12	21	11	17	19	13	16	17	. 13	. 14	8
9	18	- 1	10	7	10	15	13	23	20	13	17	6	5	11	4	10	3	14.	5	12	9	19	30	15	16	15	19	12	16	15	10	15	11	11	11	16	8	10	17	16	15	13	13	20	10
10	8		10	8	7	21	29	16	9	18	17	14	7	13	25	14	5	6	11	12	13	19	14	12	17	21	4	20	4	10	19	13	18	8	15	22	23	17	11	22	11	11	10	16	13
11	il	- 1	7	6	6	15	14	11	15	16	12	11	13	15	15	12	4	0) 0	9	18	19	34	17	29	15	15	21	9	14	25	11	15 27	11	10	24	20	14	23 32	14	15	111	10	20	15
12	- 11 ,		$\frac{7}{5}$	6	0	17	17	0	1 10	14	14	23	10	27	7	15	13	ย 1.4	9	1	35	12	28 24	12	23	16	14	18	,	15 16	13 14	10	21	11	10	16	15 16	1 / E	23	15	10	22	10	23	16
-13	() ,	- 1	15	o	8	18	8	4 9	10	18 14	14	18	18	21 25	18 22	25 21	11	14 15	24	9	10	18 24	2± 6	# 	18	22 24	10	12	0	26	19	10	21	7	20	15	20	10	29	17	7	22	20	5	6
14	- 11 ,	- 1	14	10	9 (11	14	10	13	12	11 14	28	22	6	19	16	11 7	14	23	10 12	18	14	18	23	20 25	7	25	16	12	15	24	23.	22	10	12	15	14	15	25	11	32	11	19	15	5
15	- 11 .	1	20	19	12	11	16	10	16	21	16	16	15	9	15	7	12	20	12	22	19	7	8	19	12	18	19	20	18	8	13	22	29	22	18	10	20	12	30	22	21	15	19	23	9
16		- 1	- 1	15	15	17	14	9	12	22	19	17	23	9	20	7	10	22	22	20	21	8	11	16	24	8	23	9	10	14	14	9	24	21	20	10	22	10	38	10	12	24	13	24	14
17		Į	1	15	6	15	111	12	12	3	24	10	20	8	15	10	15	23	3	10	20	9	10	17	17	11	10	16	12	13	26	3	22	14	20	13	25	14	27	17	16	21	6	7	16
19		1		20	18	13	13	14	9	13	13	14	11	16	15	6	12	24	3	21	19	7	17	17	12	2	12	16	15	15	22	10		17	16	22	15	11	7	12	18	22	9	7	22
20	,	4	- 1	15	12	24	13	20	7	14	17	20	11	14	5	3	21	9	4	22	15	10	12	23	19	21	13	16	13	24	27	6	22	15	16	17	10	13	14	8	14	19	17	15	16
21	1:	3		14		8	1	20	8			1		6	10	6	27	21	17	10	24	22	1	15	11	10	11	19	14	21	20	9	20	17	25	12	11	29	20	8	9	20	20	13	13
2.2	. :	9 :	21	11	11	12	8	11	10	12	11	17	13	5	10	10	4	16	11	21	6	15	7	12	12	13	21	16	13	14	16	16	30	17	26	24	16		15				7		
23	l II		22	4	11	4	11	10	13	. 2	17	25	18	9	21	12	12		16	24	13		7	14	16	24	18	18	18	16	19	23	28	10	23	25	8	12	17					18	i
2.4	. 1	2		4	7	10		15	11	12	16	17	13	15	17	1อี	1	9	1		20			•	10	1		11	8	12			31		27	26			13		14			11	
2:	, 1	8	19	5	7	12		8		28		18	14	20		1,9		17		1	1				•						12		20				1	9	13		24	1		24	
20	5 1	1	4	12	4	1	23	10		25		1	11		17		13		6	26	17	21	14	12						27						18	1	2	1		12	16		10	
2	7	1	17		13		21				16		11		20		13	1 .	3	12	15	24	7,			1				21		11				18	1	5	16		16 16	12 12	1 1	10 13	
2	3 1	5	9	8	19	13	15	7	10	15	15	8	14	15	17	13	15	9	5	22	16	22	6	21	19	15	10		16	24	21	13	31	15	23	21	15	10	32	i	16	12		12	J
2) - n			15				6		1		5			<u> </u>	.17				20				12				14				24		•		31	,			21				14	

TABLE XXXII. Ranges of Temperature on every day in the month of March, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869.

DAY OF		n.														- ()			-		M A	l R	CH																					
	1826	1827	1828	1829	1830	1831	1832	183	3 183	4 183	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	186z	1863	1864	1865	1866	867	1868 1	869
1	11	16	97	° 6	° 7	12	Ĝ	17	11	10	10	7	ıi	11	10	14	17	17	19	14	15	13	16	10	15	13	15	ıŝ	36	0 14	0 4	22	0 5	17	19	19	0 14	 19	25	0 14	18	17		0 10
2	8	9	6	4	7	9	14	14	9	16	13	12	6	19	13	12	10	18	15	9	19	8	10	17	10	13	24	18	37	15	9	9	6	14	27	12	17	21	16	16		·		13
3	13	15	10	7	26	14	8	10	14	13	15	9	23	17	18	21	11	15	13	19	13	19	26	12	21	15	26	14	36	20	9	22	12	16	23	18	35	28	10	23		15	13	12
4	18	20	9	13	18	14	10	15	12	14	12	13	11	20	24	13	19	18	13	16	12	11	16	19	24	19	31	16	27	22	11	17	20	13	19	21	33	33	16	20		14	- 1	15
5	17	18	18	10	23	4	21	21	7	18	19	10	7	5	31	14	27	21	24	15	21	8	6	18	22	8	26	10	25	27	13	21 .	16	22	29	11	21	31	10	20	1	24		15
6	19	15	12	9	22	9	20	9	18	14	19	9	22	10	33	11	28	14	13	8	12	7	18	24	29	13	21	11	20	28	12	16	15	14	19	18	13	14	15	12		15		16
7	12	12	7	8	13	25	17	17	17	13	21	19	19	8	31	19	8	26	18	13	25	13	14	16	25	16	22	20	26	24	23	20	12	25	8	13	15	17	14	24	20	9	16	25
8	18	12	12	9	13	14	14	10	15	12	16	16	17	17	34	26	22	17 .	19	13	30	14	9	16	9	11	18	16	9	22	26	19	17	19	12	30	20	15	17	14	14	14	15	17
9	24	14	19	16	3	24	24	8	18	18	16	11	26	20	31	30	11	10	24	13	29	20	17	14	23	10	22	25	15	19	26	17	15	26	17	18	13	26	12	16	.17	9	15	11
10	28	15	23	18	9	20	22	8	20	16	9	17	21	15	20	36	14	16	13	13	29	16	11	19	26	12	16	19	16	23	16	10	20	28	23	24	23	16	16	20	14	12	20	11
11	22	11	19	14	8	17	20	12	24	16	11	18	23	14	12	34	13	7	18	16	29	19	,12	10	28	19	11	21	24	8	25	15	23	17	15	12	18	14	14	13	15	9	15	12
12	17	16	17	9	19	17	18	17	17	22	14	15	25	17	22	36	18	8	16	22	22	21	10	13	30	3	24	28	36	15	17	17	18	8	15	16	23	15	24	18	21	12	17	19
13	13	11	14	11	17	16	11	19	20	24	10	14	15	14	14	22	20	13	15	12	12	22	8	23	27	16	17	24	21	20	11	12	14	7	16	30	16	2 3	13	18	18	4	11	14
14	11	14	23	16	13	18	15	16	18	17	11	11	17	11	1-1	24	4	11	10	18	9	28	25	10	13	19	18	15	19	14	15	22	14	8	17	24	11	21	13	12	27	7	10	8
15	16	17	25	20	14	8	16	15	24	1.4	17	6	16	12	10	36	8	12	23	12	12	21	22	8	29	17	14	20	20	14	14	31	15	17	24	21	10	16	13	11	25	15	25	8
16	20	14	14	20	14	8	18	9	20	11	14	5	20	18	7	30	12	18	15	15	24	17	,8	19	25	16	18	10	23	21	11	19	21	9	22	20	8	17	25	21	16	18	15	12
17	19	17	16	22	13	15	15	3		13	5	5	17	9	8	15	13	33	14	26	23	35	6	29	31	9	17	6	30	17	5	27	15	12	11	17	5	17	31	15	23	20	19	6
18	21	12	10	19	9	22	14	7	22	21	18	14	16	10	7	16	12	31	11	16	24	34	27	11	20	15	13	14	18	14	9	26	19	25	17	14	14	17	26	10	18	5	16	21
19	16	11	17	17	7	19	7	20	21	25	32	11	14	20	20	20	16	14	15	19	24	22	24	15	15	8	12	20	1.1	21	10	9	21	27	14	19	18	19	35	10	12	4	21	17
20	14	7	13	18	16	11	15	14	22	15	25	17	21	12	23	8	10	20	20	24	24	16	23	19	12	16	31	22	14	28	12	18	20	13	11	15	9	18	10	15	14	16	10	7
21	13	10	20	23	13	12	16			Į	8	1	1			6	l			1	1	1	,	1		1	1		1	1	1	ı			I I				, ,		1.1		1	i
22			13	14		1	12	_ I		1	16	1	ì			1	l	1	1	1	1	1	1	1		1	1		I		1	· ·			19		l I			l i	18	- 1	1	٠ ١
23	10		16	1		13				- 1	13	}		10		1	l	18	1	}	i	18	1			1	i	i				1			19				1 1		1	14		12
24	10	14	ş	19	11	1			21		14	1			l	28	1	23	1		Ł	19	1			11	1	24			13		1 1		1		26			I		16		11
26	10	13	1	27	25	1	18	1			15			1	18		(19				25				15	!	1	1	18	8			14			17			[6	1	20
- 11	14 13	24 11	17 19	12		18	16				22		32		l	26	11	1		1	1	1	15	1	23	1	17	27	20		13			13	1 1)	23	1	17	1	17		$\frac{21}{100}$
28	12	8		16 25	1	23	1	1	1		19				ł .		Į.		19	1		24	1	1		12		1		24			23		l		17]	- 1				19
29	17	19	14	_	38	1		i		- 1	8	ſ	27		6		ŀ	23			25		18		33 20		26		l l	10					12 19	- 1	7		1	16		17		$\frac{7}{10}$
30	23	16		10		9	1	21	i	ì	11			11				1		Ì	1	23				21				19		1		12	l I		13 18		- 1			1		16
31		15	}		29			16			12		22	t		14				20 33			36		22	$\frac{10}{12}$	9		28		40			12		23	26	16	1	$\frac{25}{27}$				19
	T		21	10	29	1,	12	21	18	23	14	22	16	8	5	19	10	12	22	33	41	40	00	20	44	12	υ	11	40	40	***	44	41	14	3	ن نــ	<u>4</u> 0	10	19	41	12	35	29 2	ر،

TABLE XXXIII. Range of Temperature on every day in the month of April, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869.

DAY OF																						A.P	RI	L.	-													– . 						
тне Мохтн	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	184	4 184	1 846	1847	1848	1849	1850	1851	1852	185	3 1854	1859	1856	1857	1858	1859	860	1861	1862	1863	1864	1865	1866	1867	1868	1869
ı	17	0 10	14	21	8	0 13	13	0 14	0 14	31	12	26	19	97	21	11	19	9	36	80	17	23	34	15	17	17	17	16	41	28	35	12	17	18	20	13	10	37	16	22	18	13	20	19
2	10	15	17	9	3	13	28	12	6	23	11	14	20	3	22	30	16	11	43	27	19	16	35	20	20	10	27	20	30	19	24	16	33	1	13	18	11	35	17	29	15			16
3	23	13	17	21	14	26	28	18	27	23	18	19	9	5	26	31	12	15	40	39	16	12	42	17	12	19	22	12	22	12	10	18	18	24	20	20	28	33	17	22	15	19	27	15
4	13	20	17	13	20	24	33	18	18	22	23	12	19	5	19	16	10	11	30	34	13	13	34	24	14	17	20	12	33	19	24	6	22	22	24	27	22	17	20	15	26	19	32	15
5	12	23	11	14	26	18	34	16	19	20	16	14	13	7	24	21	17	18	19	26	15	17	21	22	29	25	30	18	28	29	17	18	11	26	17	29	9	19	-7	13	17	22	35	14
6	14	25	15	10	18	19	23	20	18	19	13	20	11	19	28	24	17	4	30	38	17	11	22	15	13	21	18	18	39	24	30	20	8	31	30	14	10	15	11	20	17	17	20	4
7	18	14	21	28	17	16	19	22	24	34	20	14	13	18	16	15	23	18	27	34	8	14	11	21	24	22	10	14	36	22	25	20	8	33	27	18	11	14	17	22	10	18	24	23
8	15	19	14	14	26	9	19	26	12	26	14	20	13	11	25	19	31	20	41	34	25	20	5	30	18	14	21	20	30	15	14	23	14	10	14	25	10	22	24	42	15	15		17
9	26	14	17	11	23	15	23	17	8	11	10	21	20	5	20	18	23	10	44	12	28	21	19	10	22	16	22	19	34	19	21	31	8	- 1	13	27	12	11	14 -	44	13	20	22	5
10	14	10	23	20	17	13	22	16	20	22	14	20	19	23	26	8	7	24	37	14	21	28	23	16	25	13	34	16	24	14	19	26			22	33	17	12	23	36	19	14		24
11	16	13	12	12	15	12	22	17	16	27	18	22	24	16	29	17	15	27	28	19	25	3	17	12	25	17	17	23	27	15	15	20	27		16	36	8	15	34	41	15	21]	38
12	9	10	11	13	14	22	12	14	18	28	10	9	27	10	29	18	10	20	17	20	20	22	17	18	26	14	30	24	16	14	23	22		1	- 1	23	25	17	26	31	10	20	20	30
13	14	25	9	16	22	22	29	16	25	38	24	8	20	6	42	14	11	24	12	13	27	18	15	16	13	21	42	16	25	18	31	15	25	- 1		13	26	23	21	34	15	9.		35
14	17	19	20	1.3	14	19	25	19	29	34	13	23	12	13	39	15	13	12	19	17	19	14	26	23	14	10	38	23	37	22	16	28		i		11	23	24	36	20	14	7	- 1	27
1.5	19	18	12	11	12	11	23	20	26	31	26	23	26	13	41	26	15	11	18	10	8	15	13	14	16	. 9	19	9	36	24	21	30			- 1	21	30	30	28	23	17	22		23
16	14	11	13	12	9	14	26	20	26	23	28	7	17	16	33	26	10	21	34	15	18	19	12	16	11	14	18	13	24	30	23	24	30		28	29	10	26	12 27	23 26	16	15 15	24	14
17	12 27	12 14	15	15	19	12	26	17	21	21	15	13	15	16	30	21	10	22	35	24	13	32	29	22	28	24	25	13	27	25	21 29	25 30				20 21	24 12	20 27	40	$\begin{bmatrix} 20 \\ 24 \end{bmatrix}$	17 36	17	14	16
18	15	26	13	16	20 12	20	17	22	29	17	17	4	14	12	31	20	7	22	31	21	10	18	22	18	27	23	16	20	26	43		26		į.	$\begin{bmatrix} 28 \\ 12 \end{bmatrix}$	26	11	38	29	22	27	15		14
20	25	13	10	17 24	20	23 18	11 19	19	28 32	17	11	31	19	16	35	26	37 31	22	24	24	19	30	25 13	01	18	31 20	18 28	21 17	33 24	31 40	14 24	31				24		34	33	28	22	22		16
21	26	9	9	15	9	10	23	27 25	26	19 29	16 13	27 14	14 22	22 13	28 16	20 13	17	24	22 32	32 28	27 27	25	8	21 21	24 23	12	24	13		26					· .				28	36	22			24
22	23	10	9	5	6	20	16	30	1	Į.	21	12		15		I	30		31	•		34	10	9	26	12	1	15			22	14	37				18	, ,		38				30
23	14	15	7	17	9	13	20	í	25 16	9	1	18	21	16	.27		38	22	82	38		29	16		26	26	26	22		38	20			1.	- 1	20		24	82	48	22			11
24	25	20	14	8	13	15		12	1	20		30	25	27	34		28	28	1	30	23	21	11	13	26	24	20	11	23	29				1		24	32	18	26	42	24	- 1		22
25	22	28	12	11	20	24	14	1	22	1		14		29	40		31	22	40	15		26	21	18	17	17	19	10		24	41	14 15	28	10	18	36	33	29	26	41	28	11	14	21
26	14	1	27	19	21	23		16	25		19	21	17	16	35		27	23	27	16		14	28		20	27		23	21	26	25	11	29	23	24	30	22	33	16	45	29	15	14	26
27	20	24	26	17	28	16	25		19	23		21	17	23	34	1	22	27	25	17	18		27		21	22	26 25	32	18	32	8		20	9	24 20	16	34	21		40		18		31
28	19	29	27	19	25	17	1		22	L	21	12	20	23	41		27	14		14	29	20	28	27	22	26	20	16	16	32 ⁻ 21						28	42		10	40	29	26		30
29	22	35	17	16	30	17	14	29	11	5	ł	6	16	31	40	29	28	16	28	17	22	22	31	23	22	20	11	19	,	16	25			25	34	30.	25	18	28	25	11	28		29
30	20	26	20	7	27	22	12	25	11		19	14	12	32		27	33	20	29	12	17	31	34	21	18	26	22	35				22		7	29	22	31	-16	23	26	14	28	23	27

TABLE XXXIV. Range of Temperature on every day in the month of May, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at

Chiswick in the years 1826-1869.

DAY OF																					I	A I	Υ.		,													-			· ·· ···		
Молтн	1826	1827	i 828	1829	1830	1831	183	2 183	3 1834	183	5 183	36 183	7 183	8 1859	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868 1869
1	24	26	18	13	21	27	° 6	8	25	21	14	200	12	28	24	34	29	28	32	17	° 5	0 14	24	17	23	26	23	28	15	20	17	19	20	20	28	22	29	35	20	23	. 10	19	17 19
2	29	17	15	20	20	14	14	10	19	17	16	20	21	19	32	31	26	29	25	28	16	29	33	17	33	23	18	17	19	29	27	20	16	14	27	21	20	33	13	31	-20	25	24 29
3	15	21	12	18	17	14	13	26	35	17	14	22	17	27	31	7	25	22	20	22	18	13	39	30	20	22	29	, 8	25	29	15	26	19	25	,28	26	22	31	16	23	20	25	38 16
4	10	18	24	25	25	27	20	30	19	23	16	20	22	23	29	19	22	21	11	24	20	22	34	30	28	20	24	,16	28	21	21	28	20	20	35	22	28	21	12	18	33	22	27 15
5	14	9	16	12	23	18	5	22	19	17	14	29	23	17	24	11	17	21	29	21	21	32	38	29	22 -	16	24	20	13	27	18	26	38	26	28	17	27	28	18	24	21	28	24 20
6	14	16	18	24	27	23	17	20	16	23	22	27	28	26	19	22	13	21	31	18	20	22	40	17	4	16	14	15	17	22	11	22	23	31	29	32	-22	34	28	31	19	32	19 13
7	10	13	18	20	34	22	24	29	29	25	19	18	31	30	18	19	17	30	33	13	23	15	41	19	4	20	32	9	17	19	5	28	35	35	23	16	7	31	23	20	28	31	33 24
8	32	20	16	17	18	16	20	25	32	18	19	19	38	28	19	18	22	7	25	18	27	12	40	16	12	23	21	24	21	26	8	28	30	23	18	18	22	22	17	24	22	31	40 16
9	25	14	14	27	11	20	15	19	30	23	18	20	36	16	20	15	28	15	29	26	23	21	40	14	25	19	28	16	26	29	11	31	24	23	29	22	20	35	4	32	30	28	18 11
10	20	29	16	28	12	18	19	12	34	27	31	19	29	13	22	14	29	14	30	22	30	18	40	9	17	30	12	23	17	19	24	14	30	17	14	14	22	34	16	10	26	32	22 21
11	24	28	14	16	10	28	18	27	23	14	32	13	36	17	7	31	21	28	12	16	38	25	44	26	15	29	15	25	16	25	28	34	31	20	18	6	19	197	8	16	24	21	18 14
τ2	20	25	19	23	18	32	16	31	16	17	37	26	38	17	14	16	9	21	31	16	21	20	39	21	30	20	11	15	28	25	22	29	34	21	17	19	17	8	19	25	26	11	24 22
13	26	20	30	30	9	26	21	31	19	21	31	23	31	30	18	20	34	24	39	17	23	27	40	22	29	19	9	19	30	12	25	23	29	32	22	26	34	22	29	28	21	. 7	27 23
14	26	15	27	30	20	36	15	26	17	15	32	16	14	23	16	25	34	20	32	25	24	19	33	21	18	20	14	21	20	22	18	31	20	26 .	25	31	15	13	31	10	21	12	24 16
15	26	23	15	24	23	26	22	30	30	20	32	18	31	25	11	34	21	18	19	15	29	16	42	10	27	35	23	27	23	9	22	35	17	23	18	32	18	19	40	18	20	13	29 19
16	22	15	19	25	23	36	20	31	23	23	31	32	31	30	18	25	28	12	25	18	17	19	35	18	. 18	32	27	22	26	12	20	27	19	18	17	33	21	20	42	25	23	13	16 9
17	24	20	15	26	28	33	14	31	20	35	30	25	30	32	16	23	25	18	27	26	25	24	27	13	23	12	19	31	34	31	22	34	7	10	17	32	35	23	39	27	23	22	27 26
18	26	14	16	24	28	18	28	25	26	30	23	19	28	14	17	20	29	3	16	17	16	25	41	17	28	23	27	33	16	25	20	32	25	13	.27	29	38	27	40	39	34	24	32 11
19	22	19	17	24	18	15	32	20	31	27	22	19	14	20	12	13	24	14	17	21	14	17	21	16	28	26	29	32	34	21	30	.27	25	,18	32	34	40	13	33	34	31	22	33 9
20	25	30	18	27	20	26	22	27	34	13	27	16	10	19	20	17	14	14	23	18	16	.25	29	6	23	10	19	28	30	23	31	29	31	14	35	36	29	.13	38.	· 27	25	19	29 22
21	18	32	16	30	18	18	25	31	26	26	27	15	14	30	12	18	15	20	16	14	32	24	15	24	.20	21	15	25	,17	9	23	20	25	15	32	30	23	18	,19	23	20	17	25 22
22	33	22	13	30	18	19	25	35	20	23	19	15	16	17	28	15	23	15	21	18	25	27	25	21	14	23	14	27	18	33	18	13	22	20	31	27	18	17	29	32	23	15	16 25
23	15	17	14	26	16	23	25	29	27	20	14	27	12	21	20	29	21	11	27	16	24	30	34	30	31	28	12	24	24	20	24	17	22	28	28	38	19	27	24	32	36	19 ·	14 24
24	19	20	14	23	13	25	27	32	27	20	22	32	16	28	12	9	25	24	21	16	30	27	35	26	17	24	17	23	22	21	21			30	30	·36	19	32	25	24.	23	17	15 17
25	8	18	19	17	11	28	25	32	25	21	19	20	21	16	21	19	15	21	25	11	22	24	39	22	17	27	12	22	23	36	20	24	25	25			27	22	29	41	.22	25	21 18
26	14	21	23	23	16	23	15	34	25	20	24	34	24	23	27	22	19	21	17	23		39	32	25	15	18	5			24	22		22	24	24		24		24	30	31	28	23 24
27	13	16	18	25	17	18	28	32	25	26	31	32	19	30	35	22	17	22	13	19	29	34	33	27	18	23	7	27	22	23	23	28	24	28	17	28	14	34	31	23	41	24	31 16
2.8	13	14	13	27	19	20	29	31	31	24	20	21	15	24	28	29	29	21	11	18	26	32	40	8	21	24	11	20	24	.11	29	24	26	22	28	16	10	31	26	26	28	23	33 5
29	6	15	17	18	15	7	26	26	28	23	30	30	18	26	16	18	15	15	14	7	34	32	28	29	27	33	6	.25	17	22	19	17	28	29	27	31	.19	,32	32	21	33	30	26 17
30	2	15	23	18	15	22	21	29	29	23	23	24	19	20	25	25	27	16	16	25	35	33	33	24	24	29	19	17	29	10	17	19	34	23	24	35	16	22	34	19			23 25
31	8	20	19	25	19	21	12	31	32	21	23	14	27	19	36	29	22	13	19	26	35	34	28	34	35	33	26	5	31	17	8	26	33	26	14	22	33	.20	27	25	17	30	25 20

η

TABLE XXXV. Range of Temperature on every day in the month of June, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869.

DAY OI			·					-			-							_			J	U N	E.																				
MONTE	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	. 1865	1866	1867	1868 1869
1	9	18	17	23	19	33	20	33	36	21	120	18	20	26°	34	20	20	11	28	29	33	37	11	30	36	28	18	9	17	19	13	0	35	23	22	19	36	31	25	18	32	32	30 24
2	7	18	18	20	20	32	21	16	36	21	16	17	23	20	10	22	32	14	20	31	39	33	26	28	36	31	15	14	10	26	32		31	19	18	29	27	38	14	18	40	26	25 20
3	18	22	11	23	12	29	19	21	29	23	16	28	20	17	12	22	34	20	28	37	40	26	25	24	38	35	17	22	16	16	38	,	37	15	16	15	18	37	24	32	37	12	27 23
4	21	20	15	22	21	28	11	23	21	16	22	21	32	20	15	26	34	25	39	21	34	27	21	24	34	30	27	25	26	19	30		33	17	20	22	28	29	34	34	32	21	16 19
5	26	15	17	27	23	25	19	30	26	11	21	26	29	26	15	27	32	29	26	13	35	17	30	28	23	17	15	30	18	22	22	32	24	20	18	31	15	13	22	28	21	11	23 23
6	12	14	16	24	18	13	20	25	28	29	17	38	14	18	22	16	41	23	17	17	36	28	27	15	9	24	19	35	12	33	20	34	28	26	18	11	12	19	29	26	25	20	32 33
7	12	17	17	22	13	17	11	23	33	30	11	21	24	16	18	11	27	14	21	20	34	21	26	21	13	13	13	31	12	24	28	28	28	19	20	19	23	20	26	26	25	17	30 39
8	18	31	17	16	11	25	18	15	38	33	20	22	31	20	18	12	34	15	31	27	29	24	22	24	26	15	22	26	17	26	20	22	22	23	17	21	25	. 19	28	34	26	25	24 32
9	25	23	13	25	9	22	20	21	27	35	11	22	28	14	18	18	27	14	29	22	26	16	14	22	34	8	13	19	18	24	26	23	31	21	11	11	24	21	34	39	34	32	26 30
10	25	15	15	23	12	17	21	34	30	34	13	23	15	15	34	30	30	17	36	30	21	18	10	18	30	7	17	26	16	32	29	23	29	21	23	22	25	24	38	33	28	30	42 17
2.1	27	26	17	29	14	19	18	21	22	34	25	19	18	11	18	11	35	16	41	28	28	26	21	28	34	19	10	27	10	26	37	28	38	17	16	23	23	21	33	28	27	32	27 26
12	30	27	8	35	10	19	17	17	18	29	26	14	30	25	14	13	39	9	31	31	35	22	10	17	21	13	19	14	21	16	16	30	32	24	12	36	21	18	32	33	16	30	28 21
13	29	23	19	32	14	25	20	24	14	24	21	16	22	23	32	28	35	7	33	27	34	10	23	23	14	11	17	4	18	23	10	38	27	21	23	27	27	23	24	41	12	12	37 19
14	27	22	18	34	7	26	16	30	20	24	31	28	15	9	22	19	35	12	26	29	32	20	23	32	13	20	21	23	14	14	28	27	40	20	22	28	22	29	23	40	24	21	37 25
15	19	16	15	27	16	24	18	16	18	27	28	27	24	6	21	23	32	23	35	24	31	18	24	22	27	16,	23	15	10	23	35	32	38	26	17	34	23	20	23	30	31	16	29 19
16	14	13	12	15	15	22	16	23	17	18	22	27	27	23	21	31	28	25	38	25	37	15	28	22	31	17	18	34	7	19	30	24	44	21	16	28	33	12	28	37	20	20	32 19
17	33	24	16	22	13	19	24	28	20	25	25	23	17	21	24	29	22	25	25	21	35	19	18	32	33	23	17	26	22	23	32	35	26	25	20	37	23	26	32	38	27	23	36 14
18	28	22	17	23	18	11	24	21	9	33	23	18	22	26	21	26	22	15	28	26	34	16	16	34	33	16	14	18	25	8	30	27	35	23	32	26	24	26	30	12	14	25	26 25
19	30	14	18	27	.8	12	25	16	26	16	21	27	19	21	12	24	22	11	20	30	40	25	14	17	30	21,	20	16	18	25	13	34	35	18	14	37	22	22	35	26	20	16	20 24
20	27	15	15	18	21	15	23	18	32	16	19	24	7	24	30	12	20	24	21	24	25	15	19	25	34	34	15	24	22	19	27	22	28	15	21	33	22	24	24	40	23	21	38 22
21	15	23	1	21	16	1	1		33										1	1				33		1	l .				24		37	25	23	21	13	22	27	50	29	22	30 9
22	26		15		i	1	1	1	1		!	31					1		1									14								27				44		30	19 23
23	26	1	21	1	1	1		1	1	1	1	30				1			Į.	22			1					26			22	33		18		26			27	[ľ	24 28
2.1	36	1	22		15			1	17		1	31		16					1	22	1	16	17	43	34	28		25	4	28	13				23	25		23	14			1	25 29
25	31	1	28	,	11			1				29				16	•	19	[1			26	1	4	1	14	1		32			25		27			19	l I	26		20 23
26	32		31		22	22	1				24	29		23	13		21	30	16	25	13		19			39	1	14	1		32	(26		31			29	1 1			33 26
27	32	1	26						26		24	1 -		1	17			27	18	5	23			31			1	10	ſ		ľ					36		ľ	28	1 [- 1	32 29
28	34	1	23	20			30	1	25			29)	22		1	23		1 A		22		28		33		1		26				1		24			19	1			23 24
29	30			11			23	1	28	1		32	1			21	l	17		21			23			32			!	26	35					27			22		30 33		35 24 23 11
30	24	16	26	15	22	16	29	24	28	31	27	34	22	11	17	15	21	18	29	17	27	18	30	8	16	32	24	23	19	24	31	2/	33	24	21	26	31	29	32	16	00	35	20 11

TABLE XXXVI. Range of Temperature on every day in the month of July, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869.

DAY THE	11		- ·																		J	UL	Υ.							<u>. </u>			·	- ,				- 					
Mont		1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	, 1860	1861	186z	1863	1864	1865	1866	1867	1868 1869
1	13	18	12	10	17	26	27	26	19	25	31	29	20	20	10	° 7	200	17	25	19	12	19	25	22	$\overset{\circ}{\overset{\circ}{24}}$	19	20	24	15	16	27	24	27	17	27	23	28	35	28	24	27	39	21 14
2	35	19	14	17	15	23	19	21	19	29	42	31	23	19	13	9	23	15	16	9	16	13	18	18	19	28	23	22	14	21	36	26	24	19	22	29	27	21	24	32	25	16	25 16
3	34	16	20	9	17	27	26	25	23	27	37	29	19	21	17	24	20	17	20	32	34	20	15	15	20	14	29	21	16	23	36	15	14	25	26	35	11	28	31	40	20	19	21 18
4	27	17	17	20	24	29	27	24	26	26	36	26	32	21	16	20	17	25	13	25	31	40	25	24	24	20	37	20	23	25	30	14	28	28	28	20	18	35	35	30	22	20	18 29
5	31	19	21	20	20	27	27	27	20	23	31	22	32	20	19	18	24	30	20	21	45	34	32	81	30	30	37	19	20	43	31	14	23	31	40	25	22	31	40	23	27	17	33 31
6	26	31	19	20	10	30	25	17	21	29	33	27	25	23	18	20	32	22	11	21	16	29	29	31	18	24	34	19	26	33	28	22	34	36	21	20	19	31	29	25	33	28	23 20
7	19	29	19	8	17	28	14	8	21	21	25	29	16	20	20	14	12	15	15	28	23	23	23	34	20	20	31	21	15	24	12	23	30	32	34	25	21	30	29	19	30	34	28 15
8	21	25	21	19	20	30	13	19	24	26	28	32	16	23	15	12	18	7	24	24	12	29	19	38	29	21	36	20	27	24	14	28	21	30	27	30	27	23	24	24	13	35	32 17
9	27	30	15	23	14	29	18	28	23	17	24	23	22	21	20	27	23	26	25	18	16	20	16	35	26	14	38	24	23	21	27	31	23	30	22 *	30	16	31	38	26	25	33	30 27
10	27	24	20	14	13	23	16	25	24	23	31	30	20	22	17	24	23	14	18	16	28	18	25	38	26	26	34	23	16	23	24	23	15	36	16	35	38	35	21	22	35	38	30 27
11	21	26	14	15	23	21	22	16	36	23	28	24	21	18	22	27	25	10	22	24	24	27	24	34	26	14	24	26	16	16	17	26	27	33	29	33	30	31	32	23.	29	20	28 37
12	15	37	11	17	23	22	23	11	27	21	26	22	22	22	23	15	26	21	12 -	16	29	35	33	29	22	· 17	23	24	14	29	18	37	24	41	25	24	23	36	35	30	34	20	23 34
13	24	32	14	10	28	23	21	17	22	23	22	27	26	32.	21	16	25	11	15	16	29	31	30	33	26	22	22	17 '	19	24	21	40	21	36	25	26	24	27	34	19	25	20	32 21
14	20	20	19	19	20	21	18	19	25	29	24	26	18	17	24	16	31	23	23	22	30	34	27	29	20	21	21	12	9	23	21	43	32	24	27	25	24	41	34	27	35	23	29 27
15	22	27	25	15	20	21	20	30	26	19	23	23	22	24	32	17	28	21	30	25	21	30	30	26	25	20	27	18	25	20	25	33	33	31	24	27	22	38	32	36	30	11	32 31
16	27	25	20	22	27	19	20	29	32	30	14	27	30	27	33	28	20	22	33	17	15	24	29	30	32	21	30	15	25	27	20	40	32	33	15	30	17	22	27	26	26	13	30 26
17	29	35	15	8	6	26	29	29	31	33	20	17	17	19	19	26	23	24	21	21	19	14	29	20	26	28	18	22	23	15	26	29	33	35	30	19	20	35	38	31	22	14	27 35
18	19	27	16	5	15	20	25	24	16	33	25	19	22	17	14	27	24	21	28	28	20	22	29	23	17	18	29	14	20	30	28	29	38	34	25	21	30	21	38	21	34	18	24 34
19	9	8	18	26	19	16	26	19	9	33	19	21	28	10	17	19	21	24	30	19	22	18	15	29	16	19	21	23	29	18	20	38	37	36	21	17	27	38	30	22	28	1 1	26 20
20	13	20	14	13	14	10	26	22	14	30	16	23	26	23	18	8	23	13	33	18	27	18	28	·26	13	22	20	16	32	32	14	26	24	26	25	25	26	31	40	24	33	18	32 25
21	19	15	21	27	1	23	1					25				1	1		1		1					1 .	1	-1	37	35	15	19	22	31	23			17	32	22	32		30 26
22	11	1	1	23	1	23	1	1	1			27	t	20		I		1					1				l.	1	1				14		1 I			12		. 1		21	36 33
23	- H	1	17	23		1		12	1			27		(1		11		24					23	ŧ .		14	l .	23		1		24		28		l i	25						23 25
24	- II	13	14	13	23	1	17		22		1	18	1	1 1	12		1	23			24		1	•	27	7		25	28	19			17		20		1 1	27					24 35
25	11	1		1	24	1	1	1	29			21		20		1	1	25	l		1	21			1	20		21	31		26			39		10		20	23			!	22 26
26		11	1	1	1	29	29	1	27	1	16	37		1	1	19	25	16	1	19		30		27		20	1	1	20			1	31		•	1 1	1 I	22	1			1 1	24 23
27	1]	18		1	21])		22		1	27	l					20		19	12		l	30			27	1		26			20		! 1	1		34	26		16		30 25
28			21	}			26	1	13		23		ļ			25	1	15		1	30	i	17	•	11			/-					1	1		35		37	29	39	19		25 12
29		24		1	1	31	1	29	. 19			18		12		17			22			3.	30			26		15				36	31	20	19			34	29	32	!		14 25
30		18		22	20	29	24	1	25		20	25	28	7		15	13	22		19	27	a .	13		20	20		20		20	37	16	40		28	32		35	1				24 12
31	32	17	21	24	25	30	20	32	14	32	16	21	27	15	15	18	21	22	23	19	25	36	21	23	16	11	27	13	17	24	38	30	39	27	17	23	32	26	34	21	18	29	28 17

T

TABLE XXXVII. Range of Temperature on every day in the month of August, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at

Chiswick in the years 1826-1869.

DAY OF	7												1								A, T	J G	U, S	T.													-					-		
MONT	1826	182	7 1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1 860	1861	1862	1863	1864	1865	1866	1867	1868	1869
1	23	29	19	26	19	16	14	22	19	34	.23	12	18	26	27	17	19	26	26	16	32	46	19	29	13	16	30	18	18	20	32	19	34	34	20	35	37	27	27	23	22	17	27	19
2	20	26	16	21	20	15	27	13	25	27	30	14	13	29	32	22	29	13	23	16	25	43	23	19	14,	19	32	21	17	26	40	26	30	29	19	31	33	29	30	26	21	12	26	22
3	21	16	16	17	22	17	21	12	22	31	31	20	15	28	39	16	21	8	17	16	26	39	15	28	26	19	16	22	12	22	34	39	31	20	22	12	41	28	34	28	29	25	23	16
4	20	18	17	12	20	20	1.4	29	14	37	22	31	16	28	30	22	24	22	33	16	23	35	25	29	25	24	. 26	24	5	19	37	. 36	23	35	24	32	21	25	37	35	26	31	26	19
5	21	15	22	21	28	25	18	17	15	25	17	25	16	25	27	7	17	19	15	20	19	18	21	30	26	18	27	26	8	22	40	23	35	37	19	39	17	20	34	30	31	23	31	20
6	20	11	14	11	16	22	10	27	19	17	23	22	18	16	22	10	19	18	19	23	19	22	26	36	25	14	14	26	18	18	32	27	44	13	21	35	21	16	. 39	36	15	16	12	18
7	30	22	14	19	17	27	23	30	7	42	23	23	20	19	24	16	25	17	21	22	23	26	33	23	19	20	22	20	24	19	46	14	42	16	28	21	18	19	33	30	25	17	26	24
8	28	19	17	26	23	26	30	25	24	33	29	19	27	27	29	18	31	22	25	16	19	27	23	31	24	28	21	28	26	18	26	15	41	22	12	15	8	20	24	36	25	. 18	30	9
9	25	29	12	17	21	26	28	25	25	43	30	19	15	22	32	21	31	25	29	16	13	22	29	25	20	14	24	24	25	23	20	22	27	15	17	14	17	34	16	36	32	14	26	21
10	22	26	16	25	9	25	24	34	30	28	23	18	13	20	28	13	33	24	35	15	21	17	31	21	17	18	22	25	29	27	30	32	29	17	17	25	16	22	30	22	29	25	29	22
11	19	18	14	19	22	28	24	41	29	19	18	25	18	12	30	17	14	26	19	17	16	18	18	24	24	27	15	29	17	24	31	24	35	25	27	28	31	29	28	35	23	26	21	22
12	25	15	13	16	17	30	27	26	31	29	24	28	17	22	22	24	23	30	16	14	24	28	19	17	25	24	. 8	14	26	23	28	31	38	30	16	28	19	33	43	19	15	29	22	29
13	29	14	8	17	16	29	24	22	29	30	28	31	25	18	24	16	21	18	14	16	22	32	13	18	28	25	22	15	32	31	35	26	35	22	18	38	14	29	40	23	19	32	17	24
14	22	9	11	20	18	29	19	30	18	34	23	35	26	18	16	18	29	20	16	10	28	27	7	18	. 17	19 .	20	13	20	16	21	34	24	21	25	20	25	18	31	24	16	, 30	19	19
15	15	8	23	7	26	26	23	24	13	27	24	30	22	22	8	20	40	22	21	18	29	24	13	20	18	31	23	14	28	29	25	20	22	19	16	22	26	27	36	16	22	30	22	27
19	24	12	19	18	28	20	30	19	21	25	15	27	22	23	19	16	82	19	30	13	23	7	19	22	25	19	9	111	25	34	33	26	38	26	15	24	16	21	31	22	20	21	10	22
17	16	19	17	28	24	27	26	31	23	21	25	32	16	21	14	19	22	25	22	26	17	11	21	31	27	22	17	20	24	38	14	30	27	17	22	31	11	24	34	21	29	16	9	22
18	30	22	20	13	24	19	10	18	22	23	22	27	20	18	12	20	30	25	21	19	18	13	21	29	27	22	22	22	27	26	10	22	28	22	13	23	-33	19	42	22	39	20	12	26
19	35	20	28	16	25	16	17	24	15	28	27	20	20	16	14	30	12	23	16	16	18	14	27	22	23	27	17	16	18	20	12	13	23	32	11	30	33	20	36	28	25	22	10	19
20	34	10	21	18	17	15	17	17	22	30	14	26	15	16	23	29	16	15	27	21	10	23	26	20	25	32	7	25	26	8	11	17	25	35	18	38	22	17	28	25	22	30	13	24
21	22	13	17	22	21	18 18	17	19	25	27	23	23	21	27	21 26		22	22	16	29	1		18 21		1.	25 25	16		20 21		19 24	24 26				34 16	25 27	24			24			34
22	20 16	12 18	16 23	10	Į	32	20 25	23 24	26 31	31 23	14	10 20		22 28		14	1	12		23		15 15	28	16	27		19	i i		25	20		34	36	21		37		21		24 21		14	
23	19	19	18	17	l	17	* 24	27	27	29	16 27	1	21	25	31 33		29 15	l i	31	28	24		23		32		20	22		18				37		26	87	21	22		16			23 30
24	25	13	19	26	16	30	21	10	24	18	19	25	22 18	31	14		14	27 15	22 23	23		24	16	25	13		19	12	23	24	14			37		23	1	22	28	- 1	24		1	26
26	II .	11	30	10		17	i i	35	29	ľ	24				18		24	29	19		10	29	16		35	9			25		16						33					21	1	30
27	16	23	22		í	17		33	30	26	19	36 24	99	ı	24		17	28	.33	20	18 19	35		15	23	16			1	28	r .			28	20 24'			21			22			34
28	31	15	21			23	19]	13		28	17	26		19				28		22	29 35 26	18	15		20					18							33	1					36
29	19	25	16	15		21		29	15	38	24	8	28		14		19	15		27	24	31	23	7	35	14				33				27		- 1		26	27	22 28	8		21	
30	II .	15	17	13			-	25	1		20		33		24		14	16	30				27	16	1				30	32					_			22	ŀ					26
31	20	16	6		1 1	25	16	9	17	36	31	23	32						36			25	21	22	- 1		25		23	37		24		23			- 1	21		. 1				29
	1		-																																									!

T

TABLE XXXVIII. Range of Temperature on every day in the month of September, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at

Chiswick in the years 1826-1869.

DAY OF			,																,	SE	PТ	E M	BE	R.																				
THE		1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	5 1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1 852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869
1	16	21	16	10	33	12	23	8	14	40	22	17	30	18	2 <u>2</u>	36	8	28	40	16	210	21	24	ıî	26	18	30	12	33	23	28	28	25	23	34	4Î	19	21	2î	18	21	21	27	32
2	7	13	22	19	19	22	26	26	20	38	29	19	26	16	25	25	23	28	29	17	33	26	25	25	21	14	32	18	32	22	26	20	10	11	29	27	28	13	27	37	22	19	34	27
3	16	18	16	19	15	30	29	17	16	28	20	9	25	21	23	17	21	25	13	22	33	19	29	17	13	16	27	13	41	21	36	22	14	21	27	26	23	21	24	37	17	21	35	25
4	23	13	20	20	21	16	27	19	19	23	22	19	38	18	16	14	25	33	18	21	20	29	33	18	36	18	24	16	45	24	41	22	22	30	31	20	25	27	22	32	12	20	38	31
5	15	21	26	14	18	18	26	21	18	23	17	23	19	17	28	15	27	29	19	10	21	27	26	25	29	18	23	18	22	22	34	29	36	22	27	19	30	19	26	32	18	31	35	21
6	13	20	12	17	12	24	15	20	23	24	15	. 26	21	28	26	24	27	31	19	25	32	35	25	29	34	14	19	24	35	26	28	26	28	20	10	18	22	15	12	31	14	17	37	13
7	11	18	22	18	13	27	17	19	23	31	17	16	20	11	13	13	15	30	22	29	25	23	11	22	34	18	14	24	30	30	27	24	21	14	28	24	35	19	14	37	12	22	42	16
8	20	13	20	18	24	21	24	13	22	23	21	18	14	10	27	19	11	18	24	34	22	16	9	24	,24	20	13	16	2 ±	41	34	20	29	14	25	32	28	17	12	30	13	27	13	16
9	20	13	14	10	8	9	15	14	19	20	23	22	27	24	9	12	13	24	12	38	26	28	13	21	14	26	10	19	26	40	30	19	28	19	19	32	26	20	21	21	15	24	30	18
10	28	12	11	18	23	23	21	16	12	20	21	18	34	19	27	20	15	18	29	17	17	32	26	19	30	37	10	21	30	34	26	19	17	36	26	40	37	14	19	18	19	32	25	23
11	28	17	16	18	18	12	30	23	21	13	12	25	33	14	29	24	14	16	29	7	22	25	24	26	32	32	22	32	42	35	25	10	16	34	36	38	37	31	34	18	17	16	30	19
12	26	9	14	24	23	17	14	28	20	26	7	19	35	12	31	28	23	24	19	28	27	11	27	17	38	36	26	16	38	34	26	28	46	29	38	-35	30	23	34	35	13	20 .	19	14
13	20	16	23	19	23	16	23	18	24	26	11.	18	23	15	31	20	17	25	22	20	15	13	27	15	36 '	39	21	18	14	19.	21.	27	39	21	32	19	16	22	18	43	16	28	28	15
14	22	15	10	25	24	.24	15	23	30	18	16	17	13	18	13	23	19	12 -	18	32	23	25	26	11	19	33	17	30	19	9.	32	24	32	19	21	23	23	17	26	37	18	26	14	12
15	27	16	27	20	9	22	28	29	31	24	16	22	21	18	18	18	24	22	11	14	27	20	32	24	13	28	1,8	16	18	19	25	19	32	25	18	19	25	15	29	42	22	30	14	14
16	25	12	24	16	24	16	14	17	24	23	21	14	26	14	14	25	24	30	12	10	34	10	35	18	16	.14	17	11	9	14	22	34	26	16	18	14	30	23	15-	28 [.]	20	30	19	.11
17	29	18	16	14	16	18	15	24	24	29	15	12	20	16	23	28	23	32	19	9	27	19	32	19	30	24	25	16	25	7.	19	36	29	25	18	21	48	29	23	35	22	15	14	8
18	12	17	26	14	27	27	28	12	24	23	13	22	12	21	22	32	9	22	20	17	31	22	32	19	23	19	13	28	20	15	27	27	30	28	23	27	30	24	17	42	23	19	20	16
19	16	16	24	12	13	18	26	24	25	15	17	12	11	16	19	30	20	31	23	31	33	12	31	24 .	17	21	10	21	14	21	24	20	14	30 -	24	31 -	29-	27	24	39	23	19	11	20
20	14	17	29	24	24	15	28	19	20	18	26	24	33	18	30	11	23	34	26	10	18	29	40	13	13	25	20	21.	30.	31	19	26	17	22 -	19	33	17	18	17	38	18	21	17	16
21	14	13	22	30	29	24	14	25	25	17	22	26	32	21	12	14	27	25	17	16	16	9	31	15	28	16		21.	38	29	25	29	12	18	23	17	12	22	19	15	19	22	19	26
22	28	21	1	21	1	1	20		35	1		16		23		1	1			22	1		23	16	25	18.	22	13	24	34	18	21	24	18	23	14	9		25		16			17
23	II I		1	I	i .	17	39	1	26			16		29	21	17	ł	1		24	19	22	14	10	20	34	23	20	8	21 23	21	32	19	19	25 18	24	32	25	18	25	24	28		14
24			15	25		20	39	1	29	21	18	24	7			14	7	21	26	25	15		14	24.	22	19	21	26	24.	23	24.	22	27	27	18	31	12 -	17	24		19			17
25			24				38	1	21	25	11	21 27	16				11.	24	30	24	18	14	14	32			22	19	25	30	24	17	30	18	27	22	19	28	30	32	26	31	22	
26	II I	17		21		16	1	[ı	14	13	22	36	25	13	22	8 12 4	22		13	16	15	35	29	18	21	24	17	23.						17	1	20	
27	18		10	1		20	1	25	21	1		13					9	18	31	12	17	32	12	19	19	13	13	18	37:	43	9	21.	19 -	20 -	19	32	14 -	23	28		25		8	i
28	19	h	11	!	1	18	1	13	1			27						25	36	27 14	23	28	4	17	21	23	12	12	38.	16					13	13		27	27		23	19	11	ì
29	14	13	1	25	1	1	24	1	30							11	13	20	19	1		14		1		21		20	3 9 .	18.		38	21 -	21 ~	14	31	18	29		22	19	17	1	21
30	16	19	16	21	28	14	19	28	28	18	21	17	11	26	13	21	13	13	36	21	24	16	13	12 .	19	16	17	23	39	21	24	28 -	24	14	28	33	38 -	30 -	17	27	15	21	17	23

TABLE XXXIX. Range of Temperature on every day in the month of October, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at

Chiswick in the years 1826-1869.

	1						<u>-</u>																					*													· · · · · ·			
DAY OF																				0	CT	OB	EI	₹.																				
тне Мохтн	1826	1827	7 1828	1829	1830	1831	1832	2 183	3 183	4 183	1830	1837	1838	1839	1840	1841	1842	1843	3 1844	1845	1846	5 1847	1848	1849	1850	1851	1852	2 185	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	186g
1	23	8	17	17	10	17	18	22	28	°	13	21	8	27	12	21	18	17	25	15	24	13	24	12	21	16	100	27	26	24	22	15	2°	14	22	2°7	20° ·	12	17	23	ıî	24	10	17
2	22	15	28	11	10	23	19	23	35	20	14	26	16	19	15	21	28	15	23	6	9	18	21	17	15	13	18	20	38	26	17	12	20	23	24	33	17	7	21	21	19	19	21	10
3	18	19	18	10	13	16	18	21	33	18	25	17	22	27	20	12	9	11	20	22	29	11	18	16	12	12	16	27	29	12	11	18	19	30	24	22	17	5	17	22	19	26	19	28
4	23	21	23	18	27	15	12	24	42	, 22	27	30	24	16	12	12	19	20	28	18	15	23	7	10	27	21	12	22	25	21	10	21	29	33	23	34	19	16	23	27	10	27	25	15
5	28	25	15	21	21	18	11	22	31	25	27	13	14	14	14	19	30	25	28	31	13	27	18	19	33	18	10	12	21	6	21	32	27	21	21	25	21 .	25	24	34	7	30	17	26
6	26	24	15	21	15	10	28	24	36	22	13	26	7	20	23	20	26	11	23	6	14	11	25	11	19	21	13	6	11	15	5	34	30	27	24	10	18	24	31	34	12	19	15	21
7	26	21	13	12	21	22	8	20	24	14	11	23	9	19	28	16	17	12	33	18	15	27	23	15	17	20	16	9	17	20	7	16	25	18	29	22	9	12	26	24	24	23	22	24
8	20	15	15	20	20	13	13	23	7	14	21	30	9	14	30	12	21	12	30	27	17	11	22	15	29	27	14	19	8	31	9	22	35	28	23	26	15	12	17	27 -	21	23	20	28
9	16	11	21	24	13	15	24	17	16	10	14	28	9	12	29	15	10	19	10	19	10	9	16	28	24	15	21	27	27	21	11	15	29	14	19	36	32	7	15	29	14	10	22	30
10	13	13	3	20	20	6	12	31	28	19	14	17	9	20	30	9	20	28	18	20	17	17	18	25	19	12	17	24	18	19	19	23	22	10	14	17	32	15	16	15	26	29	22	24
11	12	11	21	10	11	8	16	25	24	21	19	28	11	19	13	18	20	12	29	29	24	21	25	12	17	15	19	16	20	21	8	24	22	13	17	26	20	17	15	16	15	15	30	23
12	7	17	28	9	14	17	16	28	27	19	14	27	5	18	29	15	7	8	14	22	14	20	18	14	26	14	24	8	29	15	22	24	23	17	28	20	22	21	21	24	18	11	30	18
13	26	23	22	6	22	7	25	21	29	13	10	17	16	28	32	8	20	21	20	29	18	15	14	10	10	8	15	8	26	21	23	21	20	15	15	21	16	10	21	31	29	15	28	24
14	11	13	20	12	29	10	22	10	25	8	11	27	23	19	34	11	15	25	21.	25	11	6	14	12	15	10	9	18	12	27	12	24	12	15	15	40	21	19	22	14	26	11	23	14
15	17	16	11	21	27	15	17	18	22	12	26	23	9	21	21	9	13	27	17	15	14	16	11	19	30	12	14	16	10	27	14	8	19	13	8	33	30	18	25	16	26	16	30	9
16	16	16	7	13	27	24	20	11	10	6	12	23	9	25	11	11	7	22	17	25	21	10	10	18	30	29	12	16	19	20	16	18	12	18	19	34	16	16	15	22	27	19	29	18
17	27	23	18	17	24	16	25	17	16	16	7	18	17	21	10	15	11	12	22	10	18	15	16	21	26	27	18	18	11	17	13	22	19	15	21	26	15	21	16	29 -	16	21	27	20
18	10	17	24	14	22	11	19	15	13	25	11	24	12	14	7	15	22	26	23	12	16	13	7	23	19	7	25	23	14	23	26	5	11	17	11	31	14	25	27	14	10	20	10	19
19	7	15	24	10	21	20	13	17.	22	26	28	21	17	28.	15	13	34	30	18	10	21	25	9	23	12	7	25	7	16	24	23	20	5	19	19	$\frac{32}{10}$	20	14	25	14	16	26 30	33 22	21 15
20	7	12	19	10	26	10	25	28	12	23	19	23	15	16.	28	19	28	30	25	23	22	18	9	17	20	9	26	19	18	11	24	13	15	20	21	19	15 15	16 19	28 15	16 9	17 17	18		21
21	20		18	12	29	23	19	8	19		14		10	8	1		30	1	16	•		16	24	14			15				28	10			26	~					22		28	
22	11	10	22	15		10	l			16		10	10			31		16	ľ	13		17	22	1	18	6	ł .	11	24	ľ	26	1		32 19	21 12				1			16	24 ·	
23		13	15	26	16	16	14	9	23	1	20	14	5			12	1	14		28		22	12	13	10	7	18	13	32 23	21	12 19				17	7	22	F	32	11	21 19	20		21"
24	I I	13 14	23 19	20		11	10 14	22	14	18	7	1				25	1	9			16		13	11	6	10 6	20	18	16	22 10 20		1		- 1		17	- 1		13	23				17
25 26	23	15	6	22 19	1 1	11 11	l .	18	15	13	7.			13	23 18	19		19 28	12	28 15	12 8	27	15 23	10	16	15	10	23 20	30	30 10	22 27	25						24	7		1			22
27		18	5		1 1	15 15	17 10	17 12	10	25 22		1 1	22.		20	0	14.	28 23	16 14 ²	10	8 16	10	13	18 11	25	22	19	12	95		30	26	1						11	22				15
28		14		ļ	1 1	13	12	15	9	28	18 20		10 14		16		20	16	16	12		14	13 17		23		10		25 · 22	13		30											20_	18
29		-	24	23	, ,			ľ	10	29	10		18		18		28	23		23	5	24	22				14			12		22				. 1		11		25	17			18
30			20	14	1			4	15		17	19	16	10	20		19				21			22	17			22	29	7	23		- 1					17	17		13			20
31			11			12	18	1	11	19		11 1	21	4	21	9	13	8	14	21	5				19			12	24			1		,	17		12			12			- 1	14
						12	-0		**	"	1.0	1.0	21	*		,	10	0	1.1		0	10	10	20	10	10	1	12								1				. 0				

TABLE XL. Range of Temperature on every day in the month of November, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at Chiswick in the years 1826-1869.

DAT OF															-					N () V	E M	ВЕ	R.	7						-								-					
MONTE	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	184.2	1843	1 844	1845	1846	1847	1848	1849	1850	1851	1852	1853	3 1854	4 185	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869
1	14	13	14	18	19	6	18	21	12	19	20	19	16	ŝ	10	° 7	23	18	10	23	18	29	17	22	10	24	5	19	29	17	6	23	13	15	25	23	6	18	12	16	12	25	12	13
2	14	10	13	19	12	5	. 9	12	16	15	20	19	19	7	12	18	22	7	10	30	16	12	21	21	24	19	12	14	20	13	19	15	22	17	24	19	18	15	19	25	15	28	18	15
3	9	13	20 .	7	12	16	11	20	25	8	15	20	18	7	16	19	16	15	8	34	22	6	23	13	16	19	12	20	17	13	18	11	21	22	28	32	13	18	24	30	16	19	5	17
4	7	14	22	7	13	20	20	22	17	6	6	22	17	13	11	8	11	19	11`	20	18	6	16	.18	18	8	16	8	18	13	22	10	18	18	15	21	18	12	32	20	16	12	19	21
5	5	18	19	21	8	18 -	18	11	5	18	22	22	13	20	14	6	14	16	15	27	18	14	18	20	14	15	15	.6	18	18	17	10	21	19	11	25	.8	18	26	9	1.2	15	19	15
6	25	11	8	19	9	18	8	16	10	20	19	23	14	6	10	23	11	13	18	15	6	10	12	19.	21	9	13	13	28	18	21	-9	17	12	13	11	15	23	18	13	20	24	17	19
7	17	6	13	25	11	12	11	14	16	17	22	22	14	4	17	16	10	21	10	8	3	6.	14	17.	12	12	-6	12	25	12	12	11	12	21	21	32	:9	14	28	4	10	28	28	15
8	14	9	12	16	25	12	6	10	17	14	25	11	13	9	14	12	8	24	15	20	6	8	23	.7.	24	10	10	15	20	12	12	9	18	22	20	33	20	9	23	12	15	26	24	20
9	19	6	17	17	23	21	14	20	9 22	11	11 22	18	20	e l	12	5 9	9	26	21 ⁻ 19	20	9	18	15	16.	13	6	13	27	19	32	20	7	15	20	19	25 16	11	22 25	22	10 19	19 17	12 14	18 13	19' 20
10	17	6 15	10	13	13	27	20	10	10	6	16	11	13	17	14 13	15	Q	16	13	7	11	24	14 12	27	12	11.	11 8	24	22 14	22 14	15	8 24	20	24 22	16	30	10	13	15	12	20	A 7	7	18
11	23	18	10	20	23	7	8	11	17	9	17	15	20	12	18	31	10	27	10	26	8	16	11	25	10 30	17	5.	12	19	8.	14	28	18	25	11	18	23	20	16	14	14	8	10	19:
13	14	15	26	15	7	20	16	11	22	10	18	11	23	8	11	14	5	19	12	18	3	17	22	16	23	11	4	8	25	11	9:	23	13	23	-8	.9	17	18	14	26	22	24	10	13
14	9	16	10	9	16	13	11	14	14	9	16	16	18	10	12	8	10	22	16	15	12	11	24	19	27	9	8	15	16	22	17.	14	7	9	.0	16	16	13	20	6	19	16	10	10
15.	20	20	7	22	15	9	8	12	13	10	15	15	4	10	28	12	2	16	10	12	8	13	25	13	15	22.	9	4	23	25	20	15	10	29	23	30	8	12	.9	23	19	17	16	17
16	19	5	8	13	12	16	18	16	12	13	7	19	11	8	8	10	8	24	17	14	9	15	17	19	23	16.	11	21	20.	15	25	14	8	16	18	19	16	9	15	23	17	11	12	12
17	15	11	7	12	22	9	11	11	11	11	11	19	11	6	18	24	15	20	12	16	12	-8	11	21	12	.8	14	28	10	10	23	18	12	23	11	10	19.	12	11	13	27	18	10	10
18	7	5	18	11	15	9	4	6	18	19	17	23	7	14	10	17	19	24	4	14	14	12	16	9	10	15	14	20.	8	8.	20	14	16	24	10	20	11	12	20	14	22	4	'4	23
19	7	18	12	20	20	14	7	14	13	17	13	11	4	17	14	10	10	17	8	12	8	19	26	21	14	12	19	24	12	9	13	14	19	28	24	17	8	18	13	12	15	23	.9	23
20	8	10	7	14	29	20	14	10	10	10	16	20	5	26	13	17	15	16	19	19	11	13	15	8	7	19	10	18	10	7	17	10	19	17	23	20	-8	16	16	13	26	7	18	18
21	6	12	11	13	13	5	5	11	11	5	9	16	10	12	7	9	15	9	19	22	14	5	21	14	19	12	9	25	18	7	.6.	14	16	27	20	10	10	20	14	15	24	16	26	21 ·
22	5	14	25	9	23	7	22	7	5	4	13	5	14	18	8	17	9	13	15	23	9	7	12	13	11	10	8	18	17	10	11	25	26	22	28	19	15	21	27	10	13	13	14	10
23	12	10	11	8	22	11	14	11	11	10	10	13	14	16	10	16	8	17	17	16	7	18	13	15	14	13	.6	9	19	16	8	15	19	10	8	24	14	14	11	8	13	16	14	8 ·
24	19	13	18	9	14	13	8	20 17	10	10	18	14	12	14	18	18	10	11		20	10	13	15	13 15 20 15	13	16	14	12	12	8	14	24	17	12	12 9	29 9		12	16	9	15	13	t	9
25	21	4	15	4	17	5	13	17	4	6	13	19 15	13	10 15	22 22	21 24	9 16	8	16	15	9	9	21 12 10	15	21 11	23 8	27 8	13 7 3	14		12		15	.9	9	9	10	27	17	12	14	l.	8	13
26	16	16	12	5	11	10	11	19	15		11	15	12 17	15	22	24	16	5		5	26 12	6	12	20	11	8	8	7	11 10	13 12	11	12 9	21	16 15	10	18	7	9	Į.	14	13		12	14
27	13	1	11	6	1	1		20	23	1	8	13	17	15	11.	9		15	23	8	12	8	10	15	18	16	10	1	10	10	26		12	15	11	27 23	25	15	22	8		30	7	4
28	20		10	3	1	1	1	14	12	1	,	14		11						12	23		9	12 14 20	11	16 13 17	23	8	,			1	15		13		1	23	17	7	23	1	4	20
29	14	1	13	6	3	1	14	11	8	7		22	9	10	11		14	25	7	18	23	19	7	14	8			1	14	12	21	13	11	19.	7	8	14	. 19 22		13	25	32	18	5
30	10	7	13	4	3	6	16	12	23	13	16	13	10	10	10	9	23	26	10	16	11	5	.9	20	6	19	17	5	19	19	21	10.	7	13	17	16	17.	22	15:	13	20	8	5	19

TABLE XLI. Range of Temperature on every day in the month of December, as deduced from the observations taken on that day at the Gardens of the Royal Horticultural Society at

Chiswick in the years 1826-1869.

DAY OF		_		,																D	EC	EI	ив	ΕR	•																		•	
MONTH	1820	5 1827	7 1828	1829	1830	1831	1832	833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869
1	12	ıî	18	8	0 4	o 4 -	13	11	13	ıî	-13	23	13	12	18	11	8	ıî	ŝ	ı°	° 6	16	14	19	° 7	° 7	23	16	21	13	20	26	120	13	9	26	12	16	26	0 14	<u>°</u>	717	8	19
2	9	6	12	5	4	5	14	10	19	19	14	13	12	9	21:	7	13	21	8	18	7	22.	18	10	10	14	13	21	12	13	16	15	15	12	10	30	12	19	24	13	25	13	8	7
3	17	9	9	4	5	3	8	7	4	10	6	17	14	12	21	11	11	4	8	10	20	11	15	9:	22	'6	13	5	9	14	13	12	18:	16	6	27	12	19	9	14	15	14	10	14
4	10	5	11	5	4	14	13	9	21	13	4	10	16	8	16	9	13	4	8	10	13	10	15	10	15	8	3	8	12	11	13	25	8	24	12	29	13.	16	11	15	8	21	6	11
5	8	11	12	11	10	8	9	11	32	18	9	2	13	19	7	8	13	8	21	11	11	22	14	26	23	18	6	12	19	14:	15	26	20	24	13	27	4	14.	18	10	12	18	10	9
5	5	10	7	11	5	8	9	8	17	17.	7:	6	18	5	17	12	4	16	16	19	11.	13	17	18	13.	-5	11:	:9	14	14	11	17	14	22	11	11	6.	16-	15	7	12	11	12	4
7	12	19	9	13	4	8	11	21	12	5	13	5	15	14	8:	11	6	13	14	28	9	22	5	-8	20	11	6	6	19	15	· 7 ·	15	9	17	9	26	10	9.	14	. 5	9	9	9.	6
8	5	16	14	7	3	4	3	14	13	6	11	11	18	4	7	11	6	28	-6	25	8	15	9	14	4	19	7:	14	12	16	8	12	3	21'	11	16	1:1	10	11	5	20.	10	13	7
9	16	20	10	1	7	11	5	8	13	18.	11	10	10	5	19:	6	7	10	4:	19	10	8	24	19	9	18	16	17:	15	13	.9.	6	6	9	20	23	15	10	22	6 [.]	24	20	10	4
10	7	10	5	14	13	7	2	9	18	15	13	6	14	8	9	19:	ľ	13	4	24	20	8.	31	4	14	5	5	11	15	-8	9	22	5	14	23	25	19	15	22	9.	19	20	7	15
11	12	13	13	4	18	9	12	11	17	15	14	9	10.	7	5	10:	5	22	-8	17	25	14.	16	7	10	24	9	5	20	10	10	17	3.	8	13	19	15	7	15	17	14	15	18	17
12	6	4	16	7	12	13	17.	10	13	12	15	15.	6	8	8	5.	7	12	7	20	10	15	8	6	20	8	.14	'7	15	15	15	11	8-	11	11	10	18	20	15	8	12	16	14'	12
13	11	9	15	22	13	9	11	17	13	15	15	17:	9	13	13	12	19	17	7	11	19	18	24	5.	14	7	11.	8	15	21	10	6	7	17	12	20	12	22	11	20.	16.	11'	12	13
14	12	9	12	6	11	13	21	7	6	8.	16	15	14	9	9	10	15	20	4	9	17	10	12	17	18	5	13	13	9	24	11	7	7	9.	9	14	18	11	19	21	11	12		17
15	7	8	5	7	7	12	25	5	4	5	14	16	17	13	8	13	18	15	6	12	17	12	12	15	19	4	10	11	12	13:	16	5	6.	20	12	13	10	11	6	15	14	4`		21
15	8	11	8	8	14	13	19	11	8:	8	13	18	7	14	7	19	7	16:	-81	9	14	7	4	12	16	4	25	16	16	18	19	. 11	5	23.	13	11	12	18	3.	6	12	6.		18
17	0	16	1 4	13	7	8	19	13	7	10:	20	6	4	13	15.	12.	15.	24	9.	9	6	9	15	13	17	12	10	14	12	8	23	9	7	15	23:	14	14	8	20	10.	19	12	12	11
10		1 4	7		19	13	14	10	14	13.	8	11	7	7	5:	19	12	5	4	14	10	8	15	10.	18	111	18	8	14	19	16	14	15	22	25	10	21	13	19	8		22	13	16
19	1	10	's	11	14 13	14	14	10	4) a.	10	13	16	7	2	21	10:	9	7	13	8	10	19	13	8	9	12	7	14	12	16	25· 22·	12	24 24	20 12	15	'	16,	10	13	1	27	26	16 15
21	7	5	. 7	12	14		16	14	10	2	8	14	15.	9	Z.	19	0: +7:	0	10	15	0.	10	11	F	21	1.1		8			5	R	10	21	i 1	4	9,	17' 13'	11.	15 13	14'	24	12	9
22	14	8	1		18	17	10	11	16	19	13	9	8 12 4	7 8 9	6. 9. 13. 10.	9. 4	7: 9	10		10	22	5	11 17	9	10:	1·1 1·1	17	8	22 7	20	7	6	8	18	6 14					8		31	17	
23	6	14		6	7	20	12	12	16	11	1/5	7	4	9:	13'	1.9	10	8	8	13	5	7	12	18	1:3	16	13	12	21	13	12	14	14	17	23.	9 [,] 12 15 [,]	13	12 26 10	8' 10 - 5,		9	19	17.	11
24	9	17	11	5	16	12	12 10:	10	9	11	9.	7	2	12.	10:	8	25	8. 9:	3	19	9	5	14	12	8	7	8	1'4'	19	16	24	11	16	19	23. 20	15	6	10.	5	5 7	6	28	15	14
25	13	17 16	16	7	15	20 12 12 18	18	17	16 9 11: 12 12: 15.	10	5		6	12 15 26 8	13:	19 8 22 15. 11 7	22:	17	4	14	24 23 5 9	5 8 10 7 5 7	14	10	16	16 7 16	11	17	22 7 21 19 21 14	15	16	25	10 8 14 16 11 12 7	9,	27	28	13 6 18 5	8	5.	16	9	11	15	11
26	II .	6	18	5	8	18	18 17 15	13	12	10 15	8:	}	11	26	8	15	5.	5.	9	13	16	10	11	8.	11	26	10	17	14	8.	11	10	12	10.	27 15	15	5	13	4-	16 14	16	4	14	15
27	4	20 7	12	19	4	12	15	16	12	16	5		17	8.	4	11	17	4	8.	18	15	7	10	12	20	26 11 11	12	13	18	10	14	14	7	20	10	15	17'	15	16	18	9	9	11	20
28	9	7	13	8	3	10	9	17	15.	11	8		15	14	9.	7	18:	7	8.	30	17	5	5	8	18	11	28	16	20	19:	14	12	181	13	32	9.	10	17.	16 ⁻ 11	13	15	9 13	15	27
29	4	6		8			6	5	7	8		8	11	14 19	9. 17	8	8:	5. 4 7 8.	11	24	16 15 17 13	7	14	20	14	4	7	13 16 17	12	11	19	14 16	19.	9, 10, 20 13 10	26		8	10	8	9	15	9	14 11 15 24 13	20
30	6	9	9	5.	12 25	10 11	8	13		20	5.	13	9	23	16	11	9	3.	10	14	17	8	11	10	10	19:	8	15	15	22	19- 12	16:	19. 12 2	11	12	12'	14	8 ⁻	7	13	15	10	13	5
31	6	11	15	5.	14		10		10	4			14		10	7		10,	12	11 10 13 19 14 13 13 30 24	7	7	10.	6 9 18 12 10 8 12 8 20 10	8	8	8	14	18 20 12 15 12	17	5,	19	2	10	12	12' 10.	12	10	11	13 9 13 7	18	10	20	7
1	<u>.,</u>	1	1								<u> </u>	1												. 1					1										-					

```
8.3 in 1830 to 19.4 in 1858
In January,
             from
                    9.7 , 1843 , 21.2 ,
., February,
                   13.5 ,, 1839 ,, 22.6 ,,
  March,
                ,,
  April,
                   14.8 ,,
                           1829 ,,
                                    30.6 ,,
                                            1865
               ,,
  May,
                   17.6 ,,
                           1828 ,,
                                    34.3 ,,
               ,,
                          1830 ,,
  June,
                   16.4 ,,
                                    33.1 ,,
               ,,
  July,
                   17.6 ,,
                           1829 ,,
                                   30.4 ,,
                                    30.5 ,,
                           1829 "
  August,
                                    31.2 ,,
  September,
                   16.1 ,,
                           1827
  October,
                   13.6 ,, 1838 ,, 24.1 ,,
                   11.0 ,, 1835 ,, 20.3 ,,
 November,
" December,
                    8.1 ,,
                          1844 ,, 16:5 ,, 1861.
```

Mean daily ranges, differing so greatly in each month, may well be attended with different agricultural and horticultural results.

The numbers in the bottom line show the average daily range in each month; and by taking the difference between these numbers and those in each year, the departure from the average will be found.

The gradual increasing numbers, from January 12°·2 to July 23°·5, and the gradual decrease month by month to December 12°·2, the same as January, indicates the annual law of daily range of temperature.

By taking the mean of all the daily ranges on the same day of the year from all the years, or the means of the numbers in every horizontal line in Tables XXX. to XLI. Table XLIV. was formed.

By selecting the least and greatest of these mean values in each month we find that the mean daily range of temperature has varied

```
9.7 on the 11th day to 15.0 on the 29th
In January,
              from
" February,
                    12.4
                                   2nd
                                               16.4
                                                             17th
" March,
                    13.6
                                   2nd
                                               20.4
                                                             31st
                            ,,
                               (9th and)
" April,
                    18.4
                                               23.5
                                                             20th
                                  12th
" May,
                    20.9
                                   1st
                                               24.6
                                                             17th
., June,
                    21.2
                                               25.3
                                                             23rd
                                   7th
                    20.9
                                 24th
                                               26.8
,, July,
                                                              5th
                                               24.7
" August,
                    20.9
                                   6th
                                                              4th
                 99
                            ,,
                               (16th and)
" September,
                    19.7
                                                24.7
                                                             12th
                ,,
                                  28th
                                                           (5th and)
  October,
                    15.5
                                               21.1
                                  31st
                                                              6th
"November,
                    13.0
                                  23rd
                                                16.9
                                                              3rd
  December,
                     10.8
                                  21st
                                               14.1
                                                             25th.
```

The smallest range in the year is therefore on January 15, and the largest is on July 5.

By taking the mean of all the numbers in each column the mean monthly daily range is shown; these are the same as in the bottom line of Table XLIII., and these agreements are a proof of the general accuracy of the work.

TABLE XLII.

Showing the Greatest and Least Ranges of Temperature in every Month, as Deduced from the Observations taken at the Gardens of the Royal Horticultural Society, Chiswick, 1826-1869.

-																		1
MBER	Least	04	4	4	-	ಣ	ಣ	2	5	4	22	4	2	2	4	22	4	
DECEMBER	Greatest	120	20	18	22	25	20	25	21	32	20	20	23	18	56	21	22	-
TBER	Least	0,2	4	7	တ	က	20	4	9	4	4	9	5	4	ಣ	7	73	
November	Greatest	25	20	26	25	29	27	22	22	25	20	25	23	23	26	82	31	
BER	Least	ಂಣ	× ×	က	9	10	9	s	8	ಸಾ	9	~	10	Ü	4	7	4	
OCTOBER	Greatest	28	25	58	26	29	2.4	28	31	42	29	28	30	24	28	3.4	31	
MBER	Least	10	0	10	10	4	6	Ť	∞	12	13	2	.6	9	10	6	8	
SEPTEMBER	Greatest	29	21	53	30	33	33	39	30	35	40	29	27	38	30	31	36	183
rsr	Least	lo,	s	9	1	6	13	5	6	-1	17	14	8	13	12	s	7	10
AUGUST	Greatest	35	50	30	28	32	32	30	41	31	43	31	36	33	31	39	30	20
A	Least	0,0	00	11	5	9	10	12	8	6	17	14	17	16	7	10	7	6
Jurx	Greatest	35	37	22	22	28	31	29	32	36	38	42	37	32	32	33	28	32
В	Least	01-	1-	8	11	2	10	11	11	6	11	2	14	^	9	10	11	121
JUNE	Greatest	36	93	32	35	27	34	30	34	38	35	36	38	32	56	34	31	3.7
	Least	007	6	12	12	Ġ	1~	3	8	16	13	14	13	10	13	7	7	2
MAY	Greatest	ಂಣ	32	30	30	34	36	32	35	35	35	37	34	38	32	36	34	54
II	Least	000	6	1	ð.	ಣ	6	10	12	9	ũ	10	4	6	က	16	7	01
APRIL	Greatest	27	35	27	28	30	26	34	30	32	38	28	31	22	32	42	31	30
CII	Least	10	r-	9	4	က	4	9	ಣ	7	10	5	5	9	ŭ	23	9	x 5
Мавси	Grentest	28	24	27	27	39	25	25	25	27	99	32	25	32	20	34	36	20
ARX	Least	007	4	4	4	4	භ	co	7	භ	00	2	5	4	4	င္	8	9 / 2
February	Greatest	23	23	20	23	24	29	23	20	28	24	87	23	27	25	25	27	24
ARY	Least	007	4	_	2	ಣ	2	4	2	4	53	5	4	က	4	5	က	7
JANUARY	Greatest	180	20	22	22	22	19	22	15	18	22	19	23	22	21	26	22	21
	YEAR	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	.1840	1841	1042

1																											
	8	ಣ	6	ಣ	4	4	4	က	4	က	က		9	4	5	.2		9	4	4		ಣ	5	5	4	. 5	41
	28	21	30	25	22	31	28	23	26	28	21	22	24	24	28	20	24	35	30	21	26	26	21	30	31	28	27
	2	4	50	က	5	~	7	9	9	4	က	00	^	9	1~	1~	6	1~	00	9	6	6	4	10	4	-	+
	27	23	34	56	59	56	22	30	24	22	28	29	32	26	87	26	29	28	33	25	27	35	30	27	32	28	23
	8	9	9	5	9	!~	10	9	9	5	9	× ×	9	20	5	5	10	oo	1	6	5	1~	6	^	6	6	S
	30	33	31	29	27	25	28	33	29	26	27	38	31	30	34	35	33	29	40	32	56	32	34	29	30	33	30
	12	11	1	13	6	4	10	13	13	10	11	00	7	6	10	10	11	10	13	6	13	12	15	12	15	00	∞
	34	40	38	34	35	40	32	38	39	32	32	45	43	41	36	46	36	38	41	48	31	34	43	56	38	42	32
-	00	14	10	5	٠١٠	9	2	13	6		11	5	8	10	13	12	13	~	12	8	10	16	10	~	12	6	6
-	30	37	29	32	46	33	36	35	32	32	29	39	38	46	39	44	40	28	49	41	34	43	41	39	32	31	36
-	2	=	5	12	13	00	13	6	7	16	12	6	13	12	14	14	16	15	10	11	12	21	19	13	11	14	12
	30	36	32	45	40	33	38	33	30	38	26	37	43	38	43	40	41	40	35	40	41	40	40	35	39	36	37
-	2	16	ro	13	10	10	00	6	2	10	4	1~	× ×	10	21	22	15	11	11	12	12	14	12	12	11	16	6
1	900	41	37	40	37	30	43	38	39	32	35	30	33	88	39	44	56	32	37	37	38	38	50	40	42	42	39
	73	11	7	5	12	15	9	4	10	5	ō	13	6	5	13	7	10	14	9	-	00	4	10	10	1	14	5
3.4	00	30	28	38	39	44	34	35	35	32	33	34	36	31	35	38	35	35	38	40	35	42	41.	41	32	40	59
1	#	12	10	S	က	5	1 ~	11	6	10	6	9	12	s s	9	os .	~	4	11	00	11	~	13	10	7	11	4
33	0 %	44	39	59	34	42	31	29	31	42	35	41	43	41	33	43	35	34	36	42	38	40	48	36	28	35	38
9	. ,	o o	00	6	r~	9	က	6	က	6	9	6	က	4	6	5	~	00	9	ō	14	10	10	10	4	r~	0
3.0	-	45	33	31	35	36	59	33	21	40	- 62	37	28	40	31	38	28	59	33	35		35	28	22	35	30	25.
-33	-		9	<u></u>	5	4	4	23		00	4	9	5	ಣ	11	4	6	6	9	c1	<u>~</u>	ũ	9	00	9	<i>ت</i> و	4
22	-	97	35	24	34	 ::3	59		55	21	8	22	22	25	31	7.5	7.7	31	56	53		22	35	56	97	24	53
8	L	_					27			<u></u>			9	4			es es	00			50	e5		 L-		e5	4
22.0	-	22	 82 73	19	<u></u>	22	55	30		24	<u></u>	4.	61	22	24	31	17	30	31	25	22	£2	24	22	32	19	50
-	-																										C-1
. x 25.4		1844	1845	1846	1847	184.8	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869
-	1																										

TABLE XLIII.

Showing the Mean Bange of Temperature of every Month, as deduced from the Observations taken at the Gardens of the Royal Horticultural Society, Chiswick, 1826-1869.

JANUARY	FEBRUARY	Мавсн	APRIL	MAY	JUNE	July	AUGUST	SEPTEMBER	OCTOBER	November	DECEMBER
_!	0	0,	0,	00	0,	000	0 0	0.01	16.4	2.61	6.0
	0.11	L.et	1.11	18.8	7.4.1	6.77	7.77	10.0	# 0 T	001	H 5
	13.1	14.1	18.1	19.4	20.5	21.4	17.4	16·1	16·1	11.9	1.01
	11.2	16.1	15.3	9.41	18.3	17.9	9.21	18.8	17.5	13.6	10.7
	11.0	14.4	14.8	23.1	52.6	9.21	17.0	19.7	16.1	12.4	8.5
	12.5	17.2	17.2	18.8	16.4	19.1	20.9	19.6	19.0	14.7	10.1
	13.3	14.4	17.2	22.6	20.2	24.1	22.5	19.5	14.6	12.3	11.1
	12.6	15.7	20.2	20.0	19.8	22.1	20.2	24.8	17.0	12.0	12.2
	12.1	14.2	19.5	26.5	21.8	22.5	24.4	20.1	19.4	13.8	11.5
	15.4	17.0	20.3	25.5	25.2	21.9	21.8	52.6	20.0	13.7	12.2
	14.4	17.5	22.2	21.7	24.4	9.22	29.5	22.3	18.5	11.0	11.5
	13.7	14.8	17.4	23.6	2.02	24.7	23.1	9.21	15.9	15.1	10.3
	13.9	13.7	17.0	22.1	25.3	25.0	23.2	19.3	21.4	16.3	10.2
	12.6	18.5	17.5	23.3	22.3	22.8	20.4	21.8	13.6	13.6	11.5
	14.5	13.5	15.6	22.8	18.2	18.6	21.5	19.4	16.0	11.4	11.5
	11.8	16.9	29.5	20.9	20.3	18.8	23.0	20.2	19.7	13.6	9.01
	8.6	8.02	19.1	20.9	20.6.	17.9	19.9	19.3	14.1	14.1	11.7
	13.8	14.6	20.2	22.4	27.5	23.0	22.5	17.0	18.0	11.9	11.2
-	4.0	16.6	18.7	18.7	18.9	18.9	20.2	24.0	18.2	9.21	11.6
-	16.2	1.7.6	30.5	8.22	27.5	23.7	23.7	1.22	19.0	1.01	10

| _ | | | | | | | | | | |

 | | | | |
 |
 |
 | | |
 |
 | | | |
|------|---|--|--|---|--|---|---|--|--|--
--
--|--
---|--|--|--
--
--
--
---|--

---	---
15.5	13.0

 | 14.7 | 10.2 | 16.2 | 15.2 | 16.5
 | 11.9
 | 13.8
 | 12.7 | 11.4 | 14.1
 | 14.8
 | 13.0 | 12.9 | 12.2 |
| 17.5 | 12.3 | 12.3 | 16.0 | 16.2 | 15.6 | 14.3 | 11.4 | 14.4 | 17.5 | 13.9 | 16.0

 | 14.6 | 16.0 | 18.9 | 15.2 | 20.3
 | 13.5
 | 16.6
 | 18.3 | 14.1 | 17.6
 | 16.9
 | 13.4 | 15.3 | 14.7 |
| 9.61 | 15.5 | 16.6 | 16.9 | 16.7 | 19.8 | 14.5 | 15.5 | 17.0 | 21.4 | 18.7 | 17.6

 | 20.3 | 20.9 | 20.2 | 20.5 | 24.1
 | 18.8
 | 16.5
 | 19.1 | 20.2 | 18.0
 | 19.7
 | 21.6 | 18.9 | 18.2 |
| 9.02 | 23.3 | 21.7 | 25.5 | 19.5 | 23.6 | 22.2 | 19.0 | 19.2 | 28.5 | 25.0 | 24.8

 | 24.3 | 24.1 | 21.8 | 23.7 | 26.2
 | 24.6
 | 22.0
 | 22.9 | 31.2 | 18.5
 | 23.2
 | 22.4 | 18.5 | 21.7 |
| 19.5 | 20.7 | 24.3 | ₹ 8.02 | 25.2 | 24.5 | 21.5 | 20.0 | 19.7 | 22.4 | 24.8 | 25.6

 | 26.0 | 28.8 | 26.4 | 18.5 | 29.1
 | 26.1
 | 23.3
 | 30.5 | 27.2 | 23.3
 | 22.4
 | 20.2 | 23.7 | 22.8 |
| 19.3 | 23.5 | 25.9 | 25.7 | 25.7 | 21.9 | 19.5 | 26.3 | 19.3 | 22.7 | 24.3 | 25.3

 | 8.97 | 27.0 | 28.9 | 24.7 | 25.3
 | 26.3
 | 29.3
 | 30.4 | 27.9 | 25.5
 | 22.4
 | 5.97 | 24.6 | 23.5 |
| 24.1 | 29.3 | 21.5 | 20.4 | 25.3 | 27.2 | 23.4 | 18.5 | 20.2 | 18.1 | 55.6 | 26.2

 | 29.3 | 33.1 | 21.2 | 19.5 | 26.0
 | 24.1
 | 23.4
 | 26.5 | 30.6 | 27.4
 | 24.4
 | 28.3 | 23.3 | 23.4 |
| 19.1 | 24.3 | 24.2 | 34.3 | 50.6 | 20.1 | 23.4 | 18.1 | 21.7 | 22.7 | 21.7 | 20.0

 | 25.4 | 25.0 | 22.5 | 24.5 | 25.7
 | 8.23
 | 24.5
 | 25.4 | 25.2 | 25.1
 | 22.1
 | 24.9 | 18.3 | 22.6 |
| 23.4 | 19.1 | 20.2 | 21.6 | 18.3 | 20.6 | 19.0 | 23.1 | 18.0 | 25.4 | 23.8 | 6.77

 | 20.2 | 24.6 | 19.4 | 20.2 | 23.4
 | 20.3
 | 22.7
 | 23.0 | 9.08 | 19.5
 | 17.9
 | 20.1 | 20.8 | 20.6 |
| 0.21 | 50.6 | 20.6 | . 17.8 | 15.5 | 21.5 | 13.5 | 20.2 | 18.7 | 22.6 | 17.8 | 16.7

 | 18.2 | 19.8 | 15.0 | 17.6 | 19.7
 | 16.4
 | 20.1
 | 19.3 | 18.0 | 16.7
 | 14.6
 | 16.1 | 14.3 | 17.1 |
| 16.8 | 15.3 | 13.9 | 13.4 | 15.7 | 15.4 | 15.6 | 15.2 | 11.0 | 15.4 | 15.0 | 13.4

 | 21.2 | 14.5 | 17.5 | 18.5 | 15.8
 | 11.9
 | 18.9
 | 13.5 | 14.2 | 16.0
 | 14.7
 | 15.3 | 13.5 | 14.2 |
| 7.01 | 12.4 | 10.4 | 11.3 | 11.3 | 11.7 | 11.8 | 15.5 | 11.5 | 11.7 | 11.8 | 12.7

 | 13.7 | 19.4 | 10.9 | 15.6 | 14.9
 | 16.3
 | 13.5
 | 15.2 | 14.5 | 12.8
 | 15.7
 | 11:1 | 11.6 | 12.2 |
| Char | 1846 | 1847 | 1848 | 1849 | 1850 | 1851 | 1852 | 1853 | 1854 | 1855 | 1856

 | 1857 | 1858 | 1859 | 0981 | 1981
 | 1862
 | 1863
 | 1864 | 1865 | 9981
 | 1867
 | 8981 | 6981 | Means |
| | 16.8 17.0 28.4 19.1 24.1 19.8 19.5 20.6 19.6 17.5 | 12.4 15.8 20.9 19.1 24.3 29.3 23.5 20.7 23.3 15.5 12.3 | 12-4 15-3 20-9 19-1 24-1 19-8 19-6 19-6 17-5 10-4 15-3 20-6 20-5 24-3 29-3 23-6 20-7 23-3 15-5 12-3 10-4 13-9 20-6 20-5 24-2 21-5 25-9 24-3 21-7 16-6 12-3 | 12-4 16-8 17-0 28-4 19-1 24-1 19-8 19-6 19-6 17-5 12-4 15-8 20-9 19-1 24-3 29-3 23-6 20-7 23-3 15-5 12-3 10-4 13-9 20-6 20-5 24-2 21-5 25-9 24-3 21-7 16-6 12-3 11-3 13-4 .17-8 21-6 34-3 20-4 22-7 20-8 22-2 16-9 16-0 | 12.4 16.8 17.0 28.4 19.1 24.1 19.3 19.6 19.6 19.6 17.5 12.4 15.8 20.9 19.1 24.3 29.3 23.6 20.7 23.3 15.5 12.3 10.4 18.9 20.6 20.5 24.2 21.5 25.9 24.3 21.7 16.6 12.3 11.3 13.4 17.8 21.6 34.3 20.4 22.7 20.8 * 22.2 16.9 16.0 11.3 15.7 15.5 18.3 20.6 25.3 25.7 22.2 19.2 16.7 16.7 | 12.4 16.8 17.0 28.4 19.1 24.1 19.8 19.6 19.6 17.5 12.4 15.3 20.9 19.1 24.3 29.3 23.5 20.7 23.3 15.5 12.3 10.4 18.9 20.6 20.5 24.2 21.5 25.9 24.3 21.7 16.6 12.3 11.3 13.4 17.8 21.6 34.3 20.4 22.7 20.8 * 22.2 16.9 16.0 11.3 15.7 15.5 18.3 20.6 25.3 25.7 22.2 16.9 16.7 11.7 15.4 21.5 20.6 20.1 27.2 21.9 24.5 23.6 19.8 15.6 | 12.4 15.8 17.0 28.4 19.1 24.1 19.8 19.6 19.6 17.5 12.4 15.3 20.9 19.3 29.3 29.3 29.7 29.7 15.5 15.5 15.8 10.4 13.9 20.6 20.5 24.2 21.5 25.9 24.3 21.7 16.6 12.3 11.3 13.4 17.8 21.6 34.3 20.4 22.7 20.8 22.2 16.9 16.0 11.3 15.7 15.5 18.3 20.6 25.3 25.7 22.2 19.2 16.7 16.7 11.7 15.4 21.5 20.1 27.2 21.9 24.5 23.6 19.8 16.7 11.6 13.6 13.6 23.4 23.4 19.5 21.5 22.2 14.3 14.3 | 124 16-8 17-0 28-4 19-1 24-1 19-8 19-6 19-6 17-6 124 15-8 20-9 19-8 29-3 23-6 20-7 28-8 15-5 12-8 10-4 18-9 20-6 24-2 21-5 21-5 20-7 26-8 21-7 16-6 12-8 11-3 18-4 17-8 21-6 34-3 20-4 22-7 20-8 22-2 16-9 16-0 11-3 15-7 15-6 18-3 20-6 25-3 25-7 22-2 19-2 16-9 16-0 11-7 15-4 21-5 20-6 20-1 27-2 21-9 24-5 23-6 16-7 16-7 11-8 15-6 13-6 20-1 27-2 21-9 24-5 23-6 16-7 16-7 11-8 15-6 13-6 23-4 23-4 23-4 23-6 22-2 14-5 14-3 15-5 16- | 12.4 16.8 17.0 28.4 19.1 24.1 19.8 19.6 19.6 17.5 12.4 15.8 20.9 19.1 24.3 29.3 23.6 20.7 23.3 15.5 12.3 10.4 18.9 20.6 20.5 24.2 21.5 25.9 24.3 21.7 16.6 12.3 11.3 13.4 17.8 21.6 24.2 20.4 22.7 20.8 22.2 16.9 16.0 11.7 15.4 21.5 20.6 20.1 27.2 21.9 22.2 16.9 16.7 11.7 15.4 21.5 20.6 20.1 27.2 21.9 24.5 23.6 16.7 16.7 11.6 15.6 13.6 19.0 23.4 19.5 21.5 22.2 14.5 14.3 15.5 15.2 20.7 23.4 23.4 13.6 21.5 20.0 14.5 14.4 11.5 1 | 12.4 16.8 17.0 28.4 19.1 24.1 19.8 19.6 19.6 17.6 12.4 15.8 20.9 10.1 24.3 29.3 23.6 20.7 28.3 15.5 12.8 10.4 18.9 20.9 24.2 21.5 25.9 24.3 21.7 16.6 12.8 11.8 18.4 17.8 21.6 24.2 21.5 20.4 22.2 16.9 16.9 16.0 11.7 15.4 21.5 20.6 25.3 25.7 22.2 16.9 16.0 16.0 11.7 15.4 21.5 20.6 20.1 27.2 21.9 24.5 28.6 19.6 16.0 11.8 15.6 13.6 23.4 23.4 19.5 21.5 14.3 14.8 15.5 20.7 23.1 18.1 18.7 20.0 19.0 19.0 11.4 11.5 11.0 18.7 22.7 2 | 12.4 15.8 17.0 28.4 19.1 24.1 19.8 19.6 17.6 17.6 17.6 17.6 17.6 17.6 17.6 17.6 17.6 17.6 17.6 17.6 17.6 17.6 17.6 17.6 17.6 17.6 17.8 19.1 24.3 29.3 29.7 29.7 29.7 29.7 16.9 16.9 17.8 16.0 17.8 16.0 17.8 16.0 <th< th=""><th>12.4 15.8 17.0 28.4 19.1 24.1 19.8 19.6 19.6 17.6 12.4 15.3 20.9 19.4 29.3 29.3 29.7 29.7 15.5 15.5 15.5 10.4 13.9 20.6 20.5 24.2 21.6 21.6 24.3 21.7 16.6 12.3 11.3 13.4 17.8 21.6 24.2 21.6 25.7 20.8 22.2 16.9 16.0 16.0 11.3 15.4 21.6 21.6 26.3 25.7 22.2 19.2 16.0 16.0 16.0 11.7 15.4 21.5 20.6 20.1 27.2 21.9 24.5 22.2 16.7 16.7 11.6 15.6 15.0 20.6 20.1 27.2 21.6 16.7 14.3 11.6 15.0 18.0 21.7 20.7 19.2 20.0 19.0 14.4 11.7 1</th><th>124 15-8 17-0 28-4 19-1 24-1 19-8 19-6 19-6 17-6 17-6 124 15-8 20-9 12-4 29-3 29-3 29-7 28-6 15-5 15-5 15-5 15-5 15-5 15-5 15-5 15-5 15-5 15-7 16-6 15-8 16-9 16-9 16-9 15-8 15-8 15-9 15-8 15-9 15-9 16-9 16-9 16-9 16-9 16-9 16-9 16-9 16-9 16-9 16-9 16-9 16-9 16-9
 16-9 16-9</th><th>124 15-8 17-0 28-4 19-1 24-1 19-8 19-6 17-6 17-6 17-6 17-7 15-8 17-0 28-4 19-1 24-3 29-3 23-6 20-7 28-8 15-5 15-8 15-5 15-8 15-9 15-9 15-9 15-9 15-9 15-9 24-3 20-7 22-7 22-7 22-7 22-7 15-9 15-9 15-9 15-9 16-0 15-9 16-0 15-9 16-0</th><th>19.4 16.8 17.0 28.4 19.1 24.1 19.2 19.6 17.6 17.6 12.4 16.8 20.9 19.1 24.3 29.3 28.5 20.7 28.3 15.5 12.3 10.4 18.9 20.6 20.5 24.2 21.5 25.9 24.3 17.7 16.6 12.3 11.3 18.4 17.6 20.6 20.7 26.3 26.9 24.3 16.7 16.0 16.0 11.3 15.7 16.6 18.3 20.6 25.3 26.7 22.2 16.9 16.0 16.0 11.7 16.4 21.6 20.6 20.1 27.2 22.2 16.7 16.7 11.6 18.6 18.0 28.4 19.6 21.6 16.7 16.7 16.7 16.7 11.5 11.0 18.7 18.1 22.7 22.4 28.6 21.4 17.6 14.4 11.6 18.4 2</th><th>124 16-8 170 23-4 19-1 24-1 19-8 19-6 19-6 19-6 17-6 17-6 124 15-3 20-9 19-1 24-3 29-3 23-6 20-7 23-3 15-5 12-3 10-4 18-9 20-6 20-5 24-2 21-6 24-3 21-7 16-6 12-3 11-3 13-4 17-8 21-6 24-2 21-6 25-3 20-7 20-8 21-7 16-0 12-3 11-3 15-7 15-6 18-8 20-6 25-3 25-7 22-2 16-0 16-0 16-0 11-7 15-4 21-5 20-6 20-1 27-2 21-9 22-2 16-0 16-0 16-0 11-6 15-6 13-6 19-0 27-2 21-9 22-2 16-0 16-0 16-0 11-6 11-6 13-0 23-4 23-4 23-4 22-5 22-2 14-5 1</th><th>12.4 16.8 17.0 23.4 19.1 24.1 19.5 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.8 19.9 19.1 24.8 29.3 29.5 20.7 23.3 15.6 19.8 19.8 19.6 19.3 19.8 19.8 19.8 19.9 19.9 19.8 19.8 20.9 24.3 20.7 23.9 20.7 20.9 20.7 19.9 <th< th=""><th>12.4 16.6 17.0 23.4 19.1 24.1 19.2 20.6 19.1 24.3 29.3 23.6 20.7 29.3 15.6 17.6 17.6 10.4 15.3 20.9 24.2 21.6 25.9 24.3 21.7 16.6 12.3 11.3 13.4 17.8 21.6 24.2 21.6 25.9 24.3 16.9 16.9 12.3 11.3 15.7 15.4 21.6 24.2 20.4 22.7 20.2 19.2 16.9 16.0 11.3 15.7 15.4 21.6 24.2 20.4 22.7 20.2 16.9 16.0 16.0 11.7 15.4 21.5 20.6 20.1 27.2 21.9 24.5 16.7 16.0 11.6 15.2 15.0 20.4 20.7 21.9 24.5 16.7 16.0 11.6 15.2 20.1 22.4 22.4 22.5 14.6 <t< th=""><th>12.4 16.5 17.0 23.4 19.1 24.1 19.2 19.6 19.6 17.6 12.4 16.3 20.9 19.4 29.3 29.3 29.7 29.7 29.7 19.6 19.6 19.8 10.4 18.9 20.6 20.5 24.2 21.5 20.4 29.7 29.8 20.7 19.8 19.9 19.9 19.9 19.9 19.9 19.9 19.0 19.9 19.0 19.9 19.0 19.9 19.0 19.9 19.0 19.9 19.0<</th><th>12.4 15.8 17.0 23-4 19-1 24.3 24.3 24.3 19-6 17-6 17-6 17-6 18-7 18-8 20.9 19-1 24.3 21-6 29-7 28-7 20.7 28-3 15-6 12-8 10-4 18-8 20.9 20.6 20.5 24-2 21-6 25-9 24-3 21-7 16-6 12-8 11.8 18-4 17-8 21-6 24-2 21-6 22-7 20-8 22-2 16-9 16-0 16-0 11.8 16-7 16-7 21-6 20-1 27-2 21-9 24-6 20-6 16-0<th>17.4 18.6 18.7 28.4 18.9 28.9 19.5 19.6 17.6 17.6 18.9 <th< th=""><th>17.4 18.6 18.7 18.4 18.9 18.9 18.9 18.9
 18.9 <th< th=""><th>17.4 16.9 17.0 23.4 19.1 24.1 19.3 19.0 <th< th=""><th>17.4 16.8 17.0 28.4 19.1 24.1 19.5 19.0 29.6 10.7 28.9 19.6 19.6 17.6 12.8 10.4 18.9 20.9 19.1 24.2 21.6 20.7 28.3 15.6 12.8 10.4 18.9 20.6 20.5 24.2 21.7 16.6 12.8 11.3 18.4 17.8 20.6 25.3 25.7 22.2 16.9 16.0 11.7 15.4 21.6 20.9 25.3 25.7 22.2 16.9 16.7 16.7 11.8 15.4 21.6 20.4 22.7 22.9 16.7 16.7 16.7 11.6 15.4 21.6 20.7 21.9 22.7 22.9 20.7 16.9 16.7 16.7 11.5 11.6 18.7 22.9 20.7 22.9 22.9 17.0 14.4 17.0 14.4 17.0 14.4 17.0 <t< th=""><th>12.4 16.3 16.4 18.4 19.1 24.3 19.6 19.6 19.6 19.6 19.7 12.4 10.5 20.9 19.1 24.8 29.6 29.7 29.7 29.7 29.7 19.8 15.6 19.2 19.9 15.9 19.9 <th< th=""></th<></th></t<></th></th<></th></th<></th></th<></th></th></t<></th></th<></th></th<> | 12.4 15.8 17.0 28.4 19.1 24.1 19.8 19.6 19.6 17.6 12.4 15.3 20.9 19.4 29.3 29.3 29.7 29.7 15.5 15.5 15.5 10.4 13.9 20.6 20.5 24.2 21.6 21.6 24.3 21.7 16.6 12.3 11.3 13.4 17.8 21.6 24.2 21.6 25.7 20.8 22.2 16.9 16.0 16.0 11.3 15.4 21.6 21.6 26.3 25.7 22.2 19.2 16.0 16.0 16.0 11.7 15.4 21.5 20.6 20.1 27.2 21.9 24.5 22.2 16.7 16.7 11.6 15.6 15.0 20.6 20.1 27.2 21.6 16.7 14.3 11.6 15.0 18.0 21.7 20.7 19.2 20.0 19.0 14.4 11.7 1 | 124 15-8 17-0 28-4 19-1 24-1 19-8 19-6 19-6 17-6 17-6 124 15-8 20-9 12-4 29-3 29-3 29-7 28-6 15-5 15-5 15-5 15-5 15-5 15-5 15-5 15-5 15-5 15-7 16-6 15-8 16-9 16-9 16-9 15-8 15-8 15-9 15-8 15-9 15-9 16-9 | 124 15-8 17-0 28-4 19-1 24-1 19-8 19-6 17-6 17-6 17-6 17-7 15-8 17-0 28-4 19-1 24-3 29-3 23-6 20-7 28-8 15-5 15-8 15-5 15-8 15-9 15-9 15-9 15-9 15-9 15-9 24-3 20-7 22-7 22-7 22-7 22-7 15-9 15-9 15-9 15-9 16-0 15-9 16-0 15-9 16-0 | 19.4 16.8 17.0 28.4 19.1 24.1 19.2 19.6 17.6 17.6 12.4 16.8 20.9 19.1 24.3 29.3 28.5 20.7 28.3 15.5 12.3 10.4 18.9 20.6 20.5 24.2 21.5 25.9 24.3 17.7 16.6 12.3 11.3 18.4 17.6 20.6 20.7 26.3 26.9 24.3 16.7 16.0 16.0 11.3 15.7 16.6 18.3 20.6 25.3 26.7 22.2 16.9 16.0 16.0 11.7 16.4 21.6 20.6 20.1 27.2 22.2 16.7 16.7 11.6 18.6 18.0 28.4 19.6 21.6 16.7 16.7 16.7 16.7 11.5 11.0 18.7 18.1 22.7 22.4 28.6 21.4 17.6 14.4 11.6 18.4 2 | 124 16-8 170 23-4 19-1 24-1 19-8 19-6 19-6 19-6 17-6 17-6 124 15-3 20-9 19-1 24-3 29-3 23-6 20-7 23-3 15-5 12-3 10-4 18-9 20-6 20-5 24-2 21-6 24-3 21-7 16-6 12-3 11-3 13-4 17-8 21-6 24-2 21-6 25-3 20-7 20-8 21-7 16-0 12-3 11-3
15-7 15-6 18-8 20-6 25-3 25-7 22-2 16-0 16-0 16-0 11-7 15-4 21-5 20-6 20-1 27-2 21-9 22-2 16-0 16-0 16-0 11-6 15-6 13-6 19-0 27-2 21-9 22-2 16-0 16-0 16-0 11-6 11-6 13-0 23-4 23-4 23-4 22-5 22-2 14-5 1 | 12.4 16.8 17.0 23.4 19.1 24.1 19.5 19.6 19.6 19.6 19.6 19.6 19.6 19.6 19.8 19.9 19.1 24.8 29.3 29.5 20.7 23.3 15.6 19.8 19.8 19.6 19.3 19.8 19.8 19.8 19.9 19.9 19.8 19.8 20.9 24.3 20.7 23.9 20.7 20.9 20.7 19.9 <th< th=""><th>12.4 16.6 17.0 23.4 19.1 24.1 19.2 20.6 19.1 24.3 29.3 23.6 20.7 29.3 15.6 17.6 17.6 10.4 15.3 20.9 24.2 21.6 25.9 24.3 21.7 16.6 12.3 11.3 13.4 17.8 21.6 24.2 21.6 25.9 24.3 16.9 16.9 12.3 11.3 15.7 15.4 21.6 24.2 20.4 22.7 20.2 19.2 16.9 16.0 11.3 15.7 15.4 21.6 24.2 20.4 22.7 20.2 16.9 16.0 16.0 11.7 15.4 21.5 20.6 20.1 27.2 21.9 24.5 16.7 16.0 11.6 15.2 15.0 20.4 20.7 21.9 24.5 16.7 16.0 11.6 15.2 20.1 22.4 22.4 22.5 14.6 <t< th=""><th>12.4 16.5 17.0 23.4 19.1 24.1 19.2 19.6 19.6 17.6 12.4 16.3 20.9 19.4 29.3 29.3 29.7 29.7 29.7 19.6 19.6 19.8 10.4 18.9 20.6 20.5 24.2 21.5 20.4 29.7 29.8 20.7 19.8 19.9 19.9 19.9 19.9 19.9 19.9 19.0 19.9 19.0 19.9 19.0 19.9 19.0 19.9 19.0 19.9 19.0<</th><th>12.4 15.8 17.0 23-4 19-1 24.3 24.3 24.3 19-6 17-6 17-6 17-6 18-7 18-8 20.9 19-1 24.3 21-6 29-7 28-7 20.7 28-3 15-6 12-8 10-4 18-8 20.9 20.6 20.5 24-2 21-6 25-9 24-3 21-7 16-6 12-8 11.8 18-4 17-8 21-6 24-2 21-6 22-7 20-8 22-2 16-9 16-0 16-0 11.8 16-7 16-7 21-6 20-1 27-2 21-9 24-6 20-6 16-0<th>17.4 18.6 18.7 28.4 18.9 28.9 19.5 19.6 17.6 17.6 18.9 <th< th=""><th>17.4 18.6 18.7 18.4 18.9 <th< th=""><th>17.4 16.9 17.0 23.4 19.1 24.1 19.3 19.0 <th< th=""><th>17.4 16.8 17.0 28.4 19.1 24.1 19.5 19.0 29.6 10.7 28.9 19.6 19.6 17.6 12.8 10.4 18.9 20.9 19.1 24.2 21.6 20.7 28.3 15.6 12.8 10.4 18.9 20.6 20.5 24.2 21.7 16.6 12.8 11.3 18.4 17.8 20.6 25.3 25.7 22.2 16.9 16.0 11.7 15.4 21.6 20.9 25.3 25.7 22.2 16.9 16.7 16.7 11.8 15.4 21.6 20.4 22.7 22.9 16.7 16.7 16.7 11.6 15.4 21.6 20.7 21.9 22.7 22.9 20.7 16.9 16.7 16.7 11.5 11.6 18.7 22.9 20.7 22.9 22.9 17.0 14.4 17.0 14.4 17.0 14.4 17.0
 <t< th=""><th>12.4 16.3 16.4 18.4 19.1 24.3 19.6 19.6 19.6 19.6 19.7 12.4 10.5 20.9 19.1 24.8 29.6 29.7 29.7 29.7 29.7 19.8 15.6 19.2 19.9 15.9 19.9 <th< th=""></th<></th></t<></th></th<></th></th<></th></th<></th></th></t<></th></th<> | 12.4 16.6 17.0 23.4 19.1 24.1 19.2 20.6 19.1 24.3 29.3 23.6 20.7 29.3 15.6 17.6 17.6 10.4 15.3 20.9 24.2 21.6 25.9 24.3 21.7 16.6 12.3 11.3 13.4 17.8 21.6 24.2 21.6 25.9 24.3 16.9 16.9 12.3 11.3 15.7 15.4 21.6 24.2 20.4 22.7 20.2 19.2 16.9 16.0 11.3 15.7 15.4 21.6 24.2 20.4 22.7 20.2 16.9 16.0 16.0 11.7 15.4 21.5 20.6 20.1 27.2 21.9 24.5 16.7 16.0 11.6 15.2 15.0 20.4 20.7 21.9 24.5 16.7 16.0 11.6 15.2 20.1 22.4 22.4 22.5 14.6 <t< th=""><th>12.4 16.5 17.0 23.4 19.1 24.1 19.2 19.6 19.6 17.6 12.4 16.3 20.9 19.4 29.3 29.3 29.7 29.7 29.7 19.6 19.6 19.8 10.4 18.9 20.6 20.5 24.2 21.5 20.4 29.7 29.8 20.7 19.8 19.9 19.9 19.9 19.9 19.9 19.9 19.0 19.9 19.0 19.9 19.0 19.9 19.0 19.9 19.0 19.9 19.0<</th><th>12.4 15.8 17.0 23-4 19-1 24.3 24.3 24.3 19-6 17-6 17-6 17-6 18-7 18-8 20.9 19-1 24.3 21-6 29-7 28-7 20.7 28-3 15-6 12-8 10-4 18-8 20.9 20.6 20.5 24-2 21-6 25-9 24-3 21-7 16-6 12-8 11.8 18-4 17-8 21-6 24-2 21-6 22-7 20-8 22-2 16-9 16-0 16-0 11.8 16-7 16-7 21-6 20-1 27-2 21-9 24-6 20-6 16-0<th>17.4 18.6 18.7 28.4 18.9 28.9 19.5 19.6 17.6 17.6 18.9 <th< th=""><th>17.4 18.6 18.7 18.4 18.9 <th< th=""><th>17.4 16.9 17.0 23.4 19.1 24.1 19.3 19.0 <th< th=""><th>17.4 16.8 17.0 28.4 19.1 24.1 19.5 19.0 29.6 10.7 28.9 19.6 19.6 17.6 12.8 10.4 18.9 20.9 19.1 24.2 21.6 20.7 28.3 15.6 12.8 10.4 18.9 20.6 20.5 24.2 21.7 16.6 12.8 11.3 18.4 17.8 20.6 25.3 25.7 22.2 16.9 16.0 11.7 15.4 21.6 20.9 25.3 25.7 22.2 16.9 16.7 16.7 11.8 15.4 21.6 20.4 22.7 22.9 16.7 16.7 16.7 11.6 15.4 21.6 20.7 21.9 22.7 22.9 20.7 16.9 16.7 16.7 11.5 11.6 18.7 22.9 20.7 22.9 22.9 17.0 14.4 17.0 14.4 17.0 14.4 17.0 <t< th=""><th>12.4 16.3 16.4 18.4 19.1 24.3 19.6 19.6 19.6 19.6 19.7 12.4 10.5 20.9 19.1 24.8 29.6 29.7 29.7 29.7 29.7 19.8 15.6 19.2 19.9 15.9 19.9 19.9 19.9 19.9 19.9 19.9
19.9 <th< th=""></th<></th></t<></th></th<></th></th<></th></th<></th></th></t<> | 12.4 16.5 17.0 23.4 19.1 24.1 19.2 19.6 19.6 17.6 12.4 16.3 20.9 19.4 29.3 29.3 29.7 29.7 29.7 19.6 19.6 19.8 10.4 18.9 20.6 20.5 24.2 21.5 20.4 29.7 29.8 20.7 19.8 19.9 19.9 19.9 19.9 19.9 19.9 19.0 19.9 19.0 19.9 19.0 19.9 19.0 19.9 19.0 19.9 19.0< | 12.4 15.8 17.0 23-4 19-1 24.3 24.3 24.3 19-6 17-6 17-6 17-6 18-7 18-8 20.9 19-1 24.3 21-6 29-7 28-7 20.7 28-3 15-6 12-8 10-4 18-8 20.9 20.6 20.5 24-2 21-6 25-9 24-3 21-7 16-6 12-8 11.8 18-4 17-8 21-6 24-2 21-6 22-7 20-8 22-2 16-9 16-0 16-0 11.8 16-7 16-7 21-6 20-1 27-2 21-9 24-6 20-6 16-0 <th>17.4 18.6 18.7 28.4 18.9 28.9 19.5 19.6 17.6 17.6 18.9 <th< th=""><th>17.4 18.6 18.7 18.4 18.9 <th< th=""><th>17.4 16.9 17.0 23.4 19.1 24.1 19.3 19.0 <th< th=""><th>17.4 16.8 17.0 28.4 19.1 24.1 19.5 19.0 29.6 10.7 28.9 19.6 19.6 17.6 12.8 10.4 18.9 20.9 19.1 24.2 21.6 20.7 28.3 15.6 12.8 10.4 18.9 20.6 20.5 24.2 21.7 16.6 12.8 11.3 18.4 17.8 20.6 25.3 25.7 22.2 16.9 16.0 11.7 15.4 21.6 20.9 25.3 25.7 22.2 16.9 16.7 16.7 11.8 15.4 21.6 20.4 22.7 22.9 16.7 16.7 16.7 11.6 15.4 21.6 20.7 21.9 22.7 22.9 20.7 16.9 16.7 16.7 11.5 11.6 18.7 22.9 20.7 22.9 22.9 17.0 14.4 17.0 14.4 17.0 14.4 17.0 <t< th=""><th>12.4 16.3 16.4 18.4 19.1 24.3 19.6 19.6 19.6 19.6 19.7 12.4 10.5 20.9 19.1 24.8 29.6 29.7 29.7 29.7 29.7 19.8 15.6 19.2 19.9 15.9 19.9 <th< th=""></th<></th></t<></th></th<></th></th<></th></th<></th> | 17.4 18.6 18.7 28.4 18.9 28.9 19.5 19.6 17.6 17.6 18.9
18.9 18.9 <th< th=""><th>17.4 18.6 18.7 18.4 18.9 <th< th=""><th>17.4 16.9 17.0 23.4 19.1 24.1 19.3 19.0 <th< th=""><th>17.4 16.8 17.0 28.4 19.1 24.1 19.5 19.0 29.6 10.7 28.9 19.6 19.6 17.6 12.8 10.4 18.9 20.9 19.1 24.2 21.6 20.7 28.3 15.6 12.8 10.4 18.9 20.6 20.5 24.2 21.7 16.6 12.8 11.3 18.4 17.8 20.6 25.3 25.7 22.2 16.9 16.0 11.7 15.4 21.6 20.9 25.3 25.7 22.2 16.9 16.7 16.7 11.8 15.4 21.6 20.4 22.7 22.9 16.7 16.7 16.7 11.6 15.4 21.6 20.7 21.9 22.7 22.9 20.7 16.9 16.7 16.7 11.5 11.6 18.7 22.9 20.7 22.9 22.9 17.0 14.4 17.0 14.4 17.0 14.4 17.0 <t< th=""><th>12.4 16.3 16.4 18.4 19.1 24.3 19.6 19.6 19.6 19.6 19.7 12.4 10.5 20.9 19.1 24.8 29.6 29.7 29.7 29.7 29.7 19.8 15.6 19.2 19.9 15.9 19.9 <th< th=""></th<></th></t<></th></th<></th></th<></th></th<> | 17.4 18.6 18.7 18.4 18.9 <th< th=""><th>17.4 16.9 17.0 23.4 19.1 24.1 19.3 19.0 <th< th=""><th>17.4 16.8 17.0 28.4 19.1 24.1 19.5 19.0 29.6 10.7 28.9 19.6 19.6 17.6 12.8 10.4 18.9 20.9 19.1 24.2 21.6 20.7 28.3 15.6 12.8 10.4 18.9 20.6 20.5 24.2 21.7 16.6 12.8 11.3 18.4 17.8 20.6 25.3 25.7 22.2 16.9 16.0 11.7 15.4 21.6 20.9 25.3 25.7 22.2 16.9 16.7 16.7 11.8 15.4 21.6 20.4 22.7 22.9 16.7 16.7 16.7 11.6 15.4 21.6 20.7 21.9 22.7 22.9 20.7 16.9 16.7 16.7 11.5 11.6 18.7 22.9 20.7 22.9 22.9 17.0 14.4 17.0 14.4 17.0 14.4 17.0 <t< th=""><th>12.4 16.3 16.4 18.4 19.1 24.3 19.6 19.6 19.6 19.6 19.7 12.4 10.5 20.9 19.1 24.8 29.6 29.7 29.7 29.7 29.7 19.8 15.6 19.2 19.9 15.9 19.9
 19.9 19.9 19.9 <th< th=""></th<></th></t<></th></th<></th></th<> | 17.4 16.9 17.0 23.4 19.1 24.1 19.3 19.0 <th< th=""><th>17.4 16.8 17.0 28.4 19.1 24.1 19.5 19.0 29.6 10.7 28.9 19.6 19.6 17.6 12.8 10.4 18.9 20.9 19.1 24.2 21.6 20.7 28.3 15.6 12.8 10.4 18.9 20.6 20.5 24.2 21.7 16.6 12.8 11.3 18.4 17.8 20.6 25.3 25.7 22.2 16.9 16.0 11.7 15.4 21.6 20.9 25.3 25.7 22.2 16.9 16.7 16.7 11.8 15.4 21.6 20.4 22.7 22.9 16.7 16.7 16.7 11.6 15.4 21.6 20.7 21.9 22.7 22.9 20.7 16.9 16.7 16.7 11.5 11.6 18.7 22.9 20.7 22.9 22.9 17.0 14.4 17.0 14.4 17.0 14.4 17.0 <t< th=""><th>12.4 16.3 16.4 18.4 19.1 24.3 19.6 19.6 19.6 19.6 19.7 12.4 10.5 20.9 19.1 24.8 29.6 29.7 29.7 29.7 29.7 19.8 15.6 19.2 19.9 15.9 19.9 <th< th=""></th<></th></t<></th></th<> | 17.4 16.8 17.0 28.4 19.1 24.1 19.5 19.0 29.6 10.7 28.9 19.6 19.6 17.6 12.8 10.4 18.9 20.9 19.1 24.2 21.6 20.7 28.3 15.6 12.8 10.4 18.9 20.6 20.5 24.2 21.7 16.6 12.8 11.3 18.4 17.8 20.6 25.3 25.7 22.2 16.9 16.0 11.7 15.4 21.6 20.9 25.3 25.7 22.2 16.9 16.7 16.7 11.8 15.4 21.6 20.4 22.7 22.9 16.7 16.7 16.7 11.6 15.4 21.6 20.7 21.9 22.7 22.9 20.7 16.9 16.7 16.7 11.5 11.6 18.7 22.9 20.7 22.9 22.9 17.0 14.4 17.0 14.4 17.0 14.4 17.0 <t< th=""><th>12.4 16.3 16.4 18.4 19.1 24.3 19.6 19.6 19.6 19.6 19.7 12.4 10.5 20.9 19.1 24.8 29.6 29.7 29.7 29.7 29.7 19.8 15.6 19.2 19.9 15.9 19.9 <th< th=""></th<></th></t<> | 12.4 16.3 16.4 18.4 19.1 24.3 19.6 19.6 19.6 19.6 19.7 12.4 10.5 20.9 19.1 24.8 29.6 29.7 29.7 29.7 29.7 19.8 15.6 19.2 19.9 15.9 19.9 <th< th=""></th<> |

TABLE XLIV.

Showing the Mean Range of Temperature of every day in the year, as determined from all the Thermometrical observations taken at the Gardens of the Royal Horticultural Society at Chiswick, 1826-1869.

D есемвеи	13.6	13.5	11.6	11.8	14.0	11.6	11.7	11.1	12.3	12.6	12.7	11.6	13.6
November	16.2	16.6	16.9	15.5	15.2	15.4	14.8	15.5	16.2	15.4	14.4	16.1	15.1
OCTOBER	18:1	19.3	18.8	21.1	21.1	19.2	18.8	19.9	18.5	18.6	18.3	18.7	18.8
SEPTEMBER	22.9	23.3	22.2	24.1	23.0	22.4	21.6	20.2	20.5	22.9	23.9	24.7	22.0
AUGUST	23.8	23.7	23.0	24.7	22.9	20.9	23.4	23.6	23.2	23.5	23.3	23.6	23.6
JULY	21.5	21.5	22.9	24.8	8-92	24.7	22.1	23.1	24.4	24.5	24.2	24.3	23.8
June	23.8	23.5	24.0	24.5	22.7	22.6	21.2	23.3	22.3	23.8	24.0	22.2	22.4
MAY	20.9	22.5	21.8	22.6	21.5	21.8	22.5	22.0	22.3	21.6	21.6	22.0	24.5
APRIL	19.0	18.7	20.4	, 2.61	19.5	18.9	19.6	19.8	18.4	20.3	20.0	18.4	20.5
Мавси	0.410	13.6	17.0	17.0	17.4	16.2	17.4	16.6	18.0	18.0	16.5	18.3	1.6.0
FEBRUARY	12.5	12.4	14.5	12.7	12.8	13.5	13.1	12.7	13.1	13.9	14.3	14.7	14.4
JANUARY	12.0	12.9	13.5	11.3	12.2	11.9	12.7	11.8	10.6	10.6	2.6	11.3	11.0
DAYS OF THE MONTH	н	61	т	4	5	9	7	∞	0	OI	11	12	

12:1	11.5	12.1	12.2	12.5	12.2	11.3	10.8	11.7	12.4	11.9	14.1	11.5	12.5	13.1	11.6	11.8	10.0	12.2
13.8	15.1	14.5	14.2	13.7	15.0	14.5	13.8	14.1	13.0	14.1	13.4	13.1	13.7	13.7	13.4	13.2		14.7
17.71	18.0	17.6	18.4	17.1	19.5	19.0	18·1	16.7	16.3	16.6	17.1	187	16.6	16.8	17.9	9.21	15.5	18.2
20.9	21.8	19.7	21.9	22.1	21.3	22.3	20.9	21.0	20.7	21.1	22.3	21.2	19.9	19.7	20.1	21.2		21.7
21.2	22.5	21.6,	22.5	22-1	21.2	21.0	22.8	21.2	22.7	23.0	21.6	23.9	23.8	22.7	22.7	24.5	23.0	22.8
24.4	25.4	25.2	24.0	23.7	22.1	22.3	22.3	21.9	21.6	20.9	23.2	22.4	23.0	23.8	24.4	24.5	23.5	23.5
23.8	23.2	23.3	25.0	22.8	21.8	22.7	53.9	24.0	25.3	23.8	22.4	24.2	23.8	23.4	24.4	23.6		23.4
22.0	23.3	23.1	24.6	24.2	23.1	22.9	21.3	21.9	23.2	55.9	22.1	23.6	24.2	22.3	22.4	52.9	23.6	22.6
20.5	20.3	19.2	20.3	21.5	21.9	23.5	21.4	50.6	21.0	21.2	21.8	25.2	22.3	23.1	22.3	21.5		20.6
15.3	16.9	16.3	16.2	16.7	17.1	16.3	16.5	15.8	17.1	18.0	17.4	18.9	19.2	17.7	20.0	18.8	20.4	17.1
14.8	15.2	16.0	16.4 .	14.1	14.2	14.7	15.1	14.0	15.6	14.2	15.0	13.9	13.5	15.4	16.1			14.2
11.7	12.5	11.8	11.7	12.4	12.5	11.5	11.3	12.2	12.2	12.3	12.3	13.1	12.6	14.3	15.0	12.9	13.0	12.2
14.	15	91	17	18	61	70	2.1	22	23	24	25	56	27	28	29	30	31	Means



ON THE

FALL OF RAIN

DAILY, MONTHLY, AND YEARLY

AT THE

ROYAL HORTICULTURAL GARDENS

CHISWICK


FROM THE BEGINNING OF THE YEAR 1826

TO THE END OF THE YEAR 1869



FALL OF RAIN.

In the Meteorological Journal of the Royal Horticultural Society, the rainfall on every day that any fell, has been carefully recorded. The rain-gauge with which the observations were at first made, is stated to have been constructed according to Mr. Howard's directions in his work upon the Climate of London (see vol. vii. of the 'Transactions of the Society,' page 100), and the following description is extracted from that work:—



HOWARD'S RAIN-GAUGE.

'The rain-gauge consists of three pieces, a funnel, a bottle, and the measure. The funnel is most conveniently made of five inches opening, and of the form represented in the figure: the mouth-piece of brass, turned in a lathe, the remainder of tinned copper. It has two necks: the inner and longer one, widening a little downwards, enters deep into the bottle, and conveys the rain: the outer neck is soldered on the cone of

the funnel, having no opening into the latter: it serves the necessary purpose of preventing the entrance of water from the outside; and by resting on the shoulder of the bottle, it gives steadiness to the funnel.

'As to the bottle, a common wine-quart will contain from two to two and a half inches of rain on this funnel: but it is better to use a three-pint bottle (technically termed a Winchester-quart), which has the proportions given in the figure. For an unusual fall of rain may happen, when a previous quantity has not been measured out; and it is on such occasions that we would wish, more especially, to be certain of the amount.

'A cylindrical glass of the depth of eight inches, exclusive of its foot, and 11 inch in diameter, serves to make the measure. It is graduated into parts, each of which is equal in capacity to the depth of $\frac{1}{100}$ of an inch on the area of the mouth of the funnel. A glass of the above size will measure out fifty such parts, or half an inch at once. graduation is conducted on the principle (which is a medium between calculation and experiment) that a cylinder of water at a mean temperature, an inch deep, and five inches in diameter, weighs 10 ounces The hundredth part of this, or 48 grains, is accordingly taken for the graduating quantity, and the scale is formed by successive additions, at each of which the surface is marked. Considering the nature of this operation, which scarcely admits of our fractions of a grain, I suppose the above standard to be sufficiently I have been accustomed to etch the scale on the glass with fluoric acid, but it is more conspicuous when engraved at the glasscutter's wheel. Previously to sending it for this purpose, the whole scale should be traced, either on a strip of paper pasted on before it is divided, or in oil paint on the glass itself. A diamond, or steel point, may be used for engraving the scale, in default of other means.'

This gauge was not in use lately, but when changed I cannot find

any record.

The first step in this investigation was to form Tables precisely similar to those for the temperature of the air, showing at a glance the daily falls of rain on the same day of the year, throughout the series of forty-four years, and in this way Tables I. to XII. were formed.

TABLE I.

Showing the Fall of Rain on every day in January during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

DATO	,									<u> </u>													J	AN	T A .	RY	-							·									. !			-	
MONT	182	6 18	27 18	328 1	829	1830	1831	1832	183	3 183	4 18	35 1	836	1837	1838	1839	1840	1841	1842	2 184	184	4 184	1840	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	857	1858	1859	860	1861	1862	1863	1864 ——	1865	ı 866	1867	1868	1869	Sumb
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	0.10	6 3	20	70 21 35 50 32 220 21 54 34 10 06 	·21 ·02 ·03 · ·	 -25 -04 -65 -16		···· ··· ··· ··· ··· ··· ··· ·· ·· ·· ·	-06 -08 -08 -01 -05 -04 -05 -05 -04 -05 -05 -04 -05 -05 -04 -05 -05 -04 -05 -05 -05 -05 -05 -05 -05 -05 -05 -05	5 8 .04 03 26 26 16 14 5 .09 4 .07 10		01 08 17 08 36		3033 .110514 .120601 .0610 .14 .05 .10 .18 .01 .02 .20	·01 ·02 ·04 ··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·	04 .01033 .100601 .0913 .16 .34	 .02 .06 .17 	1540 .0229 .80 .15 .16 .02 .21 .0210			·43 ·24 ·05 ·40 ·01 ·08 ·08 ·01 ·08 ·08 ·08 ·08 ·08 ·08 ·08 ·08 ·08 ·08		06 .0401 .01 .01 .01 .04 .04 .14 .14 .33 .02 .27 .24 .59 .08 .02 .06 .23	14 -04 -05 -02 -0104040402 -23 -02 -02 -21 -02	·22 ·01 ·08 ·01 ·08 ·06 ·04 ·23		02 .55 .02 .11 .08	·02 ·56 ·02 ·02 ·08 ·07 ·21 ·02 ·01 ·20 ·48 ·48 ·09 ·12 ·02 ·02 ·12 ·20	02 .100608 .07 .62 .24 .16 .26 .0703 .26 .01 .01 .10 .062804	·03 ·18 ·12 ·01 ·16 ·34 ·01 ·06 ·02 ·24 ·04 ·12 ·28 ·08 ·05 ·17 ·06	·86 ·03 ·08 ·33 ·06 ·02 ·02 ·08 ·10 ·01 ·01 ·01 ·01 ·01 ·01 ·01	·02 ·01 ·02 ·02 ·01 ·01	··· ·01 ·04 ·07 ·11 ·12 ··· ·02 ·23 ··· ·· ·· ·01 ·02 ·08 ·10 ·06 ·36 ·04 ·12 ·13 ·· ·14 ·02 ·08 ·· ·08 ·· ·10 ·02 ·08 ·04 ·12 ·13 ·· ·14 ·02 ·08 ·· · · · · · · · · · · · · · · · ·	03 .03 .03 .0611 .71 .27 .07101013 .04 .17 .05 .13	0102 .02 .04 .08 .01	·03 01 ·02	·08 ·04 ·07 ·03 ·11 ·02 ·02 ·24 ·09 ·11 ·32 ·16 ·08 ·12 ·04 ·14 ·09 ·03		·01 ·16 ·14 ·08 ·02 ·04 ·12 ·03	· ·04 ·16 ·08 ·46 ·26 ·01 ·04 ·04 ·19 ·02 ·04 ·07 ·14		·02 ·26 ·01 ·05 ·79 ·62 ·02	:07 :08 ·04 ·04 ·36 ·02 1·00 ·35 ·32 ·14 ·02 ·16 ·06 ·10 ·12 ·01 ·23	 .54 .46 .01 .29 		·04 ·02 ·12 ·08 ·08 ·08 ·44 ··· ·· ·· ·08 ·08 ·08 ·08 ·08 ·08 ·08 ·	1.75 1.01 2.50 2.33 2.46 2.05 2.74 0.86 2.17 1.85 4.50 4.80 2.86 2.61 1.80 2.23 1.40 2.96 3.72 2.79 2.77 1.87 1.50 2.84 2.57 2.34 2.42 2.07
31 Sams	0.27	_ _		18 71 0				J	<u> </u>	_		!_		-03	0.27	1-27				<u>-</u>	-	-		-	1.16			3.07				0.10	1.76	2.09		0.61		0.82	1.53	2.19					1.64		75'88

TABLE II.

Showing the Fall of Rain on every day in February during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

DAT OF																				3	F E	BR	U A	R 7	7.		- 																		
тне Молтн	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1 8 6 0	1861	1862	1863	1864	1865	1866	1867	1868 1	869	Sume
ı		•01						•18	•••		•01				•20			•16			•52		·13	•02	•02	•04	•04		•42							•••				•••	·37		•02	·16	2.30
2			•••	•••		.75		•20	•••		· 4 8				•09		•02	•••	•32	•••	•••	•02	•••	•04	•01	•10	.04			•32	•••	•••	•••	•••		•••	•••	•08	- •••	•06	•06	•••	•28		2.85
3	•08		•••	•••		•35	•01	•06			•34	•••		42	·18		•••	20	•••	•10	•01	•••	•01	•01	•••	•06	•••	•••		•05		•	.30	•••	•06	•••		•01	•02	•••	•25	.01	•••	•10	2.63
4		•••	•••	•18		•05	•01	•••			•10		•••	12	•30	•••		•16	•18	•••	•31		•03	•••		•••	·13	.17	•10	•02	01	•••	•28	•15		•••	***	•03	•••	•••	•35	•08	•••	•10	2.86
5	16	•••		•••	•••	•••	•••	•02	•10		•••		•••]	.39	.02		•••	•08	•••	•••	•••	•02	•23	•••	•16	•14	•23	•••	•••	•01	*02	•14	•	22	•26	.01	•••	•••	•••	•12	.02	14	•••	•••	2.49
6	.06	•••	•04	•02	•••	•25	•05	•06	•••	•••	•01	•••		•••	.02	•••	•06	•09	•02	•••	•••	•02	•01		•	•••	•01	•••	• • •	•02	.02	-01	•••	•02	•••	.01	•••		•••	.04	•••	.04		•••	0.88
7	•••	•••	•28	•05	•06	•••		03	•••		.03		.10	.01	.03	•••	.11	•26	•29	•••	•08	•••	•25	•••	•••	•19	-02	-01	•••	•••	-06		•••		.02	•04	•••	•06	•••	-09	·10	•22	.01		2.40
8		•••		•01	•51	•05	02	.67	•••	•••	•01	-09	14	•••	.02		-06	.02	.02	•••	•04	•••	•26	•06	***	•••	•38		•••	•••	•	.02	•••	·10	.06	•02		•••	•••	•••	•14	.02		02	2.74
9			-06		.02	•••	-10	•16	-00		•••		-30	-06			•••	•11	•06	•••	•••	•40	•01	•••	•10	•••	•05	02	•••	•••	•••	.06	•••	•14	•••	•08	•••	•••	•••	•••	•48	•06	1	•04	2.51
10				-04	•••	.00	10	28	-03		.10	•20	•••	***	.13	•04	.1.4	•••	•03	•••	•••	•••	•52	•••		-00	-02	•06	·04	•••	-00	.01		.09	•••	•••	***			•••	•06	.02		•02	1.95
11	.03		•14]	·02	·01 ·02	·16 ·26	·07	18	•••	·34	•••	.04	.02	•04	.14	•01	.01	•••		•••	•••	•••	.11	-02	•••	•••	•••	•••	-20		*02	.04	•••	•••	••••	•02	•20	•••	•50	•02		·52	270
12		•••		•03	•••	·61		·08		·28 ·01		·16	•••			·04 ·01		.01	•••	•30		.00	•••	•••	•04	•06	***	•••	•••	•••	·05 ·20		.03	•22	•••	.07	•••	***	.18	•••	•••			26	1.43
13	16	•••	·08					•50		.03	•••	.02		•••	•••	i		•••	•••	•30		26	04	•••	16		•••		•06		•02	•••	*37	·08 ·02		·07	•••	***	***	•••	·18	•••			1.00
14	•04			-01	•••	-06					•••			•14	18	15	***	•••	.02	•01	•••	·12 ·25	.03	***	·14	•••	•••	•••	•06	•••		•••	•48	.08	•30	.01	•••	•••	•05	•••	•35	10	.00	•••	1.96
16						•05	.01	•••	•••	•••	•••					11	•••	•••]		•••	.23		•••	ĺ	•••	.04	***	•••	•••	•••	•••	•••		.01	.04	.06	•••	•04	•••	•24	-38		•••	1,51
17	15					.01				.04	.02	.02		•••	.06	.01		•16		•••				•••	•••	***	.03	•••	•••	•••	•••		•••	•01	·01		•14		•03	•44	.12			20	1.01
18	•10		18			·01				·01		•19		.30		.04		.04	•05	• • •	•••	.01	•16	•••		•••			•08		.01					.01	.02	•01		•06					1-18
19	28					•20		16		•50		64				.02	.02	28	•02				.02	•••	01								•••	.02			•09	•04		.02					2.32
20	12		-02	-21		•••		•32	•03	-51		•06		.14		•11		•18				•01	•10	•28	•20	•26			.02			'01		•04		.10	•06							18	2.94
21	-08		•03	•05	.12	·01				•01		.09	-03	-20			•16	.12	•14	•••	.01		•08	•06			•01									.17		•01		·12			1	18	1.80
22	-07			•••	-18	•02		.02		•29		•04		•24		•••		.02	•03	•10	.21			•01				•08	•06		•01			.02		•08	•01			.02	.02				1.23
23	18		•04		•09	.02						•08	.33	•03			•11		•44		.07				•••			.02				•03	•••			.44				•10					2'14
24	-20		-02			.01		.12	·01				•29	•04		.01	-11		•10	•••	•16		•14			•02		•09		•60						.07			·14	•38	-01			·08	2.88
25				-03		•05		•10		•24			02	•06		·07	•07	26	•10	•26			·16	•92				•05	•••	•10		.03			01	•01				•01	-08	.01			2.64
26		•04	•05	•38	•33	.07		•18		•25	•46		•32			.04	.04	.03	•26		-01		48		•••		•01	•09	•••	•04	·01			•06	•40					•16	•43	-04			4.18
27		•40		•06		•26		-08	•01	•04	.01		•11			·07	.05	•19			•05		•22	•••		•01	•03			•06			•••		.07	•12		•••	•02		•04				1.90
28		•34				•••		•20	•05	22	.04]	•26	•••			•33		•08	•••	•••		·01	•84			•01-		•••	•13	•01					•01				-01			•••	12	2.66
29		•••			•••	•••	•••	•••					•••			•••	•••	•••	•13	•••		•••	•23			•••	•01		•••	•••	•••		•••				•••		•08	•••		•••	48		0'93
Sums	1-71	0.79	0.94	1.07	1.31	2.27	0.23	3.98	0.37	2.61	1.61	2.01	2•22	2·19	1.25	0.76	1.32	2:35	2:27	0.93	1.47	1.34	3-12	2.52	0.95	0.90	1.06	0.59	0.78	1.35	0.62	0.31	1.48	1.29	1-20	1•41	0.38	0.26	0.78	1.83	3.80	1.33	0.95	98	53.67

TABLE III.

Showing the Fall of Rain on every day in March during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

DAY OF	i					-									· 		-				M	A R	CI	I,				<u> </u>													•		1		
тне Молтн	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	840	1841	842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856 1	857	1858	1859	860 1	861	862	186,3	1864	1865	1866	1867	1868	1869	SUMB
3 4 5 6	· ·45 ·20 · ·	·62 ·05 ·02 				·02 ·12 ·22 ·06 	·03 ·06 ·23 ···		 .10	·15 ·08 ·17	·22 ·02 ·12 ·04 ·21 ·04		·11 ·08 ·22 ·02 ·06	-06		·10 ·30 ·02 ·08 ·22	·02 ·41 ·01 		·04 ·04 ·20 ·48	··· ·10 ·28 ···	···· ··· ·12 ·27 ·02		·11 ·11 ·03 ·04 ·40	9	02			·27 ·10 ·02 ·12 ·02		·09 ·23 ·06 	······································		-21			·19 ·04 ·01 	 .10	 	 54 •47	·10 ·04 ·10 ·08 ·02		··· ·01 ···	·07 ·02 ·02 	·12 ·08 	2'31 2'23 2'42 1'51 2'21 1'65
7 8 9- 10 11	:06	·04 ·21 ·20 ·02	·10	-02		·12 ·02 ·05 ·04 ·04	·10 ·02 ···		·04	·09 ·18 ·05 ·16 ·22	·01 ·15 ·09 ·07 ·07 ·14	 -09	.02		-01		·02 ·17 ·47 ·01 		···· ···· ·69 ·20 ·09	··· ··· ··· ··· ··· ··· ··· ···		·01 ·01 ··· ··· ·05 ·01	 -02 -01 -29 -20	06 02 01		 .06 .05 		·11 ·03 	-01	···· ··· ··· ··· ··· ··· ··· ··· ··· ·		···· ·11 ·03 ···· ·01		·06 ·02 ··· ·05 ·01	·02 ·02 ·08	······································	···· ·02 ·15 ·24 ·04 ·06	·22 ·04 ·04	·20 ·18 ·40 ·06 ·08	-06 -02 -09 -05	·02 ·03 	·08 ·46 ·03 ·04 ·06	·22 ·14 ·01		1'44 1'06 1'97 2'11 1'90
13 14 15 16 .17	···· ·21 ··· ··· ···	·25 ·05 ·25 ·04			-07	·25 ·20 ·04 ·02	·01 ·36 ·02 ·17 ·05 ·06	 .36		·18 ·32 ·06 ·21	·14 ·47 ·01 ·05 ·01	······································	·04 ·18 ·02	·03 ·39 ·29 ·10	 -11 		······································	-06 -06	 •48 •04 	 .03	·03 :03 ·12 		·18 ·06 ·26 ·15	:01		 •70 •37 •30 •10	·01	·36 ·18 	 ·02 ·01 ·01 	 ·01 ·21 ·09	···· ··68 ·02 ·24	·12 ·10 	·12 ·06 ·01 ···	·14 ·15 ·06	···· ·03 ·19 ···	······································	·02 ·46 ·21	 16 08 01	 -02 -04 	······································	·01 ·20 ·04 ·04	·40 ·11 	-01	02	2·33 3·89 1·72 2·85 2·02 0·95
19 20 21 22 23 24	 .33	·01	·06 ·09 ·03		-02 		-02 	 .18	···· ···· ·01		······································	 ·10 ·04 ·01 ·01	·02 ·02 ·01	-09 -07 -07		·01 ·13 ·12 ·02	-10 -08 -08 -08	···· ·04 ·21 ·02 ···	···· ·04 ··· ·05	-08 -08 -60	···· ·10 ·09 ·09		·15 ·36 ·08 ·02			·33 ·02 ·44 ·13		 •01 	·15 ·01 	·01 ·02 ·13	-01	-08 -01			 •01 •04 •03 •15	·06 ·20 ·01 ···	·02 l·11 ·07 ·14 ·42 ·02	·04 ·01 			·06 ·22 ·07 ·02 ·40 ·08	·25 ·28 ·02 ·04 ···		·16 ·24 ·12 	1.37 3.32 1.34 1.44 2.47
25 26 27 28 29 30		 .34 	······································	······································		·50 ·12 		-34 	 -04 -10 -03		·07 ·02· ·37 ·34 ·12 ·28·	·02 ·06 ·10		-03 -05 -14 -20	·01	··· · · · · · · · · · · · · · · · · ·	07-01			·03 ··· ·01 ··· ·02	·10 ·02 ···· ·07 ···	···· ···· ·32 ····	 •05 •24 •21	01		·14 ·17 ·02 ·33 ·06	··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··			 -29 -02		·18 ·04		 •03 •03	·01 ·04 ·01 ·01	01 17 01 02 13	·08 ·10 ·18 ·13 ·08		·01 ·12 ·26 ·09	·15 ·04 ·14 	·10 ·04 ··· ·14			.04	2.00 0.84 1.77 2.83 1.35 - 2.07
Sums	1.62	2.50													_	1						[1		3.57	-			-		-					-		-			-	0.93	0.86	60'23

Showing the Fall of Rain on every day in April during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

TABLE IV.

DATOF											1										1	API	RI	L.																					
тпе Молтн	1826	1827	1828	1829	1830	1831	1832	1833	1834	183	5 1836	5 1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	Sums
I 2					•29 1•19	·05		·08 ·23	. 1		-00	1		-07	•02	05	•02	·18			-00			·12	-08			•07			 •01	·02	•02 •02	·09	·14 ·22	·36	·02					••••			2·56
3	 •06			 •1±				•10			-07					 •11		·22 ·23	•••		•06	.04	٠	·08	•30	•08		·12 ·14		-08 -06	•19	·02 ·48	•09		·01	.04		 •04	·03					•04	1°39
5			-24	·08		•••		.02		•02	•17		01	•56				•02	•01		•65		.01	•01	-02	•01		•02				·06,	•09		•01		.04		•54	-06	-02	-01			2.28
7			·04 ·15	•24		-20					•40	.02	•05		-02	•03		·01 ·35			·30 ·12	·04	•04	•05							04	12	-50				01	.01			·01	02	04	•24 •02	2.24
9				·33	28	·40 ·25		.05	•					·01 	01	·01		•01		04			•14	•02	·02 ·01	·05		•06		·01 ·01	•06 •30	·11 ·04	•46	·10 ·02			·69 ·73	·11			•21	•14	·07 ·06		2.81
10		07	·02 ·05	•02 •51	·04 ·17		•02	·26			1					·01	···· ·01	·01 		·19 ·16	•06	•10	·27 ·12	•04	•06 •05	·02 ·04				·01 ·05	•04 •18	•09					•05	·05 ·02			 :25		•••		5.11 1.14
12	·56	·18		·14 ·12	12			•08	•11			•01				•08	··· ·08	•04	•23 •02	•03 •10	•09	·28 ·01	·16 ·45	•01 •12	•04 •30			·04	•01	·01 ·01		16		•34	02		•••				·02 ·02	·03			2·84 1•69
14			·14 ·10	·31	13		•02	·02			-07	•01	•03			·01 ·05	·01		·02	·10· ·02	·10 ·05	•05	•28	.08	·05 ·26	··· •01					·16			·36							·08	·30 ·04		·02	1.82
16		·15	·13 ·28	·63	·01			21		.03			·01	·01					•01 		•09		·29	•02	·16	•46 •01	 •01					·13 ·	16				.02			·16		•06 •01		·26 •02	2°75 1°47
18		.06	·49 	·17			·17		•••				•01	-20		·14	 		·01		·02		•31	·28 ·45	·26		·01	•07			·02						·01						12		i•93
20			·07	•01 •05	·12 ·03		·10	•02	1	•04				•01				·05			•03		•39 •09	·01	•08 •07	·20 ·26		·25 ·28	 •01												•14	·32 ·01	·24 ·04		2°23
22 23	-02	·03	·18 ·20	·22 ·28	·23			•02				1	1 1	·16		·32 ·52		·03					·02	·22 ·21		·26		•24 •09	•06			·20 ·02				·01	·11					·05	.06		2°58 3°41
24		.03	•22	·02			·33 ·10	1			•55	24	1 1			·15	·01				•05 1•40		·08	·03				•60 •16				.02	 ·10		•26		·05					·18	.06	•••	2.90 3.98
26	12			•09		·01	·07				•04	•02	1 1					•08	•03		•04 •03	·11 ·01		·01		-02	•••		·13		·53	9	••••			1	-04		-01			.02			1.50
28				•07 •01		·10			i	-04		•01				•07 •01		-04				.07	•12	•28		·02	·32	·38				1	·64 ·05	.08				·02 ·04	01		-10				
30							•01	1						•••						•01		.02				•04			.04		.07	.01		•12	i			-20				.10			1.19
Sums	0.88	0.71	2.44	4•49	2.84	1.96	0.95	2.71	0.65	1.06	2.88	1.13	0.52	1.46	0.06	1.58	0.15	1.62	0.33	0.95	3-93	0.92	3.06	2.21	1.79	1.65	0.52	2.58	0.30	0-26	1-97	1.77	2.13	2.01 0	95 1	1.44	2-29 0)*54	0.77	j·35	1-98	1.67 0)•93 1	1.22	66.61

TABLE V.

Showing the Fall of Rain on every day in May during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

			,	•									-										M A	Y ,.							,															
DAY OF THE			· 			i		1	1		ì	1	<u>-</u>				1]		1]			1 1		<u> </u>		<u> </u>		 		1	 1				 -	1	. 1	. 1	- 1		1		
MONTH	1826	1827	1828	1829	1830	1831	1832	183	3 183	34 18	8351	836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	186o	1861	1862	1863	1864	1865	1866	1867	868 1	869	ewug
1						-04	•51	-08	0.)2	.05	-06		•12							-01		•03	•••				•••		•16		-26		:08				.02		.09	•08	·01	·			1.62
2	74		-05			-72	-09		.	.	-08	-01					•25						.03	•••	•09			•01	-06	.02				•05			-01			·18		•14		٠		1'79
3	-07		-03			-12	∙08	.10)			-08		•••			.30	-02	-06	•••	-01		15	• •	•01	•••	•09	•••	•58	-01		.16		•			.04		•••	12	-04	·10			·48	2.62
4			13			•05	•10			1		.24				•••	70		•16	-01		•••	02	•••		•08	02	•••	•••	•••			•				·04	·12	•••	.09	·18	•01		•••	•34	2.45
5		-50	.02	-07	-03	12	-09		- · ‡	4	12	·40		•••			15	'16	1.26		.03	.03		. [.	•40	•35	02	•••	•	-04			***	-02]				•01	1	•04	•04	•••	•••	.02	4.36
6	.04	-23		-05			-06		• •	••		•••	•••			-01	02	.12	-38		'48	·13		•••	.02	·68	01	•••				·24 ·16	***	•••				·46 ·80		•55	.01	••••		•••	.06	3.23
8			•05	•••	45	***			- !					•••	.13	-12	10	·22 ·20	·05	•••	·20 ·01		·14 ·15	-**		·04 ·22	'''	•••	24	·39 ·62	04			•••	.39	·02 ·01	·03	•60	'''	10	·37 ·12	·05	'''		.02	3.40
9			.04		•18			1					·06	•••	-42	-60		10	-02			-03		?	.06				•24	.17	.09			•••		.03		-31		28	.73	.02		.06	.28	3.76
10					.10								•10			.01				-07	.04	.04	1		.01		.03	-05	·		-04		.01			-11	•33	.10		.02	•60	•11	.52	.09		2'44
11	-09						•05	h					-01			.01	-01	-26			-08					-01		-09			.00		.30			·12	•52	.04	.12	•01	.12	•15				2.39
12									4	40	•20		•06		-10	•16		.02	.02		.09		•01			:01	29	•25				-70	.04	-12		1.14	•04		-20			•04	.07			3.96
13							-03		. •0	03 1	-10		•10		-13	•05					.03	•22	·02		.02	.04		-02	•13		•49	•14		-06		-02		•••	•10		•09		∙01			2.83
14	• • •	.10							.] •	02	-66		•20		-01	•32			-18				.08				'	.02	-01			-19		∙18		∙05		·13	-08		.02	٠				2.29
. 15				.04			.23		- -		.06					•41		·	1			1		.;•							-05	-20		-10	•04	·14	•••	•46	-08		.01					2.25
16		·17					.07	1	1	•••	.04					14	1 .					34	-09	1		-01	.05				•••			'14	·10	.09	·12	•••	.02			•••		•••	.02	1.49
17		•58					'18	·	- •	08]				-09			1		•06	1		1 🕆	1	-02	-10	'33			.01	•34		10	•••	.25	•••				-02			•••	·16	2.33
						-40				•••		•••			-03	.01	.02	-04	1	.02	.07	17	.02	-01		.01	·10 ·04	•11				-13	•••	•04	•36	•14	•••	•••	•40			•••	.02	•••	.22	2.24
19	97	•••				·40 ·11				•••	-03	·14	·01	.03		.01	·15		ا مد ا	•••				.06		.02	1	·10		-07	•		.01		19	•••		•••	22	16			.76	J		3.26
2.1			-03		.36	1	"	`		•••			-12	06			.16		.05	.02				.07	.22					19		-24				•••		-18		01			:09			2.77
22		•10	.03								.06		•03	1			-07	1			.00				.20	1				.30	1	•16	.20			•••		.02				:	-12	∙08		1.28
23		-15			1 .01	1		.	.			-01		-02	1	1		-01		1	۱			1						-10		-04		•43			.03	.04		1	.19			·24		2.39
24	-29	-13	·34	-36			ļ	.	.					-02	1			-20	-06		.54			1						-08		•••		.48				•••		!				·18		2.88
25		•23			-64			.			.02	•••				-01		-23	.03		-10			·		.03	-08	-11		-12		•14	.05	-16	•••	•04		•••		1			•35		·10	2.44
26	-06	.03	.13		.06			-	.		-22					-03		.01	-20		.27			.		.03	.01	•35		•48		.02			.30	.03		-01				•50	.02	•••	•••	2.76
27	•28	•02	.34		-03			-			-14	-,-		-05		 	.03	13	•14	.08	-08					.02	[.01		12		•63		·01		•30	-01	.09	:		-07	•••			•44	3'44
28	.39			1	.05	1	Į.				-04	•••		-21						1	1		•56	1	.97	.10		.03	l.	•42		•41		•••		•••	•••	-01	••••	1					.36	3.99
29	97			1	1]	1	1	-	•••	•••						.03			l l	.07							.25		•40		•••	1		•34		•••			1	•••	•••	•04	·40	•••	4.18
30	11		-09		1	1			·· ·				•05		1		•••			[•••		•02	1 1.				.01		•34					-01			·15		•34	•••	•••	·04 ·01		20	5.62
31	•05	•••		•••			13	`	•		26	-01	04	-38					-06			•••	•••	114	•••		•••		-02	•••	•46	·22		• 0 •	-07	•48	.12		•••	0.1						
Sums	2:39	2:24	1-40	0.52	2.47	2.21	2.16	0-6	8. 1.	19 3	3-38	1.01	1.07	0.92	0.82	2.18	2.16	1.73	5:26	0.25	2.89	1.35	1.59	0.28	3.53	1.84	0.74	1.74	1.60	4.03	1.94	4.38	0.87	2.05	1.80	3.04	1.31	3.54	1.46	1.95	3-19	1.17	2.05	1.05	2.76	86-19

Showing the Fall of Rain on every day in June during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

TABLE VI.

DAY OF		•									_												J	UN	Œ.																						
тне Мохтн	1826	1827	1828	1829	1830	1831	1832	2 18	33 1	834	1835	1836	1837	1838	1839	1840	184	1 84:	184	3 184	4 184	15 18	46 1	847 1	848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1 863	1864	1865	1866	1867	1868	1869	Sums
1	16	10					.20]_			-02		•06	27			 	ļ	.03			. .			-08				.07	.02	.04			,		.22		.08	•••			•76	•01		•••		2'12
2	18	·04				•	•••	•2	20		·17	•14	-14	.08	.33	·17			.08		.		••		.07			•••	.09	•	•05				•••	.03	·87	.04			.07	·19		-78		·10	3.82
3					•91	•••		•		.03		·01	•••	04	-20	.06					. 00	6 .	••		.03			.08	.03		.02	-02		-03		.52	.04	-13	.02		.26	.02	·46	•05			3.05
4		•••	.76		.02	•••	•14	•		.20		.09	•••	1		.04			-02		. 0	5 .			.07			.01	.02	•••			•••			•14	.07	.01	•••		•••	•••	1.02		•••	· •••	2.66
5		-11	-03	•••	•••	-10		.			•••	.03	-11	•••	.64	-07	.03		.09	.06	.08	8 .		01		·20		·14	.03					.02	60	·64	.32	.01	.28	•90	•••	•••	.02	24	•••	•••	4.76
6	.02	-09	-01		·13	•••	-01	.		:	•••	•01	•••	•••	.02	•28	.01		.17	.02	8	• •				.07	.03		-03	•••		16		•05	:08		.08		.03	•22	.02	•••		.02	•••	•••	1.26
7				•••	•05	•••	•53	i i				•05	•••	•••	•17		-02		-23		. 2	5 .	••• '	02			-06	.01	· 4 1					.20	•••		·12	••••	-06	·16		•••		10	•••	•••	2.44
8			.07	•04	.04	•	.02	•	•••		•••		•••	'•••					.10	.02	3	• •		06	-01		.03		45	.02				·15	•••	••••	-09	·01		•09	•••	•••			•••	•••	1.50
9	-02			•••	-03	•05	.60	•				-01	-36						-01	.01		• •	•••	05	.27		•••		1.48	-01		•08		·10	.03		.26	•58	.03	•06	•••	•••			•••	•••	4.06
10	, <u> </u>			•••	-05	.07	.01			.05		-06	.09	.17					•34		.	٠ .	•••	02	-95			-32	·18	.02	•••			.02	•••	•••	.04	.15	•04	•04	.03	•••			•••		2.65
11			, 	•••	•18	•13	•22	1		.22	•••		-01	'47		.01					.	- -						.04	.01	10	•••				,•••	•••	. •06		-20	.25	•••	•••			•••	•••	1.97
12		•••		•••	-01	•••	•54		10	.60	•••	••••	.03	02	•••		.01		-20	L	• ••	- -	•••		.78	•••	•••	23	.02	-20	-01		.12	}	•••	•57	·40.	•••	•50	-33	-06	•••	.04	-06	•••		4'83
13			•••	•••	·01	•06]		10	.01			•20	56					·14		.	• •		.03	·12		.04	.04	•28	.77	•••	27	.24		.03			•••	-06	•04	· 4 6	•••	:18		•••	•56	4.50
14	•••			•••	•20	•••	-02		14	.05	•••		·11	02		•••		•••	-18		.	• •	••• '	24		•••	·19	.01	-13	-36	14	.18	.04	•••			.02	••••	·48	.07	•08	•••	-01		•••	·12	2.76
15			.06		-30	•05	•11		26		•••	·01	•••	-02			1					• •	•••	18		•••	.04	•38	•16		.04	'11		•••	•••	•••	.07	•••	•20	•••	•16	•••	.01	12	•••	:06	2,32
16	···	•••	.01	•02	-03		.01	1	07	-01	•••			.17	•••	-09	1	• •••					•••		.09			•••	.20		•04	'46	•••	-01	•••		•28		•08	•25	•••	•••	.16		•••	:06	2.14
17			•••	-01	-04	-02		'	20	-04	·01	-80	•20	1		.22				1	H			.03	•••	•••]	•••	•••	-09	…	.45	•02	.04	•••	.01	•••	•54		·12	•••	•14	•••	•05	:		•20	3.48
18			-05	.07	-09	* ***	•••			•••]	•••			25	.16	.01	24	- 1			1	5 .	ŀ		.07	•••		•05	•30		•••	.18	12	•••					.03	•84	.01	•••	.09			•04	5.92
19		.02	•02			.13		٠ ۱ ٠	04		•••	-09		37		-09	l.	- 1	•01	.05	2	•	•••	.01	***	.02	•••	•	·12	-32	***	•••	۰08	•62	·01	•01	•34		•05	•36	•••	•••	.02	••••	•••		3.14
20		.03	•21	13					01	•••	•••			05	-01		1	1		-0:	۱	• •	••• }	.01				•••	•05	.02		••••	·16	-68	02	•13	·12	•46	•••	•••	•••	•••	.01		.06	•••	2.50
21		·13	-68		.19		'40			.38				01		1		- 1			• ••	•	•••	•••		•••	•••	•••	.02	.04	-06	•••	.08	•••	• • •	•••	•19	.36	•••	•••	•••	•••	•84		·16	·12	4.09
12			-04					1,	54	••••		.04		12	1	1	1	1		"	•	- 1	59	•••	•••	•••	•••	••••	•••	.01			•••	•••	•••			.01	.06		•••	•••			.02		2,30
23	∥			20	•••	-05	1	3 1		•••	.02			j	.18	.06			•••	.	- 1		1	.36	.44	•••	•••	•••	•••	•••				•••		•••	.08	02	. •••	•••	·17	•••			.08		2'24
24	• • • •	•••			·23		1	3 3	22		.26				1	l.	Į.	- 1		i i		- 1	- 1	1	.04	•••	•••	•••	·01	-06	• • • •	•••		•••	• • •	•••	-11	10	•••	.74		•••			•••		2.48
2.5		•••		.38	.09	•22					.20	1		72	-07		-04	F -08		. -6	2 .0	9		.06	.04		•••		•32	.18	.01		•••		•••	• • • • •	•56	15	•••		•08					•••	3.94
26				19	•••			- 1	- 1	.07	1.00	1	•••		51		1			. 1	i				.01	•••	•69	•••		•36			•••	•••	1	·10	•01	∙05	•••	•02	-02	•••		•••			3.93
27		·•· ˈ		-80	.02	•30			.05	•••	:01			.01							. 1	5 .	01	·01	-02	•••	•01	•••	.04	.01			•••	•••		•12		-03	-02	•02	.08	•••	.02		•••	••••	2.34
28		-30		-08				•	•••	•••	•••					•	i	1	.01	٠.	. 1	6	03		•02	•••	•31		-03		.06		•			.62		•16	•••			•02			•••		3.03
29	∦			-06	•	'12		- 1		•••	***			20			1			. .	. 0			•••	.01	. 02	•••	•••			•••		•••	.01		•••	.22		.07		.06	•42					1.30
30	1		•••	-22	•••		•••	• .	•12	•••	•••	•••		.07		15	•0:	l ∙80	•	.	. 0	3 .	03	•••	.08	. •••	•••	•••	•••	•04	•44			•02	•••		•••	•••	•••			•43	-66	•••	·01		3.11
Sums	0.38	0.82	1.94	2.37	2.62	1.37	2.89	9 2	•63	1.63	1.99	1.66	1.31	3.65	3.00	1-48	2.4	5 1.58	1.62	2 0.9	7 1.3	6 0	80 1	•31	3.20	0.31	1.40	1.33	4.69	2.54	1.53	1.48	0.88	1.91	0.78	3-10	5.15	2.35	2.33	4.46	1.70	1.84	3.60	1.37	0.33	1.26	87:37
	1			i	1	1		1				14	4	11	1																																

TABLE VII.

Showing the Fall of Rain on every day in July during the years 1826-1869 at the Gardons of the Royal Horticultural Society at Chiswick.

DAT OF																							JU	L Y.								,	:			 -			!		,					
THE LONTH	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	183	7 183	8 18	39 18	40 18	41 1	342	843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	Sums
1		•38		·32 ·07	·31		•••	•20				 .	. 3.		- 1	- 1		05		•34	·13	.04		.04			1.18		•22	1			•04				•05				•••	·13	·24 ·04	•••		4.09
3			-78	-16	·21 ·05	01	!						. 09	1		- 1	- 1			·22 ·14	·06	·01	·01	·07 ·29	·01	·25		•••		·02 ·02	·01		-10		.76			.23		.08		.16	14			3.38
4		•05		·16				i		-24		·	.] -00		- 1		- 1			-01						-33				-01		•01	11	-18	04		·12]		·13	.02			1.47
5		•••		-18	[.03		 	-58	•01	.08		•	59	11	.16	-06		.24								-06			.03	-04			∙05	•29				-03		·		2.24
6		•••	-06			.,.	-03	.01	43				. •4		1	- 1	03			-06		.13	.09			•09				•07		-02	31	}			-26	02	•	.02	'48	-19				2.89
7				-23	·04	•••		•20	.02	-10		•••	. 11	1 0	- 1		- 1	09	14	.13	·01		.02	.03	·	•34				•15		•25		-05			.04	.30			.01	.01	•••			2.38
8	.04	•••	·08		-01		.01	•24	•02			+	٠ ا	• •	• •	16 .	- 1	43	24		·01	.08	.08	•22	•••		.08		14	•05		·48		·06 ·82			05	20			.10	-03	•••			5.81
10			-02			01	04								-	- 1	36	03	.02		·15 ·02	·16	-02	•36		15	·16 ·24		·05	·02 ·40	·14 ·48	-01	10.	-08			·02 ·01	.18			.06					2.40
11			-18	-41	-09	-01								: ::	-	- }	- 1	02			.71									.01	1.07	.02						-38						.72		3.62
12			.75	.08		1-10	-02	••-		-02	-01		.		- 1	- 1	02			.06	-07	•••								-17		-01					-06	.05			.04			·26	-18	2.98
13	•14		•04			-08	.72			-02			.	.	.	•	02		-07	-53	-01						-20		.92					.02			-14				.07		•26			3-24
14				.27		•60	.07	•••						3 0	7	•	07				-04			.04	·			20	•64	.02	•29						.08]				-09			2.68
15	.04		.05	.02		.18	•••			-02	•43			7 •0	1 .	- 1	- 1			['03	•••	••••			-01	.02		•34		•41	•11	•••	16		.01	.02	.10					.28	14	•	4.73
16	12	•••	•••	.46		'11	•••	•				-08		.		.	01				-07	-02		•••		.04		1.60	-26		-40	•08	22	.18		14		.01			.04		·27 ·32			3.18
17			.09	·46·	·22 ·47			.02	1.22			.01			اہ					•••	.02	·06	•56		.07	.34		.01	.25	.02				·20 ·01	10.5	-07			••• \$		·20 ·04	•••	.06			4.24
19		·42	.03		*				-60		•38			,				02	.02	.39		·22 ·05	 •01]	·06	·37 ·02			·35 ·02	•••	·01	-01			01	·01	.02						01	-:::		3.17
20	-11		-47		-01	.03		·18	•26		.03		. 1				- 1	12	.01					.07	14			.01				·04	.04		.72	.10	.10						-13			3.26
21	•11		.40					-05	i		-03	1		0		1	10					.04		.21	.03				.06			.07				- 1	.03		-48				.02			2.74
,22	1.37	•20	-08			-10		•26			.03	-02	2	2	- 1	1	22	02	-08]	•05						.08		·01				-01	·12	.07	.17	-04	.23	-15		•20		20		*	3.92
23	·14		-33			·14		•40			•14		.	. 2	3 .	•	01		.08		•05			-38	•40	·15	•70				·68			.04	-06	•56	·01	.03			-26		.02			4.81
24				1.03			•••				.15		.	- -	•)2						•32		.08	1.16	.15	-28				•14			-02		·01	-12	•••]		·12				•••		3.43
25		.05		•••			•••				•••				- 1				•••				•••		, 104	- 1			•04		I 1						.13		.16	.03						2.99
26		•21	·10		'''		•••		12	ļ			. '10		- 1)5	- 1	02	10		•••	.02	•••	l l	•46			I	- 1		1.22						29	,				·06	02	.04		4 [.] 74
27 28						.04	•••		·14 ·17	1		1			1	- 1			·02 ·06		-07 -05	•••	•••			·26	·02 ·06		·98 ·10		·45 ·06		1 1			1:39	·20 ·01					.23		-16	:60	
29			•05	.17					1.31						ام		<u>ا</u> ۱	l	.07	•••					-00		.03		.03						.12		.01	.03			.01					2.7
30				-88		.08	•••		-66		•14				1		- 1		.07	·14	-33			18			•52								.13										l l	4.49
31							•••		-66)			1			1			.03	.02						•01	.01	•••		.20	•14						•04				·85	•13			.02	2.94
Sums	2.07	1.31	4.38	5.23	1.46	2.52	0.80	1.56	6.34	0.41	1.78	1.75	3 2.1	9 2.9	2 1.	68 3	56 1	•52	1:67	2.10	2:31	1.78	0.79	2.21	2.82	2.68	3.90	2:28	4-17	2:40	6:30	1.13	1.22	2:55	2.18	2.72	1.90	2.09	0.80	0.50	2.37	1.30	4.00	1.32	0.80	105,10
Sums	2.07		4.38	5.23		1:46	1.46 2.52																																							$\begin{array}{c c c c c c c c c c c c c c c c c c c $

TABLE VIII.

Showing the Fall of Rain on every day in August during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

																	· · ·				AI		υs	T .									i	-,				_			 -		·		_
DAY OF THE									1					. 1									-	-	-0.				[]	ا ـ ـ ا	ا م دا	<u> </u>	ام ما		۰. ا	06 1	<u> </u>	٠- ا	مد ا	0.1	مردا	061			
<u> Мохти</u>	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1850	1857	1858	1859	860	1801	1862	1863	1864	1865	1866	1867	1868	1869	SUMS
1						.03	.27		·10			43	-17			-02			-02	.06	1.23		•34		.01	.02		•03	•24	•02			•		.02			•05			∙08			.02	3.19
2			-65		•23	43	•45					.07	-11			:38		.02	11	61	.65		.10	06					'40	17		·:·	•••		.01	.03	.08			49	•04			.08	5'17
3	-22	•05	'50	17	-05	.05		[•••]			-34		••• [.38		1.03	15	·10	.04		.15	.02			.03		.27			•••	•••	.16	•04	.01		.1.7	••	42	•••			.34	4.25
4	-8#	.02	12	.03	.01	.01	36					•••	-08			.01		·18 ·02	·01	·05	·85 ·43	·02 ·28	·05 ·11		·02		·01 ·04	***	·39 ·04	.01		.88	•••		•19		•••	·17	•••	•••	•••	.20	•••	.10	3'24
6		·23		.07		.03	·15		.58	·01			·12 ·22	.01		.07			-02	.12		20	11				42	•••		·11		.30		.01	.08		.06	•04	•••	.04	•43	·32 ·39		•••	3'45
7			57	·					.50	.01		•••	·0±	.15					.12	.24				·17	-08		.12			•44			•••	•21			.18		•••	.05	·16	.28		20	3.23
8			13						.20							.01	.15			•26	·01	-10	•13		.02		.02			•50	.08		•••	.22	•36	18	·12		•••		.09	.03		•06	2.67
9			-04	-33		.21							-01			.01				·01		-02	•23	•40			-06				-10	.14	•••	∙19		.02		•••	•56		·11			.04	2.48
10		•05		·15	∙06	•••		∙04				.01			-07	-36	1.06			.05		•05	·15		.02		-28					.01	.12	.03	·72					1.08	•08				4*39
11	-26	•11	-36		∙04									-01	.07	.30			.12	•36	•26		•19	-34	.04		·78				.12	.07			-04			•••		∙05	•32		.22		4.06
12		••-	•11	••••	.07	•								.04	.02				.33	•01	•01			•02	.10		•47			.01	•	-06	•••	•••	.02	.01	•••	•••		.02	•10			•22	1.62
13		•04	1.14	·12	.72	•••					•44				.03	.30			-24	.07	-22		•21	.09		-02			.01		.66	•55	•••	•••	•••		•34	•••	•••	.06	•07		•••	•20	5.23
14			12	-67	56	•••	•				15				.06	.04		•••	.30	•••			•68		•••		·64	•••	…		.06	•12	•79	42	•14		·12	•••	•••	'16	•01	18	•••	.02	5'24
16		.13		·37	-01	 .∩o					•••		•••	.04	.03	•		·61	.03	•••	•07	·32 ·05	.10	·01	.01		•••		.11	•••		•59	•01	.04	.10	-10	37		•••	.02	.05	.27	•••		3,01
17		·31 ·12	.04	·17	•53	·03		***	•••	•••			01	·58 ·08	·22 ·47		•••	.16	.01			.34	•02	·15 ·01		·02 ·28	•76	•36	110		·22 1·12		•••	·04 ·01	·03	.10	·80 ·31	·01		·02 ·08	·05	•••	-28	.04	3'71
18				28		.08	·01	·11		•••	.02			-24	-38		'01				.07	10													29		i	.03	•••	-04	•••	•••	·62 ·46		2.48
19				-08		.03	•06			•••				.12	.24		.01	·01	•01	.42	.01	•05	•06					-02	12	.02	.29		•••		.06			.12	•••	•••		-81	26		2.88
20				·18		•14	-06				13	.02	.03	•01							.33		- 26		.01		-03	.01	.01	.05	.45		···				.02	-01	-02	•26	•02				2'05
21		-62	·10]	•••	•50					.01	-09]	•02		.04	.03	.:.	·17		.45						.24	·	•36		•36				·48				•••		3.47
2.2	· }		-05	·48	01		.01				∙06	.30	12			-58		•22		•••	•••	-09	•06					∙67		·					.03			•02	.22				·36		3.30
23	-10			·17			•04			.02	∙69	-32	10		-01	.01		•95		-07		-01	.04			-01		∙01	.08	·12					45				·16	⋅82	-06		·		4-24
24				•19	.02	·01	-16		•23	.09	.02		.04			•13	•22	•		•••	•••		•03		10/	·18	•05				-02	•••			•24			•••							1.43
25	32				·17	•••	-30	•••		-04		.09	.09	•••		.07				•04	•••			. 1	- 1			•23			02	•••		.62	•48			-35	•••	٠		•••			3.51
26				l	i			1 1	•11			1 1			- 1	•••		•01	•••	•••		1 1	•04								•••	•	•••		-20							•14	•05		2.48
27			i					1 1			1	1 1	••;						•••						i	1.32								1	-01		•••				*****	•••	•••	•••	3.51
28				-11			.03	1	j 1	1	•20				-02		- 1			•••		.06								•••	.07			.01											1.28
29					.01		l		I			1		.10			•52	•••	•••			01			•••	·07			•••	1	•••			•16	-03		•••	-04				·13	·	- 11	
31	26							•86	·92 ·06			1 1		·10			.22	•••	•••	•••						•••			•••			••08		•20	•••				·01 ·14			··	•••	l l	
			.										•••						•••		·					•••							<u> </u>				•		1-*		·				3.99
Sums	2-00	1.66	4.35	4.07	3.05	1.59	3.62	1.93	2.73	0.18	1.97	3.04	1-23	1.85	1.62	2-69	2.81	3.28	1.84	2.79	4.50	1.50	4.70	1.60	0.97	2.03	3.71	1.87	1.77	1.45	3-50	2.80	1.46	2.49	4.16	0.50	2.40	1.96	1.59	3.64	2.69	2.55	2.37	1.32	105.83

Showing the Fall of Rain on every day in September during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

TABLE IX.

-																											1																				
DAY OF										•												s	EΡ	ΤE	MI	3 E :	R.			•			1														
MONTH	1826	1827	182	8 182	9 18	30 1	831	1832	1833	1834	183	5 1830	6 18	37 18	38 18	39 1	840	841	1842	1843	1844	184	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	860	1861	862	1863	1864	1865	ı 866	1867	1868	869	Sums
1	.05		-10			1	•50	•20		14		-01	.0	2 .	14	01			-46					-01		•24	.01	•10	•01	.80			٠,,.	•14			·10	•••	-03		·01	•••	-03				4.01
2	•23				. -(01	.05	•••	-05			-22	-0	7 .	•	11	.22	•••	•••	•••		•••	• • • • • • • • • • • • • • • • • • • •			.04			•••	•44			-01	-28		.18		-01	.21	-18	•05	•••	-22	•20			2.78
3					. •	07		•••	•39		-17	45	-1	0 .	•	01	.02	48	•••	•••				-03		-12	• • • •		•••			•02	•••	-49	.02			.06	.01	•44	·10	•••	.08	-22	•••	••• ∦	3,58
4	.58	•••	-04			17	.08	•••			-15	•14	•	. .	•	19	.13	·32	.01		.02							-01	•••	•••		-01		•01	-18	• • •				•02	•09	••-	-36	10		∥	5.61
5	'11				- 1	01	-05					·16	.0	2 3	0 .	06		.01	•	•••	.03	.01		.01	.10				.02						.12	[-26	•••	•••	-12	-02		-20	1.69
6	•59			1			-11	·61				-70	•	•1	4	04		•••	•••	•••		•••	•04	.01	-01			•••	-32				·12	-01		.30	•••	-12		-39	.30	•••	-61	12	•••	-30	5'37
7	•26						•32	•01		-06			-2	0 1	0		-02	-17	•55	•••	.01		-03	.10			•••	•••	·48	•••			•••	-0.5	.08	•••		•••	•••		·10		*08	•••		•••	2.79
8	-60		-20	1			-10	•••	'16	.30	-28			- -			.01	•••	•64	•••	-28		•••	.08	•••		•••	•••	•14	•••		•••	•••	-60		.02	-01	-18	•••	.07	•••	-10	•22	•••	•••	•••	4.64
9		1.09		1 '	- 1	- 1	.30	.01		.03	.08					•••	02		-06	•••	•24				•••			•	•09	·12				•29	-01	•••	•••		.22	:69	•••	•••	-24	82	•••	42	5.89
10		12	1.27		ŀ	- 1	.04	-14	-03	-08		1	.5	6 .		•••		•••	07	•52		.01			-33	•18		•••	-10	-01		•••	••••	•24	. • • •				.01	•••	•••	•••	-06	.30	•••	•24	4.52
II		.08	i i	1		12		•••		.05	.01	.08			•• •	04			•••	•••				•••		-32	ļ. 			•••	···	•••	•••	•68	•••		•••	••••		•••]	•••	•••	•16	21	•••	.70	3.32
12		-38			- 1	26		•••			•49	1			1				•••	•••		•••				-36	•••		•••	.03	.03	•20	.11	-08		.04			-01	•••	•••	•••	.03			14	2.26
13			40			06		.04			-06	1.	1]	09		••••	•••	•••		•04		27	•••	-01		•••	•••	-07	-08			•05		.42	.02	06	•••	•••	-02	•••	40	-04	•••	24	2.46
14	-10		.05	ŀ		01		•••	-03					2 .	- 1	84	40		•••	•01	-03	.02		.01			•••		.07		.28	•32		.12		-02	04	.02		*	·80	•••	•02	-04	•••	18	3.47
15		-03				18		•••	02		20		1	.	1	20	-06	-06	•••	•••	*05	•45		Į.		•	· • • • · ·		•11	.19	•02	1		•••	***	.01	.01	-02	14	•••	·16	•••	•04	'''	•••	·02 ·06	3.06
16				1		06		•••	-50		1.17					21	.19	.01		•••	4.5	-47					•••	•••	•••	-04	.02	.04	.10	•••		.07	.18	***		•••	·61	•••	·24 ·02	-08	***	.06	4.00
17	40			.00		21		•••	•04	-00	.01		1	1	1	90	•••	•••	•29	-00	-47	-19						•••	-0.4		.05	•06	10	•••	-08		'40 '01			•••	·26 ·02	•••	02	1	.42	.82	4.79
		-36		.00	- 1	07		•••		.03	.76		.0	- 1	ĺ	52	····		·10	-20	-11	.07	""			•••		•••	-84		.05	•••	·01	.01			·01 ·02	-02	- '''	·64		•••	-03	'''	.04		3.16
19	04			.15	l l	10 1 5	-03	•••	-06		-60			. .		08		•••	-08	•••	""					.05	*02	•/•	-03		.02	•••	:	.01		11 -22	.22	10	***			-36	.12		.02		2.62
21		-10		''			.26	•••			-08		"	. .		30	.10	·10	·02 ·02	•••	-01	.19		·03	-03	·05	-50	.02	·23		.04	•••	112	· •••	•••	-18	.02	-18	•••	·04	-18		•50	.13			3.61
22		-20				18	20	•••				1		- 1			40								1			•••		.00	.03		18	'''	-26		.50	25		.05			.10	-06			3.20
23		-38		1		1		•••		1	1	.22					.02				1		1.21				1					ļ		-01				.01		1	•06		-06	·01			3.63
24	17	-07			1	۱ ۵۰	- 1		.09	1							.36					ŀ		1			-12			·14				12					·16	·10			•05	1			4.09
25	18								.02	1	1					- 1	.04				1	-01		1	-10					-02				.14				- 1	.06		-01		.02		28		1.87
26	40	-43					- 1		l	f .	-69			•			16				1			1	-24		-72						.07		. [-06								6-09
27	1		1.40			15	ļ			1	l .	-04		1							1				i .			-01	•63				.61							ŀ			.04		·01		4.82
28			. 45	1	- 1		1		-12														.09		-80	1			•29			.32	1					-17							.26		6.19
29	1	•13			- 1				-01	į.		-33		. .			01			•24		-06					•29		.02				.02		ا مہ		-01		.36				• •01	.,.	·18	.02	3.65
30		1	-05					.02	1	.1		24		- 1		- 1		1	.01				1		ŀ		1	·14						.01			1		•04	-30		•••		4	.25	32	3.56
Sums	3.71	3.37	4.03	3.71	3-2	21 4	19	1-12	1.55	0.83	4.60	3.81	0.9	1 2.0	8 3.	92	2.45	3.71	3.39	0.98	1.31	1.77	1.76	1.66	2.20	2.49	2:36	0.42	3.54	2 41	0.58	1.15	1.99	3.62	1.05	4.05	2.82	1.78	2.74	3.47	2.81	0.58	4.04	2:31	1-88	3.72	109.98

TABLE X.

Showing the Fall of Rain on every day in October during the years 1826 1869 at the Gardens of the Royal Horticultural Society at Chiswick.

								-					<u>-</u>					<u>.</u>		,	0.0	TC	ВВ	ER.			•																		
DAY OF THE MONTH	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1 860	1861	1862	1863	1864	1865	1866	1867	1868	1.869	Sums
1	•12	•45	•05	•••		•03	•53			•53	•39		•01	•••		•20		•11		.03			•••	-02	.08	•35	.02		•01	•02			•••	•••	•••	•14	•02	•18	.02					.04	3.32
2		•		•08	•04	•01	•02			•23	•48	•03		•12	•••		••.	•01	•••	.07	-44		.03	·12	•02	•14	•03			•12	•		•••		•••		•02	•03						24	2.58
3	•••			•4-1		-30	.06		•••	•21	•04			•21	•••	·13		.01	•••	.17		•••	•04	1.01	.02	•06				•36	•10		•••	•	•••	•••	•••					·	****		3.16
4	•••	•••	.08	•11		•08	•20		***	•01			••••	•27	•02	-36	•••	•••	•••		.08		.01	•07		•25	1.06	-33	•	•70	•11	.02	.07	•••	•••	•••	•••	•01		•••			•52	•••	4'36
5		•••	•50	•07	•••		·57		•••		-04	•29			.07	-22	•••		.22	•••	.10		•••	.02	•••	•18	10	•32	.01	·82	•03	•08	.18		•••	-03	•••	•03	•••		•01		•••	•••	3.89
6		•••	•03	•	•••	.06	•26		•	•06	•78	•09			•••	•04	∴. .	•19	••-	•22	•20	15		•46	•15	·•·	•06	.08	•52	•11	•06		•01			.05	•05	•••	•••	•••		15	•••		3.48
7	•••	•••	-11	•56			-41	•••		•••	114			•••	•••	.•04	•••	-06		•01	•16	-22	•••	•02	•••	•09	•••	'12		.03	•36	.32	•24	•18	•••	.01	•••	•20	•••	•06	•••	.04		••••	3.40
8	.18	•20	•••			•63	02			l'	1	•••	•••		•••	.03	•••	•22	•••	•01	13	-03	•••	•••	•••	••••		•46	.03	•09	•50	.55	•••	•10	•01	.•01	•••	•01	•••	·14	•••	.01	•••		3.71
9.	•••	•14			•••	.10	•07.		:	-52			•••	•23	•••	-03	•	•11	•01	:35	-20	•22	•06		•02	•13	•05	•••		•••	•••	.04	•••	-21	•01	*02	•••	•06	•03	•79		•30	•••		3.79
10	31	·6S			•••		•••			.01	•36	•••	•••	•07	•••	•21	•••	•40	•07	•43	12	.02	•••	•••	•06	•••	•••	-05	13	.02	•30	•20	.09	•04	•36	.18	•60	.03	•••	•58	•••	•••	•••	•••	5.35
11	.05	-08	•••	•••	•••	-22	•••	•01		1		•••		-31	•••	•34	•••	14	•••	•09	•26	.03	•••	•••	•02	•••	•••	12		•25	•12	.02	•••	•05	•16	.11	15	•••	•••	•10	•••	15	•••	•••	2.79
12	٠	•••			02	1.00	12	•20	•••		1	· · · ·	•02	•01	•••	•24		-09	.03	•	07	•••	.01	•02	•••	•••		•19	•••	'33	.02	•••	.02	.10	'10	•••	17	•04	•••	•••	•••	.02	•••	12	3°28
13		•••	•••	•07		-06	-02	.10	•••			•••	•02	•••	••••	'04		•••	•33	•••	•01	•••	*02	-06	••••	•04	***	-08	•••	•01	•••	. ***	•05	•01	.06	•••	:04	.07	•••	•••	.06	•05	•••		1.22
14	•••	•••	•••	•••	•••	•05	•••	-50	12		ĺ	•••	•20	•02	•••	•02	•••	•••	42	•••	-50	-01	•14	•••	•••	•03		•16	•06	.01	•20	•••	•••	•••	.01	•••		•02		•04	•••	•04	•••	•••	2.22
15		•••	•••	•••	•••	•02	•04	•06		•••	•06			•••	•••	•50		•••	1.04	•01	-69	.01	•21	•••	•	•34		.04	.16	-09	21	•••	•••	14	•28		.02	•14	.06		•••	•20	-10		4.32
10	12	•••		•••			•••	-10	-04	•••			•••	•••	.02	•04	•••	.52	.02	•••	•40	•01	•04	•05	[•••		.32		•56	•06		•••	•34	•29	.01		.01	.02	•58		-0.4		:20	3.91
17		•••		•••		•••			-17	•			•••	•14	•••	•01		-06	•••	•••	•18	.01	•02	•02	•••		•••	•31	•04	.10	•••	.04	-22	.01	.01	•••	16	•••	•06		'14	•04		.04	1.48
13	•••		•••	•••	.02	•••	.08	.13				-04	•••	•06	•12	•42	•40	•••		•••	85	•08	04	•••	•••	.01	•••	-0.0	-00	•••	•••	•21	10		18		70		-00	.78	'78	.08	•••	.37	5.28
19	***	-60	•••		•01	-10	14		02			•••		•••	•••		:02	•••	•03	•••	•08	-07	01	-10	••• [·01	•••	•36	.03	•••	•••	•03	•14	•03	.01	•••	•55	01	.03	18	.00	:01		-:-	2.38
20	•••	•••	•••	•05	•••	10	•••	.03	•04		i	•••	.02	•••	•••	'04	•••	•25	•03	•••	•25	-20	*34	•12	•••		•00	•••	•61	•01	•••			-06	•••	•••		*02	.28	12	.02		•20		2-91
21	•97		•••	11	.07	.15	***	•33	•••			•••	***		.01			.01	64	•••	•37	·01	10	:08	.11	•••	•26	•08	'04	.01	•••	36	•••	•••		•06	12	•••	30	•20		•••		![3.12
- 3	·27 ·40	•47			•07	15		1	•01			•02	•••	•01	.02	•01	·50	•11	•04	•••	•00	·01	12	***	·11	•••	•14	***	· · ·	•••		1.96	•••	•••		.28	•06	***	-01	·80 ·04	•30				6.33
23		•06	١.		•05	•11	***			•26		·36		•24	.16	•21	•07		•04	•••	•22	•44	·56	•••	:46 •21	•••	·16	***	-50	•••	•01	•••	•••		•04	.02	.01			10	·01 :42			i i	4.79
25	•30	•14		•••	-59	17		•••		•67		1	•••	•30	•16	.01	•70	:34	:88	•••	•12		·15	•06		•••	·65 ·55	•••	•52 •44	•38	•••	•••	•••	-80	.01	•••	·01 ·08		•,• •	:13	:12	1	.15	H	5.28
26			.03		.05	-52	***		•••	•00		10	•••	•••	.00	:01	•72	•••	•03	•••	-08	•••	:02 •08	·06	•••	•••	-33	.20		.28		•••	***	.04	·04 ·02	•••	.05	•••	•59	.72	.01			11	3'35
27	-24	•18	-04	•03	.01		-11	17	•••		.15	•09	-80	02	·28	11	• •••	•17	•••	•••	•01	•22	•39	.04	26	•••	•06	.36				•••	•••			•••	.03	••.•	.02	.07	.06	.17			4.90
28		1.06					•03			.05		•49	•49		·12 ·10	.92 •10		•17	•••	•••			;34		.02	·33	•02	•20		.03	·01	.02	.24	•20	.01		.07	.14		.04	.01	l.	.0.	- 11	4.72
29	•04				-	i	.17			1	1 .40	.04		•12	10	•09	•••	•26	•28	•••	•01		•01	•••	,	•02	•22			.63	-01	·04					.02	.10		.12		.01			2.79
30	•08			-00						.50		•20			•03	•06	•••	25	.02			•••	.07		.04	·01	.14	•••		•98	-02	.12	•••	24		***	.05	•46		.53	.06	-00			4-58
31	.03				•01						1	•34	!	·10	.01	•19		·88		•••	•01		12	•••	.08	•02			•01	-22	•28					.12				·13		•06		- 11	3.52
Sums	2·14	4.06	1.18	1.60	0.98	3.81	3.09	2:37	0.43	4.05	3.62	2.39	2.36	2.23	1.35	4.61	1.71	4.19	4.13	1.39	5.54	1:7.5	2.93	2·18	1.55	2.01	3.87	3.78	2.61	6.15	2.40	4.01	1.36	2.55	1.60	1.04	3.00	1.56	1•42.	6.25	2.00	1.41 1	93 1	-17	15.76

Showing the Fall of Rain on every day in November during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

TABLE XI.

	SUMS																																															
DAT OF THE MONTH		1827	1828	1829	183	0 183	1 18	32 1	833	1834	183	5 18	36 1	837	1838	1839	1840	184	1 84	2 18	43 18	344 1			_		1	1	1851	1 85	1853	185	1855	1850	6 1857	1858	1859	1860	1861	1862	186	1864	1865	1866	1867	1868	1869	SUMS
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28	·06 ·82 ·44 ·23 ·03 ·05 ·66 ·15 ·06 ·08 ·06 ·106 ·106 ·106 ·106 ·106 ·106 ·106 ·106 ·106	 .08 .10 .22 .06 .12 .04 	 	3451 .28 .04 .020608 .03 .41 .0501	···· ·11 ·01 ·08 ·76 ·05 ··· ·67 ·09 ·27 ·41 ·03 ·02 ·01 ·12 ·23 ·04 ··· ·· ·13	1140409 .021801 .08 .01 .3425 .01 .04 .35 .0201	1 · · · · · · · · · · · · · · · · · · ·	02 06 02 04 01 39 08 03 4 02 02 02 03 04 02 03 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04 04	···· ··· ··· ··· ··· ··· ··· ··· ··· ·	02 .18 .52 .03 .31 .24 .01	······································	· 0 · 0 · 2 · 1 · 1 · 1 · 1 · 0 · 0 · 1 · 1 · 1 · 1 · 0	07 02 02 04 05 08 00 04 4 7 05 8 6 6 6 6 7	·12 ·05 ·02 ···· ·03 ··· ·03 ··· ·01 ·22 ·01 ·04 ·01 ·13 ··· ··· ···	·12 ·04 ·06 ·26 ·02 ·30 ·10 ·32 ·40 ·10 ·13 ·02 ·04	·14 ·30 ·28 ·11 ·01 ·09 ·10 ·05 ·01 ·55 ··· ·· ·04 ·04 ·04 ·04 ·05 ·36 ·08 ·· ·32 ·· ·05 ·01 ·12 ·. ·88	·30 ·02 ·16 ·23 ·48 ·10 ·20 ·10 ·30 ·35 ·22 ·11 ··· ·40 ·41 ·01 ·02 ·16 ·01 ··· ·· ·· ·· ·· ·· ·· ··	·10 ·01 ·01 ·04 ·04 ·04 ·12 ·24 ·18 ·30 ·21 ·02 ·11	000 000 000 000 000 000 000 000 000 00	. · · · · · · · · · · · · · · · · · · ·	2 8 2 0 7 3 7 3 5 3 7 1 1 0 2 2 1 8 4 1	38 49 03 34 16 50 38 12 		02 .01	01 02 01 24 10 02 01 01 01 01 	•03 •01 •01 •04 •03 •04 •03 ·01 •04 •05 •38	······································	·07 ·02 ·05 ·02 ·01 ·08 ·04 ·56 ·06 ·12 ·01 ·22 ·26 ·46 ·04 ·02	·02 ·01 ·06 ·02 ·02 ·07 ·14 ·01 ··· ·02 ··· ·· ·· ·· ·· ·· ·18 ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··	02 -61 -16 -01 -05 -05 -1506 1-02 -13 -22 1-24 -34 -12 -1124 -35 -10 -04 -1822 -70	021003111612 .26 .05	 .01 .03 .09 .34 .02 .08 .17	•49 •03 •01 •02 •02 •56 •02 •06 •05 •01 •02 •01	0115 .01 .0702 .08 .02 .01	01 ·56 ·22 ·03 ··· ·01 ·01 ·05 ··· ··· ··· ··· ··· ··· ···	······································	·20 ·05 ·13 ·23 ·62 ·03 ··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·	 	111 133 022 066 699 07 400 30 01 08 116 03 03 80 08 09	0162 .1401 .08	·58 ·08 ·27 ·04 ·09 ·20 ·08 ··· ·· ·18 ·04 ·06 ·08 ··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·	 	·02 -26 -01 -01 -03 -24 -10 -10 -13 -01 -07 -04 -03	·04 ·01 ·03 ·02 ··· ·01 ·30 ··· ·31 ··· ·06 ·14 ··· ·02 ··· ·14 ··· ·04 ·01 ·01 ·01 ·01	 	08	······································	2.68 3.09 2.72 2.46 3.27 2.99 2.32 2.97 1.70 3.96 3.09 1.97 4.61 4.22 1.99 2.02 2.67 2.88 2.48 1.60 4.43 3.50 3.06 2.93 2.46 3.90 4.18
29 30 Sums	2.89	1.06			•02	·10	.3	0		26	·34 ·02	•3:	6	06	•43 	·37 ·04		•54 •05	·01	•	6 .		751 102		•02 •04	·12 ·01	·16 ·23	•••			•05 •01	•06 •22	••••			•02	·56	·18 ·12		•07		···· •27				•••		2.63

Showing the Fall of Rain on every day in December during the years 1826-1869 at the Gardens of the Royal Horticultural Society at Chiswick.

TABLE XII.

DAY OF									-		-									, ,	E	E 1	M B	ER	•																				
THE	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	1843	1844	1845	1846	1847	1848	1849	1850	1851	1852	1853	1854	1855	1856	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	Suma
ı	•25	•••					•06	-05	•02				•22			•08	-01			•02			•19	•12	•01		•05		•••	.03		.02	•02	•02	•01		•••	•25	•••	•02	•20	•30	.02		1.97
2		•12			•11	-01	•19	·01	•••	•02	.04		•51	•••		-12		.02		•30			.02	•46			•••		•••	-04	•••		.02		•01		•••	•63	.02		•08			•••	2.73
3		·14			-01		.02			-02	•06		•02			.17		•01	•••	·04		·11	•01	•06			•••	•02		•02	-26	•04	•01	•01	·12		•03		•02	•02	•10		. •06		1.38
4		•02		•••	•04		.02	.13		02	14	•••				.13		•01	•••	.39		-28	-19		•06				•••	-01	•12	•••		-26	.07		.01		•••		·14	·10	•14		2.58
5	-18	•0±				.02	•18	•13			.02		.01			•14	•••	.02	•••		•11	•12	•01	·10	-02	-02	•25	•01	•04		•04			•12	.02		•05	-07			. •48	•10	•04		2.34
6	•21		-09			•02	•01	•15	·01	.01		.08	•20	•01		.30				•01	•••	·17	•05				•••		•••		•02	.02	.01	•26	-06	·4 6	.17		•••		. 16	•14	•28		2.00
7	•14	.02	•43		•01	•37	•••	•03	•14		•52	•15	•09			•15	-01	-01				•01	•15	•10			•19		•••		.03				•11		•16		.02	•22			•36		3.42
8			•34		•30	•36	.01	•16		•11	-04	.01			•10	.01		•••	•••	-06		·16	•01	-01.			•08	•01	•01		•03		-01		•34	•23	•••	•05	.06		•••		•14	•••	2.64
9	•24	•08			•18	-31		•04	•19		•02	•01				·15		-08			•07	•03					•01	•02	.04		•15						•34	.03			•08				2.02
10	•20		.05	•••	•••	•04	.03	•01	•••							.07					•08	•01	•01				•03				•33			•••		•01	•••				.02		.02		0.01
11		•62		•••		-12		•06	•••		.17	•••		•09		.09	•32	•••				•••	•••				•••				•19	1				•06	·18				•12			.30	2.35
12	•07	15				26			•••	•	•14	.02		·10		17	.01	.01					•••		•02		•20		.03		•44		•10		•01	•04	•••		•02		•04			•04	1.87
13	•10	-06				•07							•••	•16		.08		.01	•••	•••				•02	•05		•12		•02		-02	ļ				•06	•14		•02		•20			.02	1.12
14	-09	•32					•03	•01	•••		•02									.02	•••		•14	•09	-21		•25		•01	-07	•01	}										•06	•12	.30	1.42
15	•06	•26		•••	•10	.07	•50	•06	•••		·16		•••	•09		.10	•••	•••	•03	.02	•••	•01	•22	•09	•30		•03	20	•09				•01		•02	-07					·15	·16	•36		3.16
16		•09	•45	•••	•18	.22	.02	•12	•••	•01		•12					•06	•04	•••		•••		-68		•06	•01	•27		•••			•10			•04						01	•••	•10	•60	3.18
17		-12	•09		•04	•28	•10	•11	•04		•01	•37		•28					•••	•05		-03	-01		-02		.01		· 10	·]				•••	•01		•08				.01	•04	•22	•06	2.08
18		•20	.05	•13	•02			•12		•06		•11							•05	•33	•22	•34	•01	•11	•19.				•14	[-07	•04	-62							•••		•••	•20	•06	3.07
19		•25			•••			•14	•••		•05	•38		.27	19		•01	•••	.01	.17	•04	·01	•01	•03	•12	•01	•01		•36				•09		·							•••			2.12
20	-23	-02				•10		•76				•10	•••	•06			·01		•••	•03	-07		•••			•02			-08			.07	•04						·10	·01	· ••• {	•••	.16	.30	2.16
21		•06					-01	•06			 .			•20			•01			•10	•11		•••	•02	•02	•15			•12	·		:01	•03				•01	•05				·12	•14	·4 0	1.62
22		•36	.02		•05	•04	•02	•11			•09		•30	•06		.02			•••	•20	·37					•31	•04		•06	10		1	.01				·11	•02			•01		.38		2.68
23		.03	-07	•••			-07	1.13					•03	.47		.06	.09	•01	•••	•01	:10	•05					•03	•04	•05	.07			•04	.25	•02		:01	•••					•32		295
24		-10	•09			•••		•26					.01	•01		•12				•••	.04	•	•02	•02			•09		•06	•30	·17		.01	-08			•01				·01		•02		1'42
25							•22					•••				-06		•01	•••	·01				.01			•••		-04	19		, 	-25	•45								{	•••		1°24
26		-02				-06		•20	•••		•••	***	-20	•39		•01	·20		•••	•••	, 	•01	•••	-02	•••		•29			•26	.,.		.17					•03		•01	·10		•54		2.21
2.7					•40			•21					•	·13		•02	•01	.03		.17	· 		-30			-02	•••		•01	.01		i	-05	·10	·13								.04		1.63
28]		-06		-10	•02	•06	.05					•••			.02			•15	•16			•••		•••	•0,8							•02	-21		·				•16			•04		1.13
29		•01		-02			•15	.03	-03				•08			•05			.15	•06	•	·17	•••	•02	•••		•02		-01	•01				•08	•62		·18			•11	•04		:60		2.44
30				•••		.01	.06	•05	-07		•		•05		•16	•••		•02		•02		•30			.02	.,.			,,,				.01	•09	•18	•01	-01			.•08			•56		1.40
31			.03			•••	•12	•10	•24	•••		•••					•02	•30	•	-44	•••		•••		•05		•••				•••	•••	-01	•02	•26		•••	•13	•08	•29				-36	2.45
Sums	1.77	3.09	1.77	0.12	1.54	2.38	1.88	4.29	0.74	0.25	1.48	1.35	1.72	2.32	0-45	2.12	0.76	0.58	0.39	2.61	1.21	1.81	2.03	1.28	1.12	0.62	1.97	0.30	1.27	1.11	1.88	0-30	1.23	1.95	2.03	0.94	1.49	1.26	0.34	0.92	1.93	1.02	4.86	2.44	67.58

A glance at these Tables shows in every month the periods of long-continued absence of rain, and of long periods of continuous rain.

The following are instances of very little or no rain for a fortnight together or more:—

In January, 1826, 1827, 1829, 1830, 1838, 1850, 1861.

" February, 1827, 1855, 1858, 1862.

, March, 1828, 1829, 1847, 1850, 1858.

,, April, 1826, 1834, 1840, 1842, 1852, 1855, 1861, 1863, 1864.

,, May, 1829, 1833, 1834, 1836, 1838, 1848, 1866.

,, June, 1826, 1835, 1842, 1846, 1849, 1865, 1867, 1868.

,, July, 1827, 1832, 1835, 1860, 1863, 1866, 1869.

,, August, 1826, 1833, 1834, 1835, 1853, 1857, 1864, 1869.

,, September, 1832, 1846, 1850, 1851, 1865, 1868.

,, October, 1828, 1842, 1845, 1868.

,, November, 1844, 1851, 1858, 1859, 1862, 1867.

,, December, 1829, 1834, 1835, 1838, 1840, 1844, 1851, 1853, 1855, 1859, 1861, 1864, 1865.

Thus there have been in the forty-four years—

7 st	ich instances	in January.	7 suci	i instance	es in July.
4	,,	February.	8	,,	August.
5	,,	March.	6	,,	September.
9	,,	April.	4	,,	October.
7	,,	May.	6	,,	November.
8	,,,	June.	13.	,,	December.

The month in which long periods without rain have been most frequent is December, and those in which long periods have been least frequent are February and October.

The longest intervals without rain in each month are as follows:-

n January,	1838				•			26	days
February,	1827							24	,,
March,	1829							27	,,
April,	1834							24	,,
May,	1833							28	,,
June,	1865							24	,,
July,	1869							27	,,
August,	1864							19	,,
September,	1865							19	,,
October,	1842							17	,,
November,	1867							25	,,
Docombon	1829							28	,,
	March, April, May, June, July, August, September, October, November,	February, 1827 March, 1829 April, 1834 May, 1833 June, 1865 July, 1869 August, 1864 September, 1865 October, 1842 November, 1867	March, 1827 . March, 1829 . April, 1834 . May, 1833 . June, 1865 . July, 1869 . August, 1864 . September, 1865 . October, 1842 . November, 1867 .	February, 1827	February, 1827	February, 1827 March, 1829 April, 1834 May, 1833 June, 1865 July, 1869 Argast, 1864 September, 1865 October, 1842 November, 1867 Describer, 1829	February, 1827	February, 1827	February, 1827 24 March, 1829 27 April, 1834 24 May, 1833 28 June, 1865 24 July, 1869 27 August, 1864 19 September, 1865 19 October, 1842 17 November, 1867 25 December, 1839 28

Of periods of 14 days or more without rain running from one month into another, and therefore in addition to the above instances, there are 24; the largest of these is 32 days in 1846, May 21 to June 21; the next in order is 30 days in 1826, June 8 to July 7, and 1850, February 21 to March 22.

The following are instances of long-continued rain, or rain falling every day for a fortnight together:—

1834 and 1846. In January, February, 1833. March, 1836. 1829 and 1867. April, May, 1843. 1852, 1860, 1862. June, July, 1867. August, 1832 and 1860. September, 1829, 1830, 1835, 1860, and 1866. 1836, 1841, 1846, 1848, 1855, 1865. October, November, 1842, 1852. December, 1827, 1833.

Thus, once only in the four months of February, March, May, and July has rain fallen consecutively for so long a period as 14 days. Of the remaining months there are five distinguished by two such cases in 44 years, viz., January, April, August, November, and December, and there are three such cases in June, five in September, and six in October.

Of other instances of 14 days or more of continuous rain running from one month into the next, there are seven cases, viz., in 1836, March 22 to April 9; 1843, May 14 to June 10; 1836, September 27 to October 15; 1841, September 21 to October 18; 1855, September 28 to October 17; 1840, October 26 to November 13; and 1841, November 26 to December 13. Of these the longest continuous rain was 28 days.

In looking over Tables I. to XII. it will be seen how, as a rule, the rain falls in gentle showers, and but seldom as very heavy rain. Falls of an inch in the day in the winter months are very unusual; in the 44 years there has been but one such fall in the months of January, March, and December, and there has not been a single instance in the month of February. The greatest fall in this month on one day was on the 25th day in the year 1849, when the amount was 0.92 inch. All the instances of an inch of rain in the day in the 44 years are as follows:—

_					In.					In.
January						July	15, 1841 .			1.46
${f March}$	20,	1862			1.11	,,	24, 1849.			1.16
April	2,	1830			1.19	,,	1, 1851.			1.18
,,	25.	1846			1.40	,,	16, 1852.			1.60
\mathbf{May}	13,	1835			1.10	,,	11, 1855.			1.07
,,	5,	1843			1.26	,,	26, 1855.			1.22
,,	12,	1860			1.14	,,	28, 1860.			1.39
$_{ m June}$	26,	1835			1.00	,,	25, 1867.			1.48
,,	9,	1852			1.48	August	13, 1828.			1.14
,,	4,	1866			1.02	,,	10, 1842.			1.06
July	22,	1826	٠		1.37	, ,,	3, 1843.			1.03
,,	24,	1829		٠	1.03	, ,,	1, 1846.			1.23
,,	12,	1831			1.10	,,	31, 1848.			1.31
, ,	18,	1834			1.22	,,	27, 1851.			1.32
**	29,	1834			1.31	i ,,	17, 1856.			1.12

					In.						In.
August	10,	1865			1.08	October	3,	1849			1.01
September	9,	1827			1.09	,,	4,	1852	٠		1.06
,,	10,	1828			1.27	,,	22,	1857			1.96
,,	1,	1831			1.50	November	7,	1833			1.02
,,	23,	1846			1.21	,,	28,	1838			1.21
,,	26,	1859			1.68	,,	14,	1852			1.24
,,	28,	1862			1.44	,,	13,	1861			1.16
October	28,	1827			1.06	,,	27,	1869			1.04
,,	12,	1831			1.00	December	23,	1833			1.13
,,	15,	1844			1.04						

Thus there are two instances in April; three in May; three in June; thirteen in July; eight in August; six in September; six in October; and five in November.

The heaviest fall of all is 1.96 in. in October, 1857.

By taking the sums of all the numbers in Tables I. to XII., month by month, Table XIII. was formed, showing the monthly fall of rain for 44 years; and by taking the sums of all the numbers, day by day, Table XIV. was formed, showing the sums of every fall of rain on every day of the year for 44 years: and by taking the sums of the numbers in Tables XIII. and XIV. the accuracy of all this work is proved.

By looking over Table XIII. month by month we see that—

	0						•						In.	
$_{\rm In}$	January,	1855,	$_{ m the}$	\mathbf{fall}	\mathbf{of}	rain	in the	month	was	as	small	as	0.10	
,,	,,	1866,			*	,,		,,			large	as	3.72	
,,	February,	1832,				,,		"			small	as	0.53	
,,	,,	1833,				,,		,,			large	as	3.98	
,,	March,	1850,				,,		,,			small	as	0.13	
,,	,,	1862,				,,		,,			large	as	3.74	
,,	April,	1840,				,,		,,			small	as	0.06	
,,	,,	1829,				,,		,,			large	as	4.49	
,,	May	1844,				,,		,,			small	as	0.25	
,,	,,	1843,				,,		,,			large	as	5.26	
,,	June,	1849,				,,		,,			small	as	0.31	
,,	,,	1860,				,,		,,			large			
,,	July,	1864,				,,		,,			small	as	0.20	
,,	,,	1834,				,,		,,			large	as	6.34	
, ,,	August,	1835,				,,		,,			small	as	0.18	
,,	,,,	1846,				,,		. 11			large	as	4.50	
,,	September,	1851,				,,		,,			small			
,,	,,	1835,				,,		,,			large	as	4.60	
,,	October,	1834,				,,		,,			\mathbf{small}			
,,	,,	1865_{\circ}				,,		,,			large			
,,	November,	1858,				,,		,,			small			
,,	,,	1852,				,,		,,			large			
,,	December,	1829,				,,		,,			small			
,,	**	1868,				,,		,,			large	as	4.86	

Therefore, the smallest monthly fall of rain, viz., 0.06 in., took place in April, 1840, and the largest, 6.34 in., in July, 1834.

TABLE XIII.

Showing the Monthly Fall of Rain in Forty-four Years (1826-1869 inclusive).

SKUZ	21.83	22.36	27.85	21.92	24.25	26.93	65.12	25.82	20.39	23.16	28.73	19.88	21.27	27.93	18.81	30.62	22.22	2.5.48
ДЕСЕЛВЕ В	1.77	3.03	1.77	0.15	1.54	2.38	1.88	4.29	0.74	0.25	1.48	1.35	1.72	2.32	0.45	2.12	92.0	0.58
М ОУЕМВЕ н	2.89	1.06	1.12	1.86	3.05	1.70	1.94	2.38	1.75	1.94	3.60	1.32	3.55	4.27	3.59	3.41	4.43	3.00
Остовен	2.14	4.06	1.18	1.60	86.0	3.81	3.03	2.37	0.43	4 05	3.62	2.39	2.36	2.23	1.35	4.61	1.71	4:19
Вертемвея	3.71	3.37	4.03	3.71	3.51	4.19	1.12	1.55	0.83	4.60	3.81	0.91	2.08	3.92	2.45	3.71	3.39	6.89
Ynenst	2.00	1.66	4.35	4.07	3.05	1.59	3.62	1.93	2.73	0.18	1.97	3.04	1.23	1.85	1.62	2.69	2.81	1.81
улгх	2.02	1.31	4.38	5.23	1.46	2.52	68.0	1.56	6.34	0.41	1.78	1.78	2.19	2.92	1.68	3.56	1.52	01.6
JUNE	0.38	0.83	1.94	2.37	2.62	1.37	2.89	2.63	1.63	1.99	1.66	1.31	3.65	3.00	1.48	2.45	1.58	40.0
, YAM	2.39	2.2+	1.40	0.52	2.47	2.21	2.16	89.0	1.19	3.38	1.01	1.07	0.93	0.83	2.18	2.16	1.73	0.95
личА	0.88	0.71	2.44	4.49	2.84	1.96	0.95	2.71	0.65	1.06	2.88	1.13	0.52	1.46	90.0	1.58	0.15	0.33
Илясн	1.62	2.50	0.23	0.75	0.18	1.91	1.50	1.22	98.0	1.97	3.30	0.54	98.0	1.68	0.28	1.32	1.81	9.44
Евриску.	1.71	62.0	0.94	1.07	1.31	2.27	0.23	3.98	0.37	2.61	1.61	2.01	2.53	2.19	1.25	92.0	1.32	46.6
YHAUVAL	0.27	0.75	3.71	0.30	1.54	1.02	1.32	0.52	2.87	0.72	2.01	3.03	0.27	1.27	2.48	.09.7	1.06	2006
нчад	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	1836	1837	1838	1839	1840	1841	1842	010

22.33	14.46	19.91	8.86	22.84	18.58	01.00	6/07	24.77	18.02	24.38	22.12	90.12	15.78	25.25	80.00	10.78	26.54	20.02	88.91	20.92	16.56	+0.00	90.01	69.12			23.49
2.61	.1.9.1	1.81	2.03	1.28	1.15	69.0	1.97	0:30	1.27	1.11	1.88	0.30	1.53	1.95	2.03	16.0	1.49	1.26	0.34	0.95	1.93	1.03	98.7	2.44	0	97.70	1.53
2.11	1.13	2.26	06.0	1.32	2.03	0.55	6.50	16:0	1.9.1	1.34	0.94	1.53	0.10	2.72	09.6	4.10	1.01	1.68	1.94	07.1	1.16	0.39	1.07	2.18	62.00	92.99	2.10
1.39	5.54	1.75	2.93	2.18	1.55	2.01	3.87	2.7.2	2.61	6,15	2.40	4.01	1.36	2.55	1.60	1.04	3.00	1.56	1.42	6.25	2.00	1.41	1.63	1.17	- L	01.011	2.63
1.77	1.76	1.66	2.50	2.49	2.36	0.42	3.54	2.41	0.58	1.15	1.99	3.52	1.05	4.05	2.85	1.78	2.74	3.47	2.81	0.58	4.04	2.31	1.88	3.73	100.00	108.30	2.50
2.79	4.50	1.50	4.70	1.60	26.0	2.03	3.71	1.87	1.77	1.45	9.20	2.80	1.46	2.49	4.16	0.50	2.40	1.96	1.59	3.64	5.69	2.55	2.37	1.32	105.00	109 09	2.41
2.31	1.78	62.0	2.21	2.83	2.68	3 90	2.28	4.17	2.40	6.30	1.43	1.22	2.55	2.18	2.72	1.90	2.09	08.0	0.50	2.37	1.30	4.00	1.32	0.80	01.601	61.701	2.32
1.36	08.0	1.31	3.20	0.31	1.40	1.33	4.69	2.54	1.53	1.48	0.88	1.91	0.78	3.10	5.15	2.35	2.33	4.46	1.70	1.84	3.60	1.37	0.33	1.26	100	76 70	1.99
5.89	1.35	1.59	0.28	3.53	1.84	0.74	1.74	1.60	4.03	1.94	4.38	0.87	2.05	1.80	3.04	1.31	3.54	1.46	1.95	3.19	1.17	2.05	1.05	2.76	96.10	00 10	1.96
0.95	3.93	0.95	3.06	2.21	1.79	1.65	0.52	2.58	0.30	0.56	1.97	1.77	2.13	2.01	0.95	1.44	2.29	0.94	22.0	0.35	1.98	1.67	0.93	1.22	46.61	70 00	1.51
1.25	1.09	0.41	3.05	0.85	0.13	3.57	0.25	1.48	0.45	1.75	26.0	0.73	88.0	22.0	1.63	1.89	3.74	89.0	2.53	0.95	1.65	1.97	0.03	98.0	60.93	200	1.37
75.0 0	1.47	1.34	3.12	2.52	0.95	06.0	-1.06	0.28	0.78	1.35	0.62	0.31	1.48	1.29	1.20	1.41	0.38	0.56	92.0	1.63	3.80	1.33	0.95	1.98	63.67		1.45
2.62	2.89	1.31	1.16	1.73	1.43	3.07	2.72	2.14	1.92	0.10	$\frac{1.76}{2}$	5.03	0.41	0.61	2.18	0.85	1.53	2.19	0.57	3.20	3.72	2.16	1.64	1.98	75.88		1.72
1845	1846	1847	1348	1849	1850	1851	1852	1853	1854	1855	1856	1857	1×58	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868	1869	Sums		Means

TABLE XIV.

Showing the sums of every Fall of Rain in every Day of the Year in Forty-four Years (1826-69 inclusive).

														-1
ДЕСЕТІВЕВ	1.97	2.73	1.38	2.28	2:34	2.90	3.42	2.6.1	2.05	0.91	2.32	1-87	1.15	2 2 2
Холемвен	2.68	3.09	2.72	2.46	3.27	2.99	2.32	2.07	1.70	3.96	3 09	1-97	4.61	-
Остовен	3.35	2.58	3.16	4.36	3.89	3.78	3.40	3.71	3.79	5.33	2.79	3.28	1.25	
язакаттаз	4.01	2.78	3.58	2.61	1.69	28.9	2.79	4.64	68.9	4.27	3.35	2.56	2.16	
TSTOUA	3.16	21.9	4.52	3.24	3.45	3.53	3.77	2.67	2.48	4.39	4.06	1.62	5.53	
ncr	4.09	1.04	3.38	1.47	2.54	2.89	2.38	2.81	2.99	2.40	3.62	2.98	3.24	The second
lcze	2.12	3.83	3.03	5.66	4.76	1.56	2.44	1.50	4.06	2.65	1.97	4.83	4.20	NAME OF THE PERSON OF THE PERS
. YAM	1.62	1.79	2.65	2.45	4.36	3.53	3.40	3.83	3.76	2.44	2.39	3.96	2.83	-
APRIL	2.56	3.42	1.39	2.30	2.58	1.29	2.54	2.81	2.81	1.17	2.11	2.84	1.69	1000
Мьпсн	2.31	2.23	2.42	1.51	2.21	1.65	1.44	1.06	1.97	2.11	1.90	1.79	2.33	20.00
ЕЕВИСУИХ	2.20	2.85	2.63	2.86	2.49	0.88	2.40	2.74	2.21	1.95	2.76	1.73	1.60	7
YAAUXAL	1.75	1.01	2.50	2.33	2.46	2.05	2.74	98.0	2.17	1.85	4.50	4.80	2.86	TO TO
THE MOXTH	п	63	33	4	2	9	7	∞	6	o I	II	12	13	44

3.16	3.18	5.08	3.07	2.15	2.16	1.62	89.7	2.95	1.42	1.24	2.51	1.63	1.13	2.44	1.70	2.45	67.28	2.17
1.99	2.02	2.67	2.88	2.48	1.60	4.43	3.50	3.06	2.93	2.46	3.90	4.18	5.17	4.58	2.63		92.53	3.08
4.35	3.91	1.78	5.58	2.38	2.91	3.15	6.33	4.48	4.79	5.58	3.35	4.90	4.72	62.2	4.58	3.25	115.76	3.73
2.77	3.06	4.00	4.79	3.16	5.62	3.61	3.20	3.63	4.09	1.87	60.9	4.82	6.19	3.65	3.26		109.98	3.67
3.01	3.71	6.05	2:48	2.88	2.05	3.47	3.30	4.54	1.73	3.21	2.48	3.21	1.58	2.95	5.66	3.99	105.83	3.41
4.73	3.65	3.18	4.54	3.17	3.26	2.74	3.92	4.81	3.73	5.99	4.74	3.95	4.09	2.75	4.49	2.94	102·19	3.30
2.35	2.14	3.48	2.92	3.17	2.20	4.09	2.30	2.24	2.78	3.94	3.93	2.34	3.03	1.30	3.11		87.37	2.91
2.52	1.49	2.33	1.48	2.54	3.56	2.77	1.58	2.39	2.88	2.44	2.76	3.44	3.99	4.18	1.55	2.99	86·19	2.78
1.93	2.75	1.47	1.93	1.08	2.23	1.38	2.58	3.41	2.90	3.98	1.20	2.33	2.33	2.59	1.19		66.61	25.2
1.72	2.85	2.02	0.95	1.37	3.32	1.34	1.44	2.47	06.0	2.00	0.84	1.77	2.83	1.35	2.07	2.17	60.23	1.94
1.96	1.21	1.91	1.28	2.32	5.04	1.80	1.53	2.14	2.88	2.64	4.18	1.90	5.66	(0.93)			63.67	2.24
1.80	2.23	1.40	2.96	3.72	2.79	2.11	1.87	1.50	2.84	2.57	2.34	2.42	2.07	1.80	3.40	2.91	75.88	2.45
15	16	17	81	61	20	21	22	23	24	25	56	27	28	29	30	31	Sums	Means

By taking the means of the numbers in each month for all the years, the average fall of rain for each month is as follows:—

At	Chiswi	ck.			At	Greenwich
	In.					In.
January	1.70					1.87
February	1.45					1.57
March	1.37					1.59
April	1.51					1.73
May	1.96					2.17
June	1.99					1.94
July	2.32					2.56
August	2.41					2.39
September	2.50					2.43
October	2.63					2.77
November	2.10					2.36
December	1.53					1.96

Greenwich averages are for fifty-five years, viz. 1815-1869.

The following Table shows the yearly fall of rain in each year in the period 1826—1869 at Chiswick and at Greenwich for the same years:—

Year.		(hiswick.				0	freenwich
			In.					In.
1826			21.8					23.0
1827		 	22.4					24.9
1828			27.9					31.5
1829			26.1					25.2
1830			24.3					27.2
1831			26.9					30.8
1832			21.6					19.3
1833			25.8			:		23.0
1834			20.4	7				19.6
1835			23.2					24.9
1836			28.7					27.1
1837			19.9					21.0
1838			21.6					23.8
1839			27.9					29.6
1840	٠.		18.9					18.3
1841			31.0					33.3
1842			22.3					22.6
1843			25.5					24.6
1844			21.3					24.9
1845			23.3					22.4
1846			27.7					25.3
1847			16.7					17.8
1848			28.8					30.2
1849			22.8					23.7
1850			18.3					19.7
1851			20.8					22.7
1852			32.6	,				34.2

Year.		Chiswick						Greenwich.
		In.						In.
1853		$24 \cdot 4$						29.0
1854		18.9						18.7
1855		24.4						21.1
1856		22.7						22.2
1857		21.1						21.4
1858		15.8						17.8
1859		25.5						25.9
1860		30.1						32.0
1861		19.5						20.3
1862		26.5						26.5
1863		20.3		,				19.8
1864		16.9						16.8
1865		26.9						28.6
1866		29.0						30.1
1867		22.2						28.5
1868		19.3						25.2
1869		21.7					·	24.0
	•	•	•	-	•	•	•	

The years distinguished by the smallest annual fall of rain, both at Chiswick and Greenwich, are 1847, and 1864. The least annual rainfall at Chiswick was 15.8 inches, the year 1858. The greatest annual rainfall at Chiswick was 32.6 inches, the year 1852. By comparing the falls of rain at Chiswick and Greenwich together, year by year, we see that generally the fall at Greenwich is the greater in amount, and this excess at times has continued for several years together. These instances are:—

								In.
From	1826	to	1828, the	excess in	3	years	was	$7 \cdot 3$
,,	1837	to	1839,	,,	3	years	was	5.0
9 21	1847	to	1853,	,,	7	years	was	12.9
,,	1857	to	1861,	,,	5	years	was	5.4
,,	1865	to	1869,	,,	\tilde{b}	years	was	17.3

There is reason to fear that the rainfall at Chiswick in the last three or four years has been somewhat too small in amount.

At times, however, it has been greater at Chiswick than at Greenwich. These instances are:—

```
The year 1829.
```

- ,, years 1832, 1833, and 1834.
- "years 1836, 1840, 1843, 1845, 1846, 1854, 1855, 1856, 1863, and 1864.

One year the amounts were the same, viz., in 1862. There are twentynine instances of Greenwich being in excess; and fourteen of Chiswick being in excess.

The mean at Chiswick is 23.5 inches, and ,, Greenwich is 24.5 inches,

as the annual fall of rain, as found from the observations 1826 to 1869.

By comparing the numbers in Table XIV. month by month we see that:—

				In.			In.			
In	January the	e sums	vary from	0.86	on the	8th to	4.80	on the	12th	
,,	February	,,	,,	0.88	,,	6th "	4.18	,,	26th	
,,	March	,,	,,	0.84	,,	26th "	3.89	,,	14th	
,,	April	,,	,,	1.08	"	19th "	3.98	,,	25 th	
,,	May	,,	,,	1.48	,,	18th ,,	4.36	,,	$5 \mathrm{th}$	
,,	June	- 39	,,	1.20	19	8th "	4.83	,,	12th	
,,	July	,,	,,	1.04	,,	2nd .,	4.81	,,	23rd	
,,	August	,,	,,	1.58	:,	28th "	6.05	,, .	17th	
,,	September	,,	,,	1.69	,,	5th "	6.19	,,	28th	
	October	,,	,,	1.25	,,	13th "	6.33	,,	22nd	
,,	November	,,	,,	1.60	,,	20th "	5.17	,,	28th	
,,	December	,,	. ,,	0.91	,,	10th ,,	3.42	,,	$7 \mathrm{th}$	

By taking the differences between these extremes in each month, we find that the smallest difference is in December, viz., 2.51 in., and the largest in October, viz., 5.08 in.

By comparing the consecutive numbers in Table XIV. together very large differences are found, the largest of these in each month are as follows:—

										In.
In	January	between	the 10th	ı and	11 th	days,	the	difference	is	2.65
,,	February	,,,	26t]	1 ,,	27 th		,,	,,		2.28
,,	March	,,	14tl	1 ,,	$15 \mathrm{th}$,,	,,		2.17
,,	April	,,	25t	ı ,,	26 th		,,	,,		2.78
,,	May	,,	29t]	1 ,,	30th		,,	,,		2.63
,,	$_{ m June}$,,	5tl	1 ,,	6th		,,	,1		3.20
,,	July	,,	1s	· ,,	-2nd		"	,,		3.05
,,	August	,,	12tl	٠,,	13th		,,	,,		3.91
,,	Septembe	er "	25tl	١,,	26 th		,,	,,		4.22
,,	October	,,	17tl	1 ,,	$18 \mathrm{th}$,,	,,		3.80
17	Novembe	r "	20tl	1 ,,	21st		,,	,,		2.83
,,	Decembe	r ,,	23rc	l ,,	$24 \mathrm{th}$,,	,,		1.53

By comparing the amounts of the falls at different periods of the year, it is at once seen that the heaviest take place in the months of May to November, and the lightest in the early months of the year. The day in the year distinguished by the smallest fall is March 26, with 0.84 in. for 44 years, the next in order being January 8 and February 6. The day distinguished by the heaviest fall of the year is October 22, with 6.33 in. as the sum for 44 years; the next in order are September 28 and September 26, with 6.19 in. and 6.09 in. respectively.

By taking the sums of the numbers in Table XIV. in five-day periods

Table XV. was formed. On looking over this Table, we still find considerable differences in every month of the year, and that the sum of five-day periods vary.

			In.			In.			
In	January	from	9.67	6th to	10th, to	16.57	11th to	15th	
,,	February	,,	8.68	15th "	19th, ,,	13.69	25th ,	March	1st
,,	March	,,	7.65	22nd ,,	26th, "	12.58	12th ,	, 16th	
,,	April	,,	9.46	16th "	20th, ,,	14.25	21st ,	25th	
,,	May	,,	11.40	16th ,,	20th, ,,	16.96	6th,	, 10th	
22	June	,,	13.61	20th "	24th, "	16.41	10th ,	, 14th	
,,	July	,,	13.09 Jun	e 30th "	4th, "	19.27	15th ,	, 19th	
,,	August	,,	$12 \cdot 21$	24th ,,	28th, "	20.49	14th ,	, 18th	
,,	Septembe	r ,,	15.74	3rd "	7th, "	20.71	8th ,	, 12th	
,,	October	,,	13.86	13th "	17th, "	23.10	23rd,	, 27th	
,,	Novembe:	r ,,	14.04	7th ,,	11th, "	18.53	27th ,	Dec. 1:	st
٠,	December	r ,,	9.35	27th	31st	11.63	2nd,	, 6th	

60

TABLE XV.
Showing the Sum of Rainfall in Five-day Periods.

Peniods	AMOUNTS	PERIODS	AMOUNTS	Periods	AMOUNTS	Periods	AMOUNTS
January $1-5$	10.05	April 1–5	12.25	June 30 to July 4	13.09	Sept. 28 to Oct. 2	18.73
,, 6–10	29.6	,, 6-10	10.62	July 5-9	13.61	October 3-7	18.59
,, 11–15	16.91	., 11–15.	10.39	,, 10–14	14.92	,, 8-12 .	18.89
,, 16–20 .	13.10	,, 16–20	9.46	,, 15-19;	19.27	,, 13–17	13.86
,, 21–25	11.55	,, 21–25	14.25	,, 20–24	18.46	., 18–22	20.35
,, 26–30	12.03	,, 26–30	9.64	,, 25-29	18.52	,, 23-27	23.10
Jan. 31 to Feb. 4.	13.55	May 1-5	12.87	July 30 to August 3 .	82.02	Oct. 28 to Nov. 1.	18.02
February 5-9	10.72	,, 6-10 .	16.96	August 4-8	16.66	November 2-6.	14.53
,, 10–14 .	10.03	, 11–15	13.99	,, 9-13	18.08	,, 7-11.	14.04
,, 15–19	89.8	,, 16–20	11.40	,, 14–18	20.49	,, 12–16.	14.81
,, 20–24	11.29	,, 21–25	12.06	,, 19–23	15.94	,, 17-21	14.06
February 25 to March 1	13.69	,, 26–30	15.92	., 2.1–28	12.21	,, 22–26 .	15.85
March 2-6	10.02	May 31 to June 4	14.61	August 29 to Sept. 2 .	16.39	Nov. 27 to Dec 1.	18.53
,, 7-11 .	8.48	June 5-9	14.02	September 3-7	15.74	December 2-6.	11.63
,, 12–16 .	12.58	, 10–14	16.41	,, 8–12 .	20.71	,, 7-11 .	11.34
,, 17–21	00.6	, 15-19	14.06	,, 13–17 .	15.76	,, 12–16.	11.11
,, 22–26	29.2	,, 20–24	13.61	,, 18–22	17.38	,, 17–21 .	11.08
,, 27-31	10.19	, 25-29	14.54	. , 23–27	20.20	,, 22-26 .	10.80
						,, 27-31.	9.35

The sums of the falls of rain in five day-periods, therefore, exhibit very considerable differences in every month; the smallest is in December, viz., 2·26 in., and the largest is in October, 9·24 in.; they are also large in January, July, and August.

The mean difference of the four months January, July, August, and October is 7.63 in., and of the remaining eight months is 4.35 in.

The five-day period distinguished by the least rain in the year is from March 22 to 26; and that by the greatest is October 23 to 27; the difference between the two amounts is 15:45 in 44 years.

By taking the numbers in Table XIV. in successive ten-day groups the next Table was formed.

TABLE XVI.

' Showing the Sum of Rainfall in Ten-day Periods.

January 1-10	19.72	June 30 to July 9	26.70
,, 11–20	29.67	July 10–19	34.19
,, 21–30	23.58	,, 20–29	36.98
January 31 to February 9	24.27	July 30 to August 8 .	36.94
February 10-19	18.71	August 9 to 18	38.57
February 20 to March 1 .	24.98	,, 19–28	38.15
March 2-11	18.50	August 29 to September 7	$32 \cdot 13$
,, 12–21	21.58	September 8–17	36.47
,, 22-31	17.84	,, 18–27	37.88
April 1–10	22.87	September 28 to October 7	37.32
,, 11–20	19.85	October 8-17	32.75
,, 21–30	23.89	,, 18–27	43.45
May 1-10	29.83	October 28 to November 6	32.55
,, 11-20	25.39	November 7–16	28.85
,, 21–30	27.98	,, 17–26	29.91
May 31 to June 9	28.63	November 27 to December 6	30.16
June 10-19	30.47	December 7-16	22.45
,, 20–29	28.15	,, 17–26	21.88

The differences between these numbers are at times great; in January the sum, in the first ten days is less than in the second by 10·0 in. From this time the differences are generally small, with the exception of that between the period ending July 9 and that ending July 19, which is 7·5 in., till between the ten-day period ending October 17 and that ending October 27, the difference being 10·7 in., and also between

the period ending October 27 and that ending November 6, the difference on this occasion being 10.9 in., this also being the largest difference in the year.

The period of least changes, generally, between consecutive ten-day periods, extends from July 19 to October 7; but the driest ten-day period, however, does not occur in this interval, it being from March 22 to 31; the next in order is March 2 to 11, and then February 10 to 19.

The wettest period of ten consecutive days in the year is from October 18 to 27. The other periods of large falls are August 9 to 18, August 19 to 28, and September 18 to 27.

It is worthy of notice that both the driest and wettest decades are coincident in date with those as found in the reduction of the Greenwich observations.

By taking the sums in fifteen-day periods the next Table was formed.

TABLE XVII.

Showing the Sum of Rainfall in Fifteen-day Periods.

January 1–15	36.29	June 30 to July 14	41.62
,, 16-30	36.68	July 15-29	56.25
January 31 to February 14	34.30	July 30 to August 13 .	55.02
February 15 to March 1 .	33.66	August 14-28	48.64
March 2-16	31.08	August 29 to September 12	52.84
,, 17-31	26.84	September 13-27	53.64
April 1–15	33.26	September 28 to October 12	56.21
,, 16–30	33.35	October 13-27	57.31
May 1–15	43.82	October 28 to November 11	46.59
,, 16–30	39.38	November 12-26	44.72
May 31 to June 14	45.04	November 27 to December 11	41.50
June 15–29	42.21	December 12–26	32.99
(

The differences between these numbers are occasionally large. Between the periods ending April 30 and May 15 the difference is 10·5 in.; between those ending July 14 and July 29, 14·6 in.; and between those ending October 27 and November 11, 10·7 in.

The fifteen-day period of least rain is from March 17 to 31, and the next in order is from March 2 to 16.

The period of most rain is October 13 to 27, and the next in order is July 15 to 29, and September 28 to October 12.

By taking the sums of rain in successive periods of thirty days, we find that the sum—

						In.
From	January	1st to	January	$30 \mathrm{th}$	was	72.97
,,	,,	31st "	March	1st	,,	67.96
,,	March	2nd ,,	,,	31st	,,	57.92
,,	April	1st "	April	$30 \mathrm{th}$,,	66.61
,,	May	1st "	May	30 th	,,	83.20
,,	,,	31st "	J_{une}	29 th	,,,	87.25
,,	June	30th ,,	\mathbf{J} uly	29 th	,,	97.87
,,	July	30th ,,	August	28 th	,,	103.66
,,	August	29th "	September	27th	,,	106.48
,,	September	28th ,,	October	$27 \mathrm{th}$,,	113.52
,,	October	28th ,,	November	26 th	,,	91.31
,,	November	27th ,,	$_{ m December}$	26 th	,,	74.49

From this we see that the period of thirty consecutive days of least fall of rain is from March 2 to 31, and of the greatest, from September 28 to October 27.

By taking the sums of the amounts of rain which fell on every day, in periods of sixty days, we find that the sum—

					In.
From	January	1st to	March	1st was	140.93
,,	March	2nd ,,	April	30th ,,	124.53
,,	May	1st "	$_{ m June}$	29th ,,	170.45
,,	June	30th "	August	28th ,,	201.53
,,	August	29th ,,	October	27th ,,	220.00
,,	October	28th "	December	26th ,,	165.80

The period of least fall of sixty days' duration was from March 2 to April 30, and of the greatest from August 29 to October 27.

Again, by taking periods of successive ninety days, we see that the sum—

```
From January 1st to March 31st was 198 85
,, April 1st ,, June 29th ,, 237 06
,, June 39th ,, September 27th ,, 308 01
,, September 28th ,, December 26th ,, 279 32
```

But the sum of the falls in the ninety days from January 31 to April 30, was 192.5 in., being smaller than in the period from January 1 to March 31; and the sum of the falls in the ninety days September 8 to December 6, was 309.3 in., being larger than in the ninety days June 30 to September 27.

Taking successive periods of 120 days, the sums of the falls are:-

From January 1st to April 30th was 265·46

" May 1st " August 28th " 371·98

" August 29th " December 26th " 385·80

But these sums do not represent the 120 days of greatest rain, the sum of the falls from July 30 to November 26 being 415.0 in.; and that from June 30 to October 27 is 421.5 in., which represents the greatest in the year.

Collecting together the several periods of least rain, we find that—

The	5-day	period of	least rai	n was	from March	22nd	to	March	26th
,,	10	,,		,,	,,	$22\mathrm{nd}$,,	,,	31st
,,	15	,,		,,	,,	17th	,,	,,	31st
,,	30	,,		,,	,,	2nd	,,	,,	31st
,,	60	,,		.,,	**	2nd	,,	April	$30 \mathrm{th}$
,,	90	,,		,,	January	31st	,,	,,	30th
,,	120	,,		1.7	**	1st	,,	,,	30th

Thus, all the periods of least falls of rain take place within the first 120 days of the year.

In like manner, collecting the periods of heaviest falls, we find that:-

The	5-day	period of heaviest	rain was	${\bf from\ October}$	23rd	to	${\tt October}$	27th
,,	10	27	,,	,,	$18 \mathrm{th}$,,	,,	27th
,,	15	,,	,,	,,	$13 \mathrm{th}$,,	,,	27th
,,	30	**	,,	Septemb	e r 28th	,,	,,	27th
,,	60	,,	,,	August	29th	,,	,,	$27 \mathrm{th}$
,,	90	**	,,	$_{ m July}$	$30 \mathrm{th}$,,	,,	27th
,,	120	,,	,,	June	$30 \mathrm{th}$,,	,,	27th

Thus, all the periods of heaviest rains take place in the period from June 30 to October 27.

By taking the means of the numbers in Table XIV. in each month, we find that the average sums of the falls of rain in 44 years:—

In	January				2.45	inches	per day	
,,	February		-,		2.24	,,	,,	
,,	March				1.94	,,	,,	
,,	April				2.22	,,	,,	
,,	May	4			2.78	,,	,,	
,,	June				2.91	,,	,,	
,,	July				3.30	,,	,,	
,,	August				3.41	,,	,,	
,,	September				3.67	,,	,,	
,,	October				3.73	,,	,,	
,,	November				3.08	,,	,,	
	December				2.17	,,	,,	

And by dividing these numbers by 44, we find the average fall per day in each month as follows:—

In	January				.056	inch	per day
,,	February				.051	,,	,,
	March				.044		





Diagram showing the amount of Rainfall at Chiswick in successive Periods of ten days from all the years 1826 to 1869.



Spediswoods & C. Lith London.

Note. The first point in the curve shows the total amount of rain which fell in 44 years, between Jany 1 and Jany 10, and the second point that of the second 10 days and so on for successive periods of 10 days.

In	April				.050	inch	per day
,,	May				.063	,,	,,
,,	June				.066	,,	,,
,,	July				075	,,	,,
,,	August				.078	,,	,,
,,	September				.083	,,	11
,,	October				.085	,,	,,
,,	November				.070	,,	,,
,,	December				.049	,,	,,,

The average rainfall in the first 120 days, being those of least rain, is 0.05 in. per day; and in the period, June 30 to October 27, being those of the greatest rain, is 0.08 in. per day.

By taking the sums of the falls of rain in the several periods of least and greatest falls, and dividing the sums by the numbers as follows:—in the

			In.		In.
5	days of least falls	the sum	was 7.65 or,	per	day, 1.53
10	,,	,,	17.84	٠,	1.78
15	,,	"	26.84	,,	1.79
30	,,	,,	57.92	22	1.93
60	51	**	124.53	,,	2.08
90	,,	,,	198.85	3.7	2.21
120	90	, ,	265.46	,,	2.21

and of

			In.		In.
5 days of	greatest	falls the sum was	23.10	or, per day,	4.62
10	,,	. ,,	43.45	,.	4.35
15	97	,,	57.31	,,	3.82
30	,,	,,	113.52	**	3.78
60	4.7	,,	220.00	**	3.67
90	,,	**	308.01	,,	3.42
120	,,	,,	421.53	30	3.51

If we divide the numbers in the last column by 44, we find that the average fall per day in the

. 5	days	of	least	rain	was	In. ·035,	and	of the	greatest	In. was '105
10	٠	,,		,,		·040,		,,	,,	.099
15		,,		97		·041,		,,	3.7	.087
30		,,		,,		·044,		,,	,,	.086
60		,.		,,		.047,		,,	,,	.083
90		,,		,,		.050,		,,	,,	.078
120		,,		,,		.050,		,,	,,	.080

Laying down the results as found by the ten-day period, the diagram opposite shows the general run of the rainfall for the year.

The minimum, as observed, appears between the 80th and 90th days of the year, and the maximum between the 290th and 300th days, and these are the same days as found at Greenwich.

By drawing a line through the curve, giving equal weight to every point, the dotted curved line is drawn: if we consider this to represent the annual march of the fall of rain, it seems that the minimum is from the 80th to the 90th days; that it increases gradually, but with checks, to a maximum about the 220th day, decreases a little after this, attains the maximum between the 290th and 300th days; then rapidly decreases towards the end of the year, when a secondary minimum takes place, and increases to a winter maximum about the middle of January, agreeing in all its main characters with the results as found at Greenwich from fifty-five years' observations.

LONDON: PRINTED BY
SPOTTISWOODE AND CO., NEW-STREET SQUARE
AND PARLIAMENT STREET



